THE POSSIBILITIES ARE INFINITE FUJITSU

UK Price List TGP RRP

Prices Valid From : 12 th October 2011

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Content

Positioning	**3**	ESPRIMO P	36	**Positioning PRIMERGY Rack**	**103**	FibreCAT CX4	171
LIFEBOOK Q550	4	ESPRIMO Q	37	PRIMERGY RX100 Sx	104	ETERNUS DX60	172
LIFEBOOK T731	5	ESPRIMO Accessories	38	PRIMERGY RX200 S6	106	ETERNUS DX80	175
LIFEBOOK T580	6			PRIMERGY RX300 S6	107	FibreCAT Disk Frames	177
LIFEBOOK T7901	7	**CELSIUS Positioning**	**41**	PRIMERGY RX600 S5	108	Accessories Storage Disk Sys.	178
TABLET PC Accessories	8	CELSIUS H700	42	PRIMECENTER	109	Services Storage Disk Sys.	184
		CELSIUS H900	43	PRIMECENTER SME Rack	110		
Positioning Notebooks	**11**	CELSIUS W410	44	Rack Servers Accesories	111	**Positioning Storage Tape Sys**	**185**
LIFEBOOK A530	12	CELSIUS W510	45	Rack Servers Services	117	ETERNUS CS	186
LIFEBOOK A531	13	CELSIUS M470	46			LTO-4SAS	189
ESPRIMO Mobile Accessories	14	CELSIUS R670	47	**Positioning PRIMERGY Blade**	**130**	ETERNUS LT20	190
		CELSIUS Accessories	48	PRIMERGY BX900 S1	131	ETERNUS LT40	192
LIFEBOOK E Series	**16**			PRIMERGY BX920 S2	132	ETERNUS LT60	195
LIFEBOOK NH751	17	**Positioning Displays**	**55**	PRIMERGY BX922 S2	133	ETERNUS LT80	199
LIFEBOOK SH531	18	Displays	56	PRIMERGY BX924 S2	134	FibreCAT TXF	201
LIFEBOOK S761	19					Accessories Storage Tape Sys.	202
LIFEBOOK LH531	20	**Positioning Keyboard & Security**	**58**	**PRIMERGY BX620 S6**	**135**	Services Storage Tape Sys.	208
LIFEBOOK S 751 781	**21**	Keyboards	59	PRIMERGY BX960 S1	136	Options Storage Tape Sys.	209
LIFEBOOK P701	22			PRIMERGY RX900 S1	137		
		Positioning PRIMERGY Economy	**60**	PRIMERGY SX650	138	**Positioning SAN Components**	**232**
LIFEBOOK P771	**23**	Economy Servers Accessories	61	PRIMERGY SX940 S1	139	FC Switch Brocade 300	233
LIFEBOOK Accessories	24	Economy Servers Services	67	PRIMERGY SX910 S1	140	FC Switch Brocade 5100	234
				Blade Servers Accessories	141	FC Switch Brocade 5300	235
Positioning FUTRO	**27**	**Positioning PRIMERGY Tower**	**69**	Blade Servers Services	149	Storage SAN Components	236
FUTRO C, D & Zero	28	PRIMERGY MX130 S1	70			Accessories SAN Components	237
FUTRO S	29	PRIMERGY TX100 S2	71	**Positioning PRIMEQUEST**	**162**	Options SAN Components	240
FUTRO MZ900	30	PRIMERGY TX120 S3	72	PRIMEQUEST 580A	163		
FUTRO Accessories	31	PRIMERGY TX140 S1	73	PRIMEQUEST Accessories	164	**Positioning Unint. Power Supply**	**246**
		PRIMERGY TX150 S7	74	PRIMEQUEST Options	165	Uninterruptible Power Supply	247
Positioning ESPRIMO	**33**	PRIMERGY TX200 S6	75			Accessories Unint. Power Supply	249
ESPRIMO C	34	PRIMERGY TX300 S6	76	**Positioning Storage Disk Sys.**	**168**	Options Unint. Power Supply	251
ESPRIMO E	35	Tower Servers Accessories	77	FibreCAT SX40	170		
		Tower Servers Services	89				

Professional Products Positioning

LIFEBOOK

Our notebooks make you feel good, and not just when you are travelling. Genuine mobility, high performance, top quality, reliability and a stylish design make our complete LIFEBOOK Series unique. They also demonstrate that state-of-the-art technology can also be a visual pleasure. These high performance, convenient professional notebooks can easily be adapted to your specified requirements and are the perfect replacement for a desktop.

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Displays & Peripherals

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.

PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

PRIMEQUEST

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.

Storage

As part of its "Dynamic IT for storage" concept, Fujitsu offers complete storage solutions consisting of the best components available from a single source. Close partnerships and collaboration with leading manufacturers of storage products means that the world's leading technology is available for every segment of the storage market. And if the market does not have any appropriate solutions, Fujitsu will invest in developing its own specific storage systems.

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK Q550 **Data Sheets: http://ts.fujitsu.com/LIFEBOOKS**

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																									
LIFEBOOK Q550 (10.1 Slate Tablet)																									
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800).	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	30 GB SSD FDE	N/A	SD / SDHC card	N/A	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF011GB			624	
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	30 GB SSD FDE	N/A	SD / SDHC card	3G/UMTS / A-GPS	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF021GB			666	
	10.1" WXGA Wide-View Hi-Bright LED dual digitiser non glare touchscreen (1280 x 800)	Intel® Atom™ Z670 1.5 GHz 512 K Cache	Microsoft® Windows 7® Professional 32-bit + Office 2010 Starter	2 GB DDR2 800 MHz	1	1	62 GB SSD FDE	N/A	SD / SDHC card	3G/UMTS / A-GPS	802.11 a/b/g/n		x	x	1	x	FPR / TPM / Smart card slot	4 Cell 5240 mAh 38 Wh	Intel® GMA 600	x	VFY:Q5500MF031GB			716	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK T731 **Data Sheets: http://ts.fujitsu.com/LIFEBOOKS**

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	HDMI	Firewire	0-Watt AC Adapter	Docking connector for Port Rep	Modular Bay	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																															
LIFEBOOK T731 (12.1" Convertible Tablet)																															
	12.1" WXGA LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVDsRW DL	5 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	x	x		x	x	FPR	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:T7310MP431GB			908	
	12.1" WXGA LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	x	x	x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T7310MP441GB			1022	
	12.1" WXGA LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDsRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	x	x	x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T7310MXP51GB			1135	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK T580 | **Data Sheets: http://ts.fujitsu.com/LIFEBOOKS**

Model / Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																								
LIFEBOOK T580 (10.1" Convertible Tablet)																								
10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i3 380UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 800 MHz	2	1	160 GB SATA 5400	N/A	SD card	N/A	802.11 b/g/n	Gbit			2	x	FPR / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5800MF011GB			749	
10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i3 380UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 800 MHz	2	1	160 GB SATA 5400	N/A	SD card	3G/UMTS/GPS	Intel 6200 a/b/g/n	Gbit	x	x	2	x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5800MF021GB			851	
10.1" HD LED dual digitiser touchscreen (1366 x 768)	Intel® Core™ i5 560UM 1.33 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 800 MHz	2	2	320 GB SATA 5400	N/A	SD card	3G/UMTS/GPS	Intel 6200 a/b/g/n	Gbit	x	x	2	x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:T5800MF031GB			965	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK T7901

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	Firewire	8-Watt AC Adapter	KB w/ TS & Numeric Key Pad	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																															
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	7® Professional 64-bit ·	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDzRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	1	x		x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T9010MP431GB			1249	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	7® Professional 64-bit ·	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDzRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	1	x		x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T9010MF031GB			1363	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i7 2640M with vPro™ 2.8 GHz 4 MB Cache	7® Professional 64-bit ·	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDzRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	1	x		x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T9010MP432GB			1465	
	13.3" WXGA Wide-View Hi-Bright LED dual digitiser anti glare touchscreen (1280 x 800)	Intel® Core™ i7 2640M with vPro™ 2.8 GHz 4 MB Cache	7® Professional 64-bit ·	4 GB DDR3 1333 MHz	2	1	128 GB SSD FDE	DVDzRW DL	5 in 1	3G/UMTS/GPS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	2	1	1	x		x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:T9010MPX01GB			1699	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Memory												
	1GB DDR3-1066	1 Modul, PC3-8500 ub	x	x				S26391-F436-L100			34	Phased out
	2GB DDR3-1066	1 Modul, PC3-8500 ub	x	x				S26391-F436-L200			60	
Removable Media Drives												
	DVD Super multi (reader/writer)			x				S26391-F515-L200			60	
	weight saver			x				S26391-F440-L300			14	
OS/Application-SW												
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S	x	x				S26361-F2007-L903			14	
UPS/Power supply												
	AC adapter 19V (80W)		x	x				S26391-F2474-L600			50	
	2nd battery			x				S26391-F440-L200			117	Phased out
	External battery charger, incl. 16V AC	not fitting for main battery E8420	x	x				S26391-F458-L200			148	Phased out
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs					x	S26391-F5031-L800			50	Phased out
Security												
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x	x	S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x	x	S26361-F1571-L210			97	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L101			16	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L102			23	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L103			28	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L104			24	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L105			36	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L106			45	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L107			27	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L108			44	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x	x				S26361-F2009-L109			64	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L113			39	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L114			64	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L115			74	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L116			42	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L117			70	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description		x				S26361-F2009-L118			92	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L201			15	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L202			24	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L203			30	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Security (Continued)												
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L204			25	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L205			38	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L206			47	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L207			28	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L208			45	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x	x				S26361-F2009-L209			64	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L213			40	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L214			64	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L215			76	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L217			73	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description		x				S26361-F2009-L218			94	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3			x	x	x	S26361-F2727-L730			33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x					S26381-F331-L220			21	
Miscellaneous												
	Replacement cord	replacement cord for the pen	x	x	x	x	x	S26391-F2592-L600			10	Phased out
	Active Pen (2 pieces)			x				S26391-F413-L700			44	Phased out
Keyboard /Mouse												
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x	x	LTC:M-RCQ142			31	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x				S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x				S26381-K429-L100			15	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Tablet PC Accessories

Data Sheets: http://ts.fujitsu.com/stylistic

Category	Description	Details	LIFEBOOK T1010	LIFEBOOK T5010	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Keyboard /Mouse (Continued)												
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x				S26381-K433-L100			13	
Cables												
	power cable EU	black, 2-pole, 1.8 m	x	x				T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m	x	x				T26139-Y2540-V213			8	
Input Devices												
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x				S26381-K440-L100			41	
	WIRELESS KEYB ST5xxx UK	with touchpad			x	x	x	S26391-F5010-L125			117	Phased out
	Wireless KB ST50xx CZ				x	x	x	S26391-F5010-L144			115	Phased out
Additional Software												
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				U11081-C321			439	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x				U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x				U11081-C299			13	

Positioning Notebooks

The LIFEBOOK A530 provides maximum performance and due to its solid design unique reliability combined with high class design. It is perfectly qualified for daily standard applications like surfing the internet, email communication, picture editing, chatting or video telephony.

Experience impressive entertainment, exciting new technologies,

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.

LIFEBOOK P Series

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exeptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.

LIFEBOOK T Series

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.
The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.

LIFEBOOK P Series

Getting bigger, staying small - the LIFEBOOK P Series features powerful notebooks and ultra light convertible Tablet PCs in one unit. Rotate the brilliant 8.9 inch display 360 to share your ideas or flip it over to convert your notebook into a slate Tablet PC.
High performance and long battery life is not a conflict. The LIFEBOOK P Series is your perfect companion whether you are driving by car, train or airplane.

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK A530

Model	Screen	Processor	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	WLAN	LAN	Bluetooth	Web Cam	UMTS	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																								
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 370M 2.40 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1066 MHz	2	1	250 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRYD1GB			359	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 370M 2.40 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	3 GB DDR3 1066 MHz	2	2	320 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRYE1GB			377	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i3 370M 2.4 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1066 MHz	2	2	500 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRSB1GB			397	
	15.6" HD LED non glare (1366 x 768)	Intel® Core™ i5 480M 2.66 GHz 3 MB Cache	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1066 MHz	2	2	500 GB SATA 5400	DVD±RW DL	4 in 1	802.11 b/g/n	Gbit	x	x		3	x	6 Cell 4400 mAh 48 Wh	Intel® HD	x	VFY:A5300MRSA1GB			457	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK A531

Model	Screen	Processor	Chip Set	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	mobile comms	WLAN	LAN	Bluetooth	Web Cam	USB	HDMI	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																									
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Intel® Centrino® N1030 b/g/n	Gbit	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:A5310MP431GB			408	
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	3 GB DDR3 1333 MHz	2	2	500 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Intel® Centrino® N1030 b/g/n	Gbit	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:A5310MP432GB			426	
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Intel® Centrino® N1030 b/g/n	Gbit	x	x	3	x	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:A5310MP433GB			483	

Category	Description	Details	ESPRIMO Mobile D9510	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																							
Memory																							
	2GB DDR3-1066		x	x	x	x	x									x	x	x	S26391-F736-L200			60	
Port Replicator																							
	Port Replicator\AC Adapter\Eu-Cable Kit		x	x	x	x	x									x	x	x	S26391-F740-L200			82	Phased out
	Port Replicator\AC adapter\UK cable kit		x	x	x	x	x									x	x	x	S26391-F740-L300			109	Phased out
	Portreplicator		x	x	x	x	x									x	x	x	S26391-F740-L500			35	Phased out
UPS/Power supply																							
	AC adapter 20V(90W)							x	x	x	x	x	x	x	x				S26391-F321-L400			44	
	AC Adapter 20V (90W)		x	x	x	x	x									x	x	x	S26391-F740-L100			43	
	2ND BATTERY		x	x	x	x	x									x	x	x	S26391-F746-L100			97	Phased out
Security																							
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x						x		x	x	x		S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x						x		x	x	x		S26361-F1571-L210			97	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium	x	x	x	x	x									x	x		S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x	x	x	x						x		x	x	x		S26361-F2727-L730			33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x		x		x	x	x	x	x	x	S26381-F331-L220			21	
Keyboard /Mouse																							
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x	x	x	x		x					x	x		LTC:M-RCQ142			31	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	x	x		x													S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100			15	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K433-L100			13	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	x	x		x													S26381-K520-L165			18	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.											x	x	x			x	S26381-K560-L465			19	
Cables																							
	power cable EU	black, 2-pole, 1.8 m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V213			8	
Input Devices																							
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K440-L100			41	
Additional Software																							
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301			1075	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Category	Description	Details	ESPRIMO Mobile D9510	ESPRIMO Mobile M9410	ESPRIMO Mobile M9415	ESPRIMO Mobile U9210	ESPRIMO Mobile U9215	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9515	ESPRIMO Mobile X9525	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																							
Additional Software (Continued)																							
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321			439	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK E751 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	eSATA-USB Combo	Display Port	HDMI	6 Watt I AC Adapter	KB w/ TS & Numeric Key Pad	Docking connector for Port Rep	Port Rep included	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVD±RW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x			x	x			FPR / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:E7510MP431GB			613	
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVD±RW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x			x	x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:E7510MP432GB			658	
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVD±RW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x			x	x	x		FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:E7510MP434GB			738	
	15.6" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVD±RW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	1	x	x			x	x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:E7510MXP51GB			783	
	15.6" HD+ LED anti glare (1600 x 900)	Intel® Core™ i7 2640M with vPro™ 2.8 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	128 GB SSD FDE	DVD±RW DL	3 in 1	3G/LMT	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	1	x	x			x	x	x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:E7810MPX01GB			1249	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK NH751 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	eSATA-USB Combo	Display Port	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
	17.3" HD+ LED glossy (1600 x 900)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	2 GB DDR3 1333 MHz	2	1	320GB SATA 5400	DVDsRW DL	4 in 1	N/A	802.11 b/g/n	Gbit	x	x	4		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MP431GB			647	
	17.3" HD+ LED glossy (1600 x 900)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVDsRW DL	4 in 1	N/A	802.11 b/g/n	Gbit	x	x	4		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MP432GB			726	
	17.3" HD+ LED glossy (1600 x 900)	Intel® Core™ i7 2670QM 2.2 GHz 6 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	4 GB DDR3 1333 MHz	2	1	750 GB SATA 5400	DVDsRW DL	4 in 1	N/A	Intel® Centrino® 6205 a	Gbit	x	x	4		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MP433GB			828	
	17.3" FHD LED glossy (1920 x 1080)	Intel® Core™ i7 2670QM 2.2 GHz 6 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010	8 GB DDR3 1333 MHz	2	2	2 x 750 GB SATA 5400	Blu-ray Disc™ Triple Wr	4 in 1	N/A	Intel® Centrino® 6205 a	Gbit	x	x	3		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT	x	VFY:NH751MP414GB			1078	
	17.3" HD+ LED glossy (1600 x 900)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500GB SATA 5400	DVDsRW DL	4 in 1	N/A	802.11 b/g/n	Gbit	x	x	4		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT 525M with 1 GB VRAM	x	VFY:NH751MP402GB			0	
	17.3" HD+ LED glossy (1600 x 900)	Intel® Core™ i7 2670QM 2.2 GHz 6 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVDsRW DL	4 in 1	N/A	802.11 b/g/n	Gbit	x	x	4		x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT 525M with 1 GB VRAM	x	VFY:NH751MP434GB			0	
	17.3" FHD LED glossy (1920 x 1080)	Intel® Core™ i7 2670QM 2.2 GHz 6 MB Cache	Intel® HM65	Microsoft® Windows 7® Home Premium 64-bit + Office 2010 Starter	8 GB DDR3 1333 MHz	2	2	750 GB SATA 5400	Blu-ray Disc™ Triple Writer	4 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	1	x		x	N/A	8 Cell 5200 mAh 75 Wh	NVIDIA® GeForce® GT 525M with 2 GB VRAM	x	VFY:NH751MP435GB			0	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK SH531 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	eSATA-USB Combo	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Ⓘ® Centrino® 6205 a/t	Gbit	x	x	3	x	x	N/a	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:SH531MP431GB			499	
13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Ⓘ® Centrino® 6205 a/t	Gbit	x	x	3	x	x	N/a	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:SH531MP432GB			522	
13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Ⓘ® Centrino® 6205 a/t	Gbit	x	x	3	x	x	N/a	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:SH531MP433GB			567	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK S761 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Model	Screen	Processor		Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	HDMI	0-Watt AC Adapter	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																																
LIFEBOOK S761																																
	13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz MB Cache	3	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDxRW DL	SD card	N/A	ell® Centrino® 6205 a/b/	Gbit	x	x	2	1	x	x	x	x	x	Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:S7610MF431GB			772	
	13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz MB Cache	3	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDxRW DL	SD card	3G/UMTS	ell® Centrino® 6205 a/b/	Gbit	x	x	2	1	x	x	x	x	x	FRR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD	x	VFY:S7610MF441GB			828	
	13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache		Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDxRW DL	SD card	N/A	ell® Centrino® 6205 a/b/	Gbit	x	x	2	1	x	x	x	x	x	FRR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:S7610MF031GB			874	
	13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache		Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDxRW DL	SD card	3G/UMTS	ell® Centrino® 6205 a/b/	Gbit	x	x	2	1	x	x	x	x	x	FRR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:S7610MF041GB			999	
	13.3" HD LED anti glare (1366 x 768)	Intel® Core™ i7 2640M with vPro™ 2.8 GHz 4 MB Cache		Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	128 GB SSD FDE	DVDxRW DL	SD card	3G/UMTS	Intel® Centrino® 6205 a	Gbit	x	x	2	1	x	x	x	x	x	FRR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD	x	VFY:S7610MF432GB			1249	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK LH531 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	Display Port	HDMI	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
14" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	N/A	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:LH531MP431GB			499	
14" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 5400	DVD±RW DL	4 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	N/A	6 Cell 4400 mAh 48 Wh	Intel® HD 3000	x	VFY:LH531MP432GB			567	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK S751 **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	eSATA/USB Combo	Display Port	6-Watt AC Adapter	Docking connector for Port Rep	Port Rep included	Modular Bay	2nd Battery included	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
Standard products																																		
LIFEBOOK S751																																		
	14" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDxRW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x		x			FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:S7510MP431GB			624	
	14" HD LED anti glare (1366 x 768)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MHz	2	1	320 GB SATA 7200	DVDxRW DL	3 in 1	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x		x			FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:S7510MP441GB			681	
	14" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2430M 2.4 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDxRW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	4		x	x	x	x		x			FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:S7510MP432GB			692	
	14" HD LED anti glare (1366 x 768)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	500 GB SATA 7200	DVDxRW DL	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	1	x	x	x	x		x		x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:S7510MXP51GB			738	
	14" HD+ LED anti glare (1600 x 900)	Intel® Core™ i7 2640M with vPro™ 2.8 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MHz	2	1	128 GB SSD FDE	DVDxRW DL	3 in 1	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	1	x	x	x	x	x	x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:S7510MXP51GB			738	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK P701 — Data Sheets: http://ts.fujitsu.com/LIFEBOOKS

	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	Display Port	6-Watt AC Adapter	Docking connector for Port Rep	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P701																												
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	GB DDR3 1333 M	2	1	320 GB SATA 7200	N/A	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	x		x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:P701XMP431GB			647	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i3 2330M 2.2 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	GB DDR3 1333 M	2	1	320 GB SATA 7200	N/A	3 in 1	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	x		x	FPR / TPM / Smart card slot	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:P701XMP432GB			703	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i5 2520M 2.5 GHz 3 MB Cache	Intel® HM65	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	GB DDR3 1333 M	2	1	500 GB SATA 7200	N/A	3 in 1	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	3	x	x	x	FPR / TPM / Smart card slot	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:P701XMF031GB			794	

LIFEBOOK P77x | **Data Sheets: http://ts.fujitsu.com/LIFEBOOK**

Model	Screen	Processor	Chipset	Operating System	Memory	Memory Slots	Memory Slots Used	HDD	Optical Drive	Card Reader	Mobile Comms	WLAN	LAN	Bluetooth	Web Cam	USB 2.0 total	USB 3.0 total	VGA	64bit AC Adapter	KB w/ TS & Numeric Key Pad	Docking connector for Port Rep	Modular Bay	Intel® vPro™	Security	Battery	Graphics	Office Ready	Product Code			End User Price (RRP)	Comments
LIFEBOOK P77x																																
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	2 GB DDR3 1333 MH	2	1	320 GB SATA 7200	√DzRW	SD card	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x			x		x	FPR & TPM	6 Cell 5800 mAh 63 Wh	Intel® HD 3000	x	VFY:P7710MF051GB			863	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i5 2520M with vPro™ 2.5 GHz 3 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MH	2	1	320 GB SATA 7200	√DzRW	SD card	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:P7710MF041GB			999	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i7 2617M with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MH	2	1	320 GB SATA 7200	√DzRW	SD card	N/A	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:P7710MF011GB			1135	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i7 2617M with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MH	2	1	500 GB SATA 7200	√DzRW	SD card	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:P7710MF021GB			1203	
	12.1" WXGA LED anti glare (1280 x 800)	Intel® Core™ i7 2617M with vPro™ 1.5 GHz 4 MB Cache	Intel® QM67	Microsoft® Windows 7® Professional 64-bit + Office 2010 Starter	4 GB DDR3 1333 MH	2	1	128 GB SSD FDE	√DzRW	SD card	3G/UMTS	Intel® Centrino® 6205 a/b/g/n	Gbit	x	x	1	2	x	x		x	x	x	FPR & TPM	6 Cell 6200 mAh 67 Wh	Intel® HD 3000	x	VFY:P7710MF031GB			1351	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK AS10	LIFEBOOK AS31/AH531	LIFEBOOK AH530/GFX	LIFEBOOK AH530/HD6	LIFEBOOK AH531/GPO	LIFEBOOK AH550/GFX	LIFEBOOK E751	LIFEBOOK E780	LIFEBOOK E781	LIFEBOOK E8010	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK LH530	LIFEBOOK LH531	LIFEBOOK NH570	LIFEBOOK NH751	LIFEBOOK P3110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK P8110	LIFEBOOK PH530	LIFEBOOK S6410	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																			
Memory																																																			
	1GB DDR3-1066	1 Modul, PC3-8500 ub																																																
	2GB DDR3-1066	1 Modul, PC3-8500 ub													x											x				x						x														
	2 GB DDR3 1333 MHz PC3-10600																			x																														
	4 GB DDR3 1333 MHz PC3-10600																			x																														
	2GB DDR3-1333 PC3-10600				x			x																																										
	4GB DDR3-1333 PC3-10600				x			x																																										
	2 GB DDR3 1333 MHz PC3-10600																		x																														
	4 GB DDR3 1333 MHz PC3-10600																		x																														
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub									x										x										x																		
	4 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub									x										x										x																		
	2 GB DDR3 1066 MHz PC3-8500					x	x																																										
	4 GB DDR3 1066 MHz PC3-8500					x	x																																										
	2 GB DDR3 1066 MHz PC3-8500																																																	
	2 GB DDR3 1066 MHz PC3-8500																							x																										
	4 GB DDR3 1066 MHz PC3-8500																							x																										
	2 GB DDR3 800 MHz PC3-6400																																																	
	4 GB DDR3 800 MHz PC3-6400																																																	
	2GB DDR2-667																																	x	x	x															
	2 GB DDR3 1066 MHz PC3-8500		x																																														
	4 GB DDR3 1066 MHz PC3-8500		x																																														
	2 GB DDR3 1333 MHz PC3-10600																																																	
	4 GB DDR3 1333 MHz PC3-10600																																																	
	2 GB DDR3 1333 MHz PC3-10600									x		x												x		x																								
	4 GB DDR3 1333 MHz PC3-10600									x		x												x		x																								
Graphics																																																		
	DisplayPort/ DVI-D adapter cable	for connection of one DVI-D monitor								x	x	x												x								x					x												
Removable Media Drives																																																	
	DVD Super multi (reader/writer)										x				x																x																		
	Weight saver for modular bay																																							x										
	DVD Super multi (reader/writer)																																							x										
	Weight saver for modular bay									x		x																												x				x	x	x	x	x	
	DVD Super multi (reader/writer)																																							x									x	
	DVD Super multi (read/write)																																															x	
	Blu-ray Disc Triple Writer SATA																																															x	
	DVD Super multi (reader/writer)																																																
	Blu-ray Triple Writer incl. Playback SW																																																
	Weight saver for modular bay																																																
	Bay projector																																																
	DVD Super multi (reader/writer)																																																
	Weight saver for modular bay																																																
	Bay projector																																																
	DVD Super multi (reader/writer)									x		x																																					
	Blu-ray Disc Triple Writer SATA									x		x																																					
	2nd HDD bay module (without HDD)									x		x																																					
	weight saver											x				x																x																	
OS/Application-SW																																																	
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S											x	x	x												x	x			x	x		x	x	x	x				x	x						
	Drivers&Utility DVD(XP+Vista/7) LIFEBOOK																						x					x															x	x		x		x	
	Drivers & Utility (XP/Vista/7) LIFEBOOK		x		x	x					x				x												x				x																	
	Drivers&Utility DVD (Win7) LIFEBOOK									x		x										x		x																								x	
	Drivers&Utility DVD (Win7) LIFEBOOK																																															x	
UPS/Power supply																																																	
	AC adapter 19V (80W)										x			x	x	x														x	x	x	x	x	x						x	x						
	AC Adapter 19V (60W) w/o Cable																					x							x																				
	1st battery													x																	x	x	x	x														
	1st Battery E8410/ E8420 8-cell 75Wh														x	x																																	
	1st Battery S6410, S6420, S7210, S7220																													x	x				x	x												
	AC-Adapter 19V/100W													x	x	x														x	x						x											
	AC-Adapter 19V/80W																																				x												
	2nd battery										x				x															x						x						x						
	External battery charger, incl. 16V AC	not fitting for main battery E8420									x				x											x				x						x							x	x				
	AC Adapter 19V (100W) w/o Cable																			x																													
	Battery 8-cells, 5200mAh																			x																													
	AC Adapter 19V/120W w/o cable																				x																												
	Battery 6cell 5800mAh				x			x																																									
	AC adapter 16V (65)																									x	x																					
	1st Battery 6cell 5.800mAh (62Wh)																															x																
	AC Adapter 19V (100W) w/o Cable	w/o power cord; power cords are listed under "Miscellaneous"										x																																				
	Battery 6cell 5.800mAh (62Wh)																											x																				
	Battery 6-cells 4400mAh (48Wh)																		x																													
	AC Adapter 19V (60W) w/o Cable																		x																													
	Battery 8-cells, 5200mAh (75Wh)																				x																											
	2nd Battery (10.8V, 2.500mAh)																																															
	2nd battery									x		x																																					
	AC adapter 19V (80W)									x		x											x																										
	External battery charger, incl. 16V AC									x		x											x	x	x			x																				
	AC Adapter																							x	x			x																				
	Slim AC Adapter 19V/60W (w/o cable)																								x																							
	1st Battery 6cells, 5200 mAH																							x				x																				
	1st Battery 6cells, 5800 mAH																							x				x																				
	1st Battery 6cells, 5800 mAH																																															
	1st Battery 6cells, 4400 mAh		x	x	x	x	x																																									
	AC Adapter 19V (80W) w/o cable		x	x	x	x	x																																								
	3pin AC Adapter 19V (120W) w/o cable		x								x																																				
	1st Battery 6cell 67Wh (6,200mAh)																																														
	AC Adapter 19V/80W (0-Watt technology)									x		x											x		x																						
	3pin AC Adapter 19V/120W									x		x											x		x																						
	2nd Battery 3cell 27Wh (2.500mAh)																																														
	1st Battery 6cell 63Wh (5,800mAh)									x		x											x		x																						
	1st Battery 6cell 67Wh (6,200mAh)									x		x											x		x																						
	2nd Battery 3cell 27Wh (2,500mAh)																							x																						
Security																																																
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM									x		x	x	x	x			x				x		x	x	x	x	x	x	x						x	x	x		x		x				
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM									x		x	x	x	x			x				x		x	x	x	x	x	x	x						x	x	x		x		x				
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description								x	x	x				x							x	x	x													x	x	x	x	x	x	x	x				
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x		x	x	x		x	x	x			x	x	x		x	x	x	x	x		x	x	x				x	x	x	x	x	x	x	x				

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Professional Notebooks Accessories — **Data Sheets: http://ts.fujitsu.com/lifebook**

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH530/GFX	LIFEBOOK AH530/HD16	LIFEBOOK AH531/GFO	LIFEBOOK AH550/GFX	LIFEBOOK E751	LIFEBOOK E780	LIFEBOOK E781	LIFEBOOK E8010	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK LH530	LIFEBOOK LH531	LIFEBOOK NH570	LIFEBOOK NH751	LIFEBOOK P5110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK PB110	LIFEBOOK PH530	LIFEBOOK S6410	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																			
Security (Continued)																																																		
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x			x	x	x		x	x	x			x	x	x		x	x	x	x	x	x		x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2009-L207			28	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x			x	x	x		x	x	x			x	x	x		x	x	x	x	x	x		x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2009-L208			45	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description			x			x			x	x	x		x	x	x			x	x	x		x	x	x	x	x	x		x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2009-L209			64	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x				x					x	x	x							x					x	x	x	x	x	x	x	x	x	x	S26361-F2009-L213			40	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x				x					x	x	x							x					x	x	x	x		x	x	x	x	x	S26361-F2009-L214			64	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x				x					x	x	x							x					x	x	x	x		x	x	x	x	x	S26361-F2009-L215			76	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x				x					x	x	x							x					x	x	x	x		x	x	x	x	x	S26361-F2009-L217			73	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x				x					x	x	x							x					x	x	x	x		x	x	x	x	x	S26361-F2009-L218			94	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support		x		x					x									x		x		x	x																					S26361-F2432-L720			40	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium									x					x				x				x							x						x									S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3									x		x	x	x	x				x				x						x		x	x	x	x	x	x								S26361-F2727-L730			33	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing		x	x	x	x	x		x	x	x					x	x	x	x		x	x	x				x			x						x	x	x	x	x	x	S26381-F11-L100			34	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x					x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	x	x	S26381-F331-L220			21	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.		x	x			x		x	x	x					x	x	x	x		x	x	x				x			x					x	x	x	x		x	x	x	x	S26381-K435-L100			271	
Miscellaneous																																																		
	Replacement cord	replacement cord for the pen																																								x	x							S26391-F2592-L600			10	Phased out
	Active Pen (2 pieces)																																									x								S26391-F413-L700			44	Phased out
	Pen & tether set (2 pieces each)																																											x	x	x	x	x	S26391-F796-L800			43	
	Pen & tether set																																											x						S26391-F796-L810			43	
	Dummy module												x																											x								S26391-F980-L800			11	
	2x digital array microphones												x																											x								S26391-F980-L810			23	
	2x digital array mics & 2.0Mpix Webcam												x																											x								S26391-F980-L820			31	
	Feet for vertical position (set)																																											x						S26361-F2542-L200			9	
Cables																																																			
	power cable EU	black, 2-pole, 1.8 m	x	x		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1.8 m	x	x		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V213			8	
	Power cord three-wire EU	Power cord three-wire EU		x						x	x	x									x		x								x																S26361-F2581-L310			8	
Input Devices																																																		
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x							x			x	x	x			x		x		x	x				x	x	x	x	x	x	x	x		x			x	x	x		x		S26381-K440-L100			41	
Additional Software																																																		
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1											x																																				U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																				U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																				U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME											x																																				U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs											x																																				U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs											x																																				U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions											x																																				U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0											x																																				U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x																																				U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201											x																																				U11081-C203			1749	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201											x																																				U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201											x																																				U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202											x																																				U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203											x																																				U11081-C213			1749	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204											x																																				U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207											x																																				U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x		x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x		x			x	x		x		x		x		x	S11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x		x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x		x			x	x		x		x		x		x	S11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x		x	x	x	x		x		x		x	x	x	x	x	x	x	x	x	x		x			x	x		x		x		x		x	S11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																				U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																				U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																				U11081-C322			714	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Category	Description	Details	LIFEBOOK A1130	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH530/GFX	LIFEBOOK AH530/HD16	LIFEBOOK AH531/GFD	LIFEBOOK AH550/GFX	LIFEBOOK E751	LIFEBOOK E780	LIFEBOOK E781	LIFEBOOK E8010	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK E8420	LIFEBOOK LH530	LIFEBOOK LH531	LIFEBOOK NH670	LIFEBOOK NH751	LIFEBOOK P5110	LIFEBOOK P701	LIFEBOOK P770	LIFEBOOK P771	LIFEBOOK P8010	LIFEBOOK P8020	LIFEBOOK PH110	LIFEBOOK PH510	LIFEBOOK S6420	LIFEBOOK S710	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK S7220	LIFEBOOK S751	LIFEBOOK S760	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T1010	LIFEBOOK T5010	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T900	LIFEBOOK T901	LIFEBOOK TH700	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																																	
Additional Software (Continued)																																																		
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x					x		x		x	x	x	x			x		x		x		x	x	x	x	x	x						x				x	x		x		x		x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x					x		x		x	x	x	x			x		x		x		x	x	x	x	x	x	x	x	x	x	x				x	x		x		x		x	U11081-C299			13	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																		U10987-C502			1749	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																		U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU											x																																		U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U10987-C515			3498	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU											x																																		U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU											x																																		U10987-C504			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU											x																																		U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											x																																		U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											x																																		U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU											x																																		U10987-C529			2142	

Positioning FUTRO thin clients

FUTRO S

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
LIFEBOOK T580							
	LB T580 I5 /4 GB/320GB FDE/CAM/	LB T580 I5 /4 GB/320GB FDE/CAM/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK GB/KB GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	PDP:T5800M0001GB				
	LB T580 I3 /2 GB/160GB/CAM/	LB T580 I3 /2 GB/160GB/CAM/ WLAN ATH. B\G\N/NO BT/NO UMTS/CK GB/ KB GB/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7PRO64_O1V4YMU_MA/,	VFY:T5800MF011GB			749	
	LB T580 I3 /2 GB/160GB/CAM/	LB T580 I3 /2 GB/160GB/CAM/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK GB/KB GB/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7PRO64_O1V4YMU_MA/,	VFY:T5800MF021GB			851	
	LB T580 I5 /2x2 GB/320GB/CAM/	LB T580 I5 /2x2 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK GB/KB GB/COA_W7_MM_PROFES/ W7_RDVD32_PRO_ABC/W7PRO64_O1V4YMU_MA/,	VFY:T5800MF031GB			965	

FUTRO S

Data Sheets: http://ts.fujitsu.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?
The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front-side USB	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																		
FUTRO S450-2																		
	AMD Sempron™ 200U , ,		1 GB, DDR2, 667 MHz	CF module IDE, 1 GB, (80x)		x		AMD® Radeon X1250	On board, Realtek ALC262			2		PDP:450-2P0005GB			273	
	FUTRO S450-2 /1GB 667/Y-CABLE/2GB/ CK S500 (GB)/RL+SCT B.LICE./ HOR.FOOT-KIT/ ,													PDP:450-2P0007GB			284	
FUTRO S900																		
	FUTRO S900 /1GB/Y-CABLE/DP CABLE/ DVI/VGA/2GB MSATA/PCIE RISER/WLAN/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE GB/PCMOUSE BL/HOR.FOOT-KIT/,													PDP:S0900P0001GB			363	
	FUTRO S900 /2GB/Y-CABLE/DP CABLE/ DVI/VGA/4GB MSATA/PCIE RISER/WLAN/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE GB/PCMOUSE BL/HOR.FOOT-KIT/,													PDP:S0900P0002GB			374	
	FUTRO S900 /2x2GB/Y-CABLE/DP CABLE/ DVI/VGA/8GB MSATA/PCIE RISER/WLAN/ CK FUTRO INT/ELUX 3 + SC LIC/AC 20V/40W/ CABLE GB/PCMOUSE BL/HOR.FOOT-KIT/,													PDP:S0900P0003GB			431	
FUTRO S100																		
	FUTRO S100 /ENERGY STAR 5.0/1GB DDR/1GB/ CK S500 (GB)/RL+SCT B.LICE./ OPTICAL USB MOUSE/ ,													PDP:S0100P0008GB			226	

FUTRO MZ900 Data Sheets: http://ts.fujitsu.com/futro

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
Portable Zero Client MZ900							
	Zero Client MZ900 for CITRIX®	Zero Client MZ900 for CITRIX® environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:ZC_MZ900_CTX			135	
	Zero Client MZ900 for Microsoft® Hyper-V	Zero Client MZ900 for Microsoft® Hyper-V environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:ZC_MZ900_MSH			135	
	Zero Client DMZ900 for VMware®	Zero Client DMZ900 for VMware® environment, including licence for 1 year update-right for the Zero Client Manager,	BDL:ZC_MZ900_VMW			135	

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A221	FUTRO A230	FUTRO A231	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S450-2	FUTRO S500	FUTRO S550	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																		
Memory Modules																																		
	1 GB DDR3-1066 SODIMM																												x	x	S26361-F4408-L1			28	
	2 GB DDR3-1066 SODIMM																												x	x	S26361-F4408-L2			44	
Graphics																																		
	Y-cable DVI/VGA	Dual Monitoring support																					x	x	x	x	x	x	x	x	S26361-F2421-L100			17	
	DVI-D Adapter for Dual DVI	Dual Monitoring																							x			x			S26361-F2421-L110			32	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor																											x	x	S26361-F2391-L200			17	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors																												x	S26361-F2391-L101			20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors																												x	S26361-F2391-L102			23	
Hard Disks																																		
	4 GB CF Card emty																									x	x	x			S26361-F3520-L100			72	
	CF 16GB empty	300x																								x	x	x			S26361-F3538-L100			203	
	CF 1 GB (80x)	CF module IDE, 1 GB																	x				x	x		x	x				S26361-F3616-L100			28	
	CF 2 GB (300x)	CF module IDE, 2 GB, Compatible to eLux RL and Windows Embedded Standard 2009 only																	x				x	x		x	x				S26361-F3617-L100			45	
	16 GB mSATA																													x	S26361-F3666-L16			160	
	2 GB mSATA																												x	x	S26361-F3666-L2			42	
	4 GB mSATA																													x	S26361-F3666-L4			56	
	8 GB mSATA																													x	S26361-F3666-L8			93	
Communication/Network																																		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																								x	x				S26361-F3465-L2			31	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																										x			S26361-F3465-L3			27	
	Dual serial card PCIe x1																													x	S26361-F3465-L4			32	
	2nd LAN/PoE module																												x	x	S26361-F3466-L1			47	Orderable from: 10/10/2011
	WLAN 802.11g/Draft																												x	x	S26361-F4525-L10			18	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card																								x	x	x		x	S26361-F3465-L1			22	
OS/Application-SW																																		
	Windows MultiPoint Server 2010 CAL																x	x													S26361-F2010-L270			55	
	Windows MPS 2011 CAL																x	x													S26361-F2011-L170			57	
Security																																		
	SmartCard Reader	internal																								x	x	x			S26361-F1260-L802			27	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard																												x	S26361-F1260-L803			23	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium																											x		S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3																											x		S26361-F2727-L730			33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x				x		x	x	x			x	x			x	x		x	x	x	x	x	x	x	x	x	S26381-F331-L220			21	
Miscellaneous																																		
	Vesa Mounting Kit with Subadapter S100	Vesa Mounting Kit with Subadapter S100 holder for TFT (15"-20") and PC (max 105x370x400mm) plus subadapter , holder for TFT (15"-20") and PC (max 105x370x400mm) plus subadapter.																	x												BDL:VESA-SUB-KIT			68	
	Riser Card																									x	x	x			S26361-F2421-L200			9	
	AC-Adapter 20V/40W																												x	x	S26361-F2542-L14			13	
	AC-Adapter 20V/65W																												x	x	S26361-F2542-L15			18	
	PCI Riser																													x	S26361-F2542-L19			24	
	PCIe Riser																													x	S26361-F2542-L20			24	
	Horizontal foot kit																									x	x	x	x	x	S26361-F2542-L290			9	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.																								x	x	x	x	x	S26361-F2601-L530			44	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)											x	x					x												S26361-F2601-L540			50	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. , , For FUTRO S100 please select S26361-F2601-L540.																							x			x	x	x	S26361-F2601-L550			35	
	VESA Mounting Kit FUTRO C400																x														S26361-F2601-L560			19	
	VESA subadapter																		x										x	x	S26361-F2601-L600			14	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support									x	x	x	x					x				x	x	x	x	x	x	x	x	S26361-F2727-L701			38	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support											x	x					x					x	x	x	x	x	x	x	S26361-F2727-L702			26	
	Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products		x				x			x	x	x	x					x				x	x	x	x	x	x	x	x	S26361-F2727-L703			14	
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x	x				x		x	x	x				x			x				x	x	x	x	x	x	x	x	S26361-F2600-L144			24	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)													x	x					x	x									S26361-F2542-L35			101	
Keyboard /Mouse																																		
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED																	x				x	x		x	x	x	x	x	S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.											x	x																	S26381-K423-L100			13	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey	x	x	x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x			S26381-K520-L165			18	
	KB400 USB GB	KB400 USB GB, SLIM value keyboard grey, UK layout, USB											x	x																	S26381-K550-L165			13	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.											x	x															x	x	S26381-K560-L465			19	
Cables																																		
	power cable EU	black, 2-pole, 1,8 m											x	x					x						x			x	x	x	T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m											x	x					x						x			x	x	x	T26139-Y2540-V213			8	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire																											x	x	T26139-Y1744-V10			5	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45															x	x													T26139-Y2425-M5			8	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45															x	x													T26139-Y2425-M10			14	

FUTRO Accessories

Data Sheets: http://ts.fujitsu.com/futro

Category	Description	Details	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A221	FUTRO A230	FUTRO A231	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S450-2	FUTRO S500	FUTRO S550	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																		
Cables (Continued)																																		
Additional Software																																		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				x	x	x	x	x	x	x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				x	x	x	x	x	x	x			U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																				x	x	x	x	x	x	x			U10987-C525			439	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0																				x	x	x	x	x	x	x			U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions																				x	x	x	x	x	x	x			U10987-C499			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning ESPRIMO

ESPRIMO P2xxx series

The ESPRIMO P2xxx series is designed for price-driven customers and is pre-configured with up-to-date standard features. These systems can handle any office requirement, particularly those typical to small and mid-sized enterprises. The ESPRIMO Edition line is instantly available at your dealer.

ESPRIMO 3xxx Series

The ESPRIMO 3xxx Series is the right choice for large enterprises requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable.
Add an eye catcher to your desk.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO C **Data Sheets: http://ts.fujitsu.com/esprimo**

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.
ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/Dual DL	DVD-RW/Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO C700																												
	ESP C700 /CORE I3-2120/2 GB/DVD SM/ 320GB SATA III/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,																							PDP:C0700P0001GB			438	
	Intel® Core™ i5-2400 processor	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1333 MHz	SATA III, 7200 rpm, 500 GB, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD	x	GBR	4			VFY:C0700PF031GB			497	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO E **Data Sheets: http://ts.fujitsu.com/esprimo**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front sided USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO E400																												
	ESP E400 E85+ /P G620/2 GB/DVD SM/ 320GB SATA W/CK GB/INT/KB400PS2GB/ VISTA DUDV/D/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROFW7_PRO64_O1MULI_MA/,																								VFY:E0400PP1K1GB			326	Orderable from: 17/10/2011
	ESP E400 E85+ /CORE I3-2120/2 GB/DVD SM/ 500GB SATA W/CK GB/INT/KB400PS2GB/ VISTA DUDV/D/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROFW7_PRO64_O1MULI_MA/,																								VFY:E0400PP3K1GB			367	Orderable from: 17/10/2011
ESPRIMO E500																												
	Intel® Core™ i5-2400 processor	Genuine Window s® 7 Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics 2000	On board, Realtek ALC663, HD	x	GBR	2			VFY:E0500PP051GB			466	
	ESP E500 E85+ /CORE I3-2120/2 GB/DVD SM/ 320GB SATA W/CK GB/INT/KB400PS2GB/ VISTA DUDV/D/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROFW7_PRO64_O1MULI_MA/,																								VFY:E0500PP3K1GB			374	
ESPRIMO E700																												
	Intel® Core™ i5-2500 processor	Genuine Window s® 7 Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA II, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD, 5.1 surround	x	GBR	4			PDP:E0700P0002GB			584	
	ESP E700 E90+ /CORE I3-2120/2 GB/DVD SM/ 320GB SATA W/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MA/INW7_PRO64_O1MULI_MA/,																								PDP:E0700P0003GB			470	
ESPRIMO E900																												
	ESP E900 E90+ /CORE I5-2500/2x2 GB/ NVIDIA GT420 LPBD WRITER/ 1000GB SATA W/CK GB/INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,																								PDP:E0900P0002GB			739	
	ESP E900 E90+ /CORE I3-2120/2x2 GB/ DVD SM/500GB SATA W/CK GB/INT/ KB400USBGB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MA/IN/,																								PDP:E0900P0003GB			510	
	ESP E900 0-WATT /CORE I5-2400/2x2 GB/ DVD SM/500GB SATA W/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MA/IN/,																								VFY:E0900PXG11GB			641	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO P **Data Sheets: http://ts.fujitsu.com/esprimo**

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD-RW Dual DL / DVD RAM	DVD SUPERMULTI	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front-side USB	Rear Panel	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																												
ESPRIMO P2560																												
	Intel® Pentium® E5800	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF131GB			295	
	Intel® Pentium® E5800	Genuine Windows® 7 Professional 32-bit	2 GB, DDR3, 1066 MHz	SATA II, 7200 rpm, 320 GB, 3.5"						x				x			Intel® GMA 4500	On board, Realtek ALC663, HD, 5.1 surround	x	GBR	2			VFY:P2560PF151GB			438	
	ESP P2560 /P E6700/2GB/DVD SM/ 500GB SATA II/CK GB/INT/KB400PS2/GB/ VISTA DUDVD/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,																							VFY:P2560PP1K1GB			313	
ESPRIMO P400																												
	Intel® Core™ i5-2400 processor	Genuine Windows® 7 Professional 32-bit	4 GB, DDR3, 1333 MHz	SATA III, 7200 rpm, 500 GB, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Realtek ALC663, HD	x	GBR	2			VFY:P0400PF021GB			466	
	ESP P400 /CORE I3-2120/2 GB/DVD SM/ 320GB SATA III/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,																							VFY:P0400PP3K1GB			359	
ESPRIMO P700																												
	Intel® Core™ i5-2500 processor	Genuine Windows® 7 Professional 32-bit	2 x 2 GB, DDR3, 1333 MHz	500 GB, SATA III, 7200 rpm, 3.5"						x				x			Intel® HD Graphics or HD Graphics 2000 (depending on CPU)	On board, Conexant CX20642, HD, 5.1 surround	x	GBR	4			PDP:P0700P0002GB			584	
	ESP P700 E90+ /CORE I3-2120/2 GB/DVD SM/ 320GB SATA III/CK GB/INT/KB400PS2GB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/,																							PDP:P0700P0003GB			470	
ESPRIMO P900																												
	ESP P900 E90+ /CORE I3-2120/2x2 GB/ DVD SM/500GB SATA III/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,																							PDP:P0900P0003GB			510	
	ESP P900 0-WATT /CORE I5-2400/2x2 GB/ DVD SM/500GB SATA III/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,																							VFY:P0900PXG11GB			641	
	ESP P900 E90+ /CORE I5-2500/4x2 GB/ DP CABLE/NVIDIA GT420 FH/MCR/DVD SM/ 1000GB SATA II/ESATA/USB 3.0 PCIE/ CK GB/INT/KB900GB/NERO/VISTA DUDVD/,																							VFY:P0900PXP11GB			739	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Q

Data Sheets: http://ts.fujitsu.com/esprimo

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-flegded PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ESPRIMO Q900							
	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/	ESP Q900 /CORE I3-2310M/2GB/CR ESP Q/ DVD RW/320GB SATA AF/BLUETOOTH/WLAN/ CK GB/INT/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	PDP:Q0900P0001GB			563	Phased out
	ESP Q900 /CORE I5-2520M/2x2GB/CR ESP Q/	ESP Q900 /CORE I5-2520M/2x2GB/CR ESP Q/ DVD RW/500GB SATA AF/BLUETOOTH/WLAN/ CK GB/INT/NERO/VISTA DUDVD/ PREM SUITE DVD/COA_W7_MM_PROFES/,	VFY:Q0900PXP11GB			659	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5730	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P900	ESPRIMO P9900	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q9030	ESPRIMO Q910	ESPRIMO Q9000	ESPRIMO Q9010	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																					
Memory																																																					
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit			x																							x																							S26361-F2994-L114		32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit			x																							x																							S26361-F2994-L116		51	
	50 pieces 1GB DDR2-800	50 pieces 1GB DDR2-800, 50 modules PC 800 (PC2-6400), DIMM	x		x						x				x									x				x						x				x										S26361-F2994-L155		1263	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x		x					x		x			x						x		x	x	x			x					x		x													S26361-F2995-L114		32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x		x					x		x			x						x		x	x	x			x					x		x													S26361-F2995-L116		51	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x		x					x		x			x						x							x					x		x													S26361-F2994-L118		139	
	1GB DDR3-1333	1 module PC 1333, DIMM		x			x						x					x								x			x						x					x										S26361-F4401-L1		24	
	2GB DDR3-1333	1 module PC 1333, DIMM		x			x	x			x		x		x			x			x		x			x	x		x	x				x		x		x			x							S26361-F4401-L2		39	
	4GB DDR3-1333	1 module PC 1333, DIMM		x			x	x			x		x		x			x			x		x			x	x		x	x				x		x		x			x							S26361-F4401-L3		91	
	2GB DDR3-1333	1 module PC 1333, DIMM			x				x	x					x					x												x	x			x				x									S26361-F3378-L2		39	
	4GB DDR3-1333	1 module PC 1333, DIMM			x				x	x					x					x												x	x			x				x									S26361-F3378-L3		91	
	1GB DDR3-1066	1 module PC 1600 (PC2-8500), SO-DIMM																																												x			x			S26361-F4406-L1		25	
	2GB DDR3-1066	1 module PC 1600 (PC2-8500), SO-DIMM																																												x			x			S26361-F4406-L2		39	
	2GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																														x	x		x	S26361-F4407-L2		40	
	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM																																														x	x		x	S26361-F4407-L3		83	
Graphics																																																				
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																											x	x					x	x			x	x									S26361-F3305-L211		17	Phased out
	DVI Extension Adapter	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)									x																							x																S26361-F3305-L200		10	Phased out
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																																				x				x									S26361-F2757-L655		22	Phased out
	2x DVI-D Extension Adapter PCIe LP	incl. DVI adapter cable											x					x																																	S26361-F2757-L660		22	Phased out
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible				x	x				x	x			x	x																						x	x			x	x						S26361-F3305-L210		17	Phased out
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable																									x		x									x				x									S26361-F2757-L656		16	
	DVI-D + DisplayPort Extension Adapter LP	exkl. DVI Adapter Kabel					x							x					x																																S26361-F2757-L661		16	Phased out
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 adapter DVI-VGA																					x	x			x	x		x	x	x	x			x		x	x	x		x	x	x						S26361-F3535-L545		51	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3																						x			x	x		x	x	x	x			x		x	x	x		x	x	x						S26361-F3000-L407		49	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3			x		x	x	x	x		x		x	x	x		x	x	x																													S26361-F3000-L405		49	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port																					x							x	x		x		x		x	x	x		x	x	x						S26361-F3000-L422		77	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately																																x		x			x	x			x							S26361-F2748-L38		74	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately			x				x	x		x			x	x	x			x																													S26361-F2748-L338		74	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x													x	x	x	x	x	x	x	x	x			x	x		x	S26361-F2391-L200		17	
	DVI/VGA Adapter	for connection of one VGA-monitor			x																																														S26361-F2391-L1		8	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors			x				x	x		x			x	x	x			x													x		x			x	x			x							S26361-F2391-L101		20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors			x				x	x		x			x	x	x			x													x		x			x	x			x							S26361-F2391-L102		23	
Removable Media Drives																																																				
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	x	x		x		x	x	x	x		x	x	x													x	x	x	x			x	x	x	x							S26361-F3077-L15		24	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3418-L510		25	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3420-L510		33	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3523-L510		209	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F3077-L5		17	
	FDD 1.44MB	occupies accessible 3,5"- bayincl. cable				x	x			x		x	x			x	x			x		x		x	x			x		x	x			x	x													S26361-F1723-L510		14	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)	x	x	x																																															
Hard Disks																																																				
	4 GB CF Card emty		x										x																																								
	CF 2 GB (300x) Upgrade Kit			x										x																																						
	16 GB mSATA				x										x																																						
	2 GB mSATA				x										x																																						
	4 GB mSATA				x										x																																						
	8 GB mSATA				x										x																																						
	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support			x	x				x	x				x	x	x			x															x															S26361-F3680-L128		259	
	SSD SATA II 128GB high speed	very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support																																														x	x		x	S26361-F3679-L128		260	
	SSD SATA III 128GB high speed	, very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support																																																	S26361-F3681-L128		259	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support							x	x					x	x	x			x															x															S26361-F3680-L256		433	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support																																																	S26361-F3681-L256		433	
	SSD 128GB Highspeed FDE	occupies 3.5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x									x	x		x	x	x	x	x	x	x	x	x	x							S26361-F3575-L100		258	
	SSD 128GB high speed FDE																																																x	x			S26361-F3584-L100		260	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support																																																	S26361-F3639-L100		258	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal)			x				x	x					x	x	x			x															x	x			x	x									S26361-F3660-L320		55	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal)			x				x	x					x	x	x			x															x	x			x	x									S26361-F3660-L500		63	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal)			x				x	x					x	x	x			x															x	x			x	x									S26361-F3660-L100		91	
	HDD SATA II 250GB 5.4k 2.5"																																																x		x	x	x	S26361-F3528-L10		69	
	HDD SATA II 320GB 5.4k 2.5" AF																																																	x	x		x	S26361-F3658-L320		77	
	HDD SATA II 500GB 5.4k 2.5" AF																																																	x	x		x	S26361-F3658-L500		92	
	HDD SATA II 160GB 7.2k 2.5"																																																x	x	x	x	x	S26361-F3560-L200		65	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable	x			x	x			x	x	x	x			x	x			x									x	x		x	x	x	x			x	x									S26361-F3560-L100		64	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology																																																	S26361-F3640-L100		63	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology		x	x				x	x					x	x	x			x													x															S26361-F3661-L160		61	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x		x	x	x		x	x	x	x			x	x			x			x	x	x	x	x	x	x			x	x	x	x			x	x									S26361-F3212-L100		45	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x		x	x	x	x			x	x			x			x	x	x	x	x	x	x			x	x	x	x			x	x									S26361-F3570-L100		53	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5710	ESPRIMO C5711	ESPRIMO C700	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P900	ESPRIMO P9000	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q9030	ESPRIMO Q910	ESPRIMO Q900	ESPRIMO Q9000	ESPRIMO Q910	Product Code	End User Price (RRP)	Comments
Accessories & services matrix																																																			
Hard Disks (Continued)																																																			
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x			x	x	x	x				x	x		x			x	x	x	x	x	x	x			x	x	x	x				x	x		x						S26361-F3435-L100		52	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable	x	x		x	x	x			x	x	x	x				x	x		x						x	x	x	x	x			x	x	x				x	x		x						S26361-F3568-L100		89	
	Mounting Kit for 2.5" HDD/SSD																																				x	x			x									S26361-F3706-L100		17	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x			x					x	x	x	x	x	x	x	x	x	x									x					x	x	x	x	x	x	x	x	x	x						S26361-F3497-L100		65	
Communication/Network																																																			
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0			x			x	x	x		x			x	x	x			x											x	x	x		x			x	x			x							S26361-F3067-L60		24	
	USB 3.0 PCIe x1				x		x	x	x	x		x		x	x	x	x		x	x	x		x	x		x	x		x	x	x	x		x		x	x	x		x	x	x						S26361-F3050-L10		24	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express x, full height/ low profile				x	x				x		x	x				x	x		x						x		x	x			x		x	x				x	x		x						S26361-F3067-L30		22	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x						S26361-F3108-L5		24	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11 modem cable to be ordered separately, full height									x	x	x	x				x	x		x			x	x	x	x	x	x	x			x	x	x	x				x	x		x						S26361-F3088-L2		14	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot				x	x	x			x	x	x	x	x	x	x	x	x	x	x												x		x				x			x						S26361-F2542-L30		8	
	Parallel Interace	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x	x																																												S26361-F2542-L60		8	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height													x	x	x			x							x		x	x	x		x		x	x	x	x			x	x							S26361-F2542-L34		8	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, low profile	x	x	x			x		x	x	x	x	x	x	x	x	x	x	x												x	x	x	x		x	x		x							S26361-F2542-L40		8	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height													x	x	x			x										x		x					x	x			x							S26361-F2542-L70		10	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel			x				x	x					x	x	x			x											x	x					x	x			x							S26361-F3316-L6		26	
	Dual serial card PCI	Dual Port RS232													x	x	x			x							x	x		x		x					x				x							S26361-F3316-L4		24	Phased out
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel			x				x	x					x	x	x			x											x	x					x	x			x							S26361-F3316-L7		34	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel		x			x	x					x							x		x																											S26361-F3316-L5		27	Phased out
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors									x	x	x	x				x	x		x						x		x	x	x		x	x	x	x				x	x		x						S26361-F3106-L520		22	Phased out
OS/Application-SW																																																			
	Windows MultiPoint Server 2010 CAL																																				x														S26361-F2010-L270		55	
	Windows MPS 2011 CAL																																				x														S26361-F2011-L170		57	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x		x		S26361-F2007-L910		13	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-L901		13	
Security																																																			
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x	x						S26361-F1260-L521		22	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	S26361-F1571-L201		13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x								x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	S26361-F1571-L210		97	Phased out
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium	x	x		x	x	x			x	x	x	x				x	x		x								x	x	x		x	x	x	x				x	x		x	x		x			S26361-F2727-L100		17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x		x	x	x			x	x	x	x				x	x		x								x	x	x		x	x	x	x				x	x		x	x		x			S26361-F2727-L730		33	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220		21	
Miscellaneous																																																			
	4 Rubber feet for vertical position								x	x					x	x	x			x																															S26361-F2542-L480		9	
	ESPRIMO Q mounting kit	incl. VESA subadapter																																																	S26361-F2542-L75		28	
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients,including 2 years software support	x		x								x		x																																		S26361-F2727-L701		38	
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x		x								x		x																																		S26361-F2727-L702		26	
	Subscription Key eLux/Scout	eLux/Scout Subscription Key for 12 month, usable for all UniCon products			x										x																																			S26361-F2727-L703		14	
	Feet for vertical position (set)					x	x	x			x	x	x	x				x	x		x																														S26361-F2542-L200		9	
	Rear USB 2.0 connector	2x USB 2.0																																	x	x	x	x			x	x		x						S26361-F2438-L215		7	
	Blanking Plate 5.25" drive bays, 10 pcs.					x	x	x	x	x														x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2542-L326		10	
	Blanking Plate 3.5" drive bays, 10 pcs.					x	x	x	x	x	x	x	x	x				x	x		x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x							S26361-F2542-L327		10	
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage							x	x	x	x	x	x	x	x	x	x	x	x																													S26361-F2542-L328		10	
	Blanking Plate + cage 3.5" bay, 6 pcs.								x	x	x	x	x	x	x	x	x	x	x	x																													S26361-F2542-L329		8	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x	x	x			x	x	x	x				x	x		x																													S26361-F2542-L35		101	
Keyboard /Mouse																																																			
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.																																													x	x	x	x	x	x	LTC:M-RCQ142		31	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED	x	x	x		x	x	x	x		x	x	x	x	x	x	x	x	x		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K341-L165		29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1.8m, manual, software CD.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K423-L100		13	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K429-L100		15	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K433-L100		13	
	Laser Mouse GL9000	Laser Mouse GL9000, programmable10 button mouse, Tilt Wheel Technology, adjustable 800 up to 1600 dpi, class 1 Laser, USB cable 1.8m, Software CD, manual, Retail box	x	x	x		x	x	x	x		x		x	x	x	x		x	x	x		x			x	x		x	x	x	x	x		x		x	x	x		x		x	x	x	x	x	S26381-K438-L100		15	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey											x					x																x										x	x	x	x	x	S26381-K520-L165		18	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0			x	x			x	x	x		x		x	x	x	x		x	x									x		x		x		x	x	x			x	x			x	x		x	S26381-K528-L165		33	
	KB400 USB GB	KB400 USB GB, SLIM value keyboard grey, UK layout, USB																															x	x			x													S26381-K550-L165		13	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2											x						x																x										x	x	x	x	x	S26381-K551-L465		13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

ESPRIMO Accessories — **Data Sheets: http://ts.fujitsu.com/esprimo**

Category	Description	Details	ESPRIMO C5710	ESPRIMO C5711	ESPRIMO C700	ESPRIMO E3520	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E500	ESPRIMO E5635	ESPRIMO E5645	ESPRIMO E5730	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7935	ESPRIMO E7936	ESPRIMO E900	ESPRIMO E9900	ESPRIMO P1500	ESPRIMO P1510	ESPRIMO P2440	ESPRIMO P2540	ESPRIMO P2550	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3520	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P400	ESPRIMO P500	ESPRIMO P5635	ESPRIMO P5645	ESPRIMO P5730	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P7935	ESPRIMO P7936	ESPRIMO P900	ESPRIMO P9000	ESPRIMO Q1500	ESPRIMO Q1510	ESPRIMO Q2610	ESPRIMO Q510	ESPRIMO Q900	ESPRIMO Q9000	ESPRIMO Q910	Product Code		End User Price (RRP)	Comments
Accessories & services matrix																																																					
Keyboard /Mouse (Continued)																																																						
	Wireless KB Mouse Set LX400 GB	Wireless keyboard & mouse set LX400 GB, RF laser mouse 1200 dpi, USB micro receiver, 2.4 GHz RF technology, 128Bit AES encryption, interference-free among other 2.4 GHz RF products due to special ID generation, 4 x AAA batteries, Hotkey software on CD, manual and safety instructions on CD, Retailbox.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K552-L465			25	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K560-L465			19	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K564-L465			40	
	KB900 MED GB	KB900 MED GB Siemens HC Variant 4m Leitung USB, white box																																										x								TAV:X560BL465MD3			21	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L276			17	
Cables																																																						
	Power cord China														x					x																										x								S26361-F2542-L51			9	
	Monitor outlet cable	necessary to contact monitor directly to the PC											x		x		x	x	x	x	x																		x		x			x	x	x							S26361-F2542-L57			8	
Additional Software																																																						
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U11081-C321			439	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U10987-C525			439	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			x	x		x	x	x	x	x	x	x	x	U10987-C499			13	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS V Series

CELSIUS V Series. 64-bit workstation.
You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 64 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS H700 — **Data Sheets: http://ts.fujitsu.com/celsius**

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD SUPERMULTI	FDD	Other Drives	Bay	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																																
CELSIUS H700																																
	Intel® Core™ i7-2620M processor	Genuine Windows® 7 Professional 64-bit	4 GB, DDR3, 1333 MHz	HDD SATA, 7200 rpm, 500 GB, 2.5"					x		SD/MS/MSPro			x	x	x	x			39.6 cm (15.6"), LED backlight, (Full HD), Anti-glare, magnesium, 1920 x 1080 pixel	NVIDIA® Quadro® 1000M, Dedicated video memory: 2 GB /GDDR3 VRAM	On board, Realtek ALC269							VFY:H7100WXG11GB			1351	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

Model	Processor	Operating System	Memory	HDD	1.0mm Bezel	1.0mm Slot-In	1.0mm Hot-Swap HDD	Slot-in Drives	Battery	Modem	LAN	WLAN	UMTS	Screen	Graphics	Audio	Tool Less Case	Mouse	Kensington	Product Code			Full User Price (RRP)	Comments
Standard products																								
CELSIUS H710																								
	Intel® Core™ i7-2820QMprocessor	Genuine Windows® 7 Professional 64-bit	2 x 4 GB DDR3, 1333 MHz, PC3-10600, SO-DIMM	500 GB, HDD SATA, 7200 rpm, 2.5"			x	SSD/MB/MSPro			x	x	x	43.9 cm (17.3"), LED-backlight, IPS HD1, Anti-glare, maximum, 1920 x 1080 pixel	NVIDIA® Quadro® 3000M, Dedicated video memory: 2 GB (GDDR3 VRAM + NVIDIA® Quadro® 3000M, NVIDIA® Quadro® 4000M, Dedicated video memory: 2 GB (GDDR3 VRAM	On board, Realtek ALC269				PSP:H5100W0000GB				Q1/17	

CELSIUS W410 — Data Sheets: http://ts.fujitsu.com/celsius

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W410 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
CELSIUS W410							
	CELS W410 /CORE I5-2400/2x2 GB/DP CABLE/	CELS W410 /CORE I5-2400/2x2 GB/DP CABLE/ DVD SM/500GB SATA III/HD CABLE/ CK GB/INT/KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	VFY:W4100WF041GB			613	
	CELS W410 /CORE I3-2120/2 GB/DVD SM/	CELS W410 /CORE I3-2120/2 GB/DVD SM/ 320GB SATA III/HD CABLE/CK GB/INT/ KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	VFY:W4100WF061GB			567	
	CELS W410 /CORE I7-2600/2x2 GB/	CELS W410 /CORE I7-2600/2x2 GB/ FIREPRO V3800/DVD SM/MCR/500GB SATA III/ HD CABLE/ESATA/CK GB/INT/KB400USBGB/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	VFY:W4100WXG11GB			744	

CELSIUS W510 — Data Sheets: http://ts.fujitsu.com/celsius

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W510 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
CELSIUS W510							
	CELS W510 /XEON E3-1220/2x2 GB/	CELS W510 /XEON E3-1220/2x2 GB/ NO GRAPHICS/DVD SM/MCR/500GB SATA III/ CK GB/INT/KB400PS2GB/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/,	VFY:W5100WF011GB			678	
	CELS W510 /XEON E3-1240/2x4 GB/	CELS W510 /XEON E3-1240/2x4 GB/ FIREPRO V4800/DVD SM/MCR/ 1000GB SATA III/USB 3.0 PCIE/ESATA/ CK GB/INT/KB900GB/COA_W7_MM_PROFES/,	VFY:W5100WXG11GB			897	
	CELS W510 /XEON E3-1270/2x4 GB/Q 2000/	CELS W510 /XEON E3-1270/2x4 GB/Q 2000/ DP CABLE/DVD SM/MCR/SSD 128GB FDE / 1000GB SATA III/CABLE 2X HDD/ RAILS 2X HDD 2.5"/USB 3.0 PCIE/ESATA/,	VFY:W5100WXP11GB			1363	

CELSIUS M470

Data Sheets: http://ts.fujitsu.com/celsius

Model	Processor	Operating System	Memory	HDD	CD-RW/DVD	DVD-RW	DVD-RW Dual DL	DVD_SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Product Code			End User Price (RRP)	Comments
Standard products																										
CELSIUS M470-2																										
	Intel® Xeon® W3530	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 500 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF061GB			953	
	Intel® Xeon® W3530	Genuine Windows 7® Professional 64-bit	3 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 1000 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF071GB			1010	
	Intel® Xeon® W3505	Genuine Windows 7® Professional 64-bit	2 x 2 GB, DDR3, 1333 MHz	SATA II, 7200 rpm, 160 GB, 3.5"				x				x						On board, Realtek ALC663, HD		x	GB	VFY:M4702WF081GB			851	
	CELS M470-2 /XEON W3670/3x4GB/DP CABLE/ Q 2000/ODD CABLE/MCR/DVD SM/2xHD CABLE/ 1000GB SATA II/SSD 128GB/ESATA/ USB 3.0 PCIE/CK GB/INT/KB900GB/NERO/,																					VFY:M4702WXP11GB			1703	

CELSIUS R670
The new uncompromising high-end workstation

Model	Processor	Operating System	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL	DVD_SUPERMULTI	FDD	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front-side USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Product Code			End User Price (RRP)	Comments
Standard products																																
CELSIUS R670-2																																
	Intel® Xeon® E5645	Genuine Windows® 7 Professional 64-bit	2 x 4 GB, DDR3, 1333 MHz	1000 GB, SATA II, 7200 rpm, 3.5"					x					x					2			On board, Realtek ALC663, HD			x	GB			PDP:R6702W0008GB			1703	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Processor																																	
	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x													S26361-F3612-L245			557	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x			x													S26361-F3612-L247			783	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x													S26361-F3612-L249			783	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x			x			x													S26361-F3612-L972			1463	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x			x			x													S26361-F3612-L975			1463	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads									x						x													S26361-F3612-L987			1697	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads									x						x													S26361-F3612-L990			1697	
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L76			208	
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L80			347	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3																			x									S26361-F3502-L84			548	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x													S26361-F3612-L309			495	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x													S26361-F3612-L330			557	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores												x			x													S26361-F3612-L340			1051	
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads									x			x			x													S26361-F3539-L113			243	
	Xeon E5606 2.13GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads									x			x			x													S26361-F3539-L116			235	
	Xeon E5607 2.26GHz 8MB Turbo Boost	2.26 GHz, 8 MB cache, 4 cores/4 threads									x			x			x													S26361-F3539-L117			283	
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x													S26361-F3612-L220			522	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x													S26361-F3612-L230			718	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores												x			x													S26361-F3612-L240			1001	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x													S26361-F3612-L950			1288	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x													S26361-F3612-L960			1566	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores												x			x													S26361-F3612-L967			1827	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores												x			x													S26361-F3612-L970			1827	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores															x													S26361-F3612-L977			2132	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores															x													S26361-F3612-L980			2132	
Memory																																	
	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x																	x	x	S26361-F3379-L4			653	
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub				x																								S26391-F504-L100			58	
	2GB DDR3-1333 PC3-10600					x																								S26391-F505-L200			60	
	4GB DDR3-1333 PC3-10600					x																								S26391-F505-L300			103	
	2GB DDR3-1333 PC3-10600						x	x																						S26391-F892-L200			58	
	4GB DDR3-1333 PC3-10600						x	x																						S26391-F892-L400			103	
	8GB DDR3-1333 PC3-10600						x	x																						S26391-F892-L800			888	
	2GB DDR3-1066 SO-DIMM PC3-8500			x	x																									S26391-F736-L250			60	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit							x														x							S26361-F2994-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit							x														x							S26361-F2994-L116			51	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2995-L114			32	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2995-L116			51	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																						x						S26361-F2994-L118			139	
	2GB DDR3-1333	1 module PC 1333, DIMM																				x			x		x			S26361-F4401-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM																				x			x		x			S26361-F4401-L3			91	
	2GB DDR3-1333	1 module PC 1333, DIMM																								x		x	x	S26361-F3378-L2			39	
	4GB DDR3-1333	1 module PC 1333, DIMM																								x		x	x	S26361-F3378-L3			91	
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM							x																					S26361-F3369-L424			77	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																		x	x									S26361-F3367-L459			144	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3367-L464			339	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3367-L479			1026	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							x		x			S26361-F4411-L2			61	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							x		x			S26361-F4411-L3			134	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3376-L484			144	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																			x									S26361-F3376-L488			339	
	1GB DDR3-1066	1 module								x			x			x														S26361-F3374-L403			25	
	1GB DDR3-1333	1 module									x			x			x	x													S26361-F3375-L403			24	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x															S26361-F3375-L413			40	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x															S26361-F3375-L414			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x			x			x															S26361-F3375-L415			134	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x														S26361-F3377-L413			40	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x														S26361-F3377-L414			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary									x			x			x														S26361-F3377-L415			134	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																										x	x	S26361-F3379-L2			61	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																										x	x	S26361-F3379-L3			134	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x															S26361-F3375-L424			75	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS UL TRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																		
Memory (Continued)																																		
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x														S26361-F3375-L425			161	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary											x			x														S26361-F3375-L426			627	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x													S26361-F3377-L424			75	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x													S26361-F3377-L425			161	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary												x			x													S26361-F3377-L426			627	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary												x			x	x												S26361-F3374-L427			695	
Graphics																																		
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																						x						S26361-F2757-L655			22	Phased out
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																						x						S26361-F3305-L210			17	Phased out
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately								x	x		x	x		x	x	x								x		x	x	S26361-F2748-L38			74	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters							x	x	x		x	x		x	x				x	x		x	x		x			S26361-F2748-L236			83	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F2748-L245			320	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters							x	x	x		x	x		x	x				x	x		x	x		x			S26361-F2856-L38			110	Phased out
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters									x			x			x	x								x		x	x	S26361-F2856-L41			85	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters									x			x			x	x				x			x	x	x	x	x	S26361-F2856-L61			140	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters									x			x			x	x				x			x	x	x	x	x	S26361-F2856-L201			366	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,									x			x			x	x								x		x	x	S26361-F2856-L202			366	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters									x			x			x	x									x		x	S26361-F2856-L401			627	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16									x			x			x	x									x		x	S26361-F2856-L501			1644	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16									x			x			x													S26361-F2856-L258			2261	Phased out
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16									x			x			x	x													S26361-F2856-L601			3210	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters									x			x			x	x				x			x	x	x	x	x	S26361-F2530-L380			81	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters									x			x			x					x			x	x	x	x	x	S26361-F2530-L480			143	
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters									x			x			x					x			x	x	x	x	x	S26361-F2530-L580			313	
	ATI FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, ,									x			x			x	x				x			x	x	x	x	x	S26361-F2530-L590			339	Orderable from: 12/12/2011
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters									x			x			x										x			S26361-F2530-L780			695	
	ATI FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters, ,									x			x			x	x											x	S26361-F2530-L790			583	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1							x	x	x		x	x	x	x	x	x			x			x		x	x	x		S26361-F3565-L1			231	
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I,10/100/1000 Mbps LAN, 4x USB, audio							x	x	x		x	x	x	x	x	x			x			x	x	x	x	x		S26361-K1322-V1			231	
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI-I, PCIe x16									x			x			x													S26361-F2856-L207			1635	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor					x		x	x	x	x	x	x	x	x	x	x			x	x		x	x	x	x	x	x	S26361-F2391-L200			17	
	DVI/VGA Adapter	for connection of one VGA-monitor							x	x	x	x	x	x	x	x	x	x			x	x		x	x	x	x	x	x	S26361-F2391-L1			8	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors								x	x		x	x		x	x	x								x		x	x	S26361-F2391-L101			20	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors								x	x		x	x		x	x	x								x		x	x	S26361-F2391-L102			23	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card											x	x		x	x	x		x	x									S26361-F2542-L95			56	
Removable Media Drives																																		
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type									x	x		x	x		x	x	x												S26361-F3077-L14			32	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																				x		x	x	x	x	x	x	S26361-F3077-L15			24	
	Blu-ray Triple Writer	bay module, BD read/write + DVD read/write + CD read/write				x																								S26391-F515-L100			109	
	DVD Super multi (reader/writer)					x																								S26391-F515-L200			60	
	Weight saver for modular bay						x																							S26391-F777-L300			14	
	Blu-ray burner							x																						S26391-F894-L200			105	
	2nd HDD bay module (without HDD)						x																							S26391-F984-L600			26	
	weight saver					x																								S26391-F440-L300			14	
	DVD SATA	occupies accessible 5,25"- bay, without DVD-video playback software								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3418-L510			25	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD burning software included (without DVD-video playback software)								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3420-L510			33	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately								x	x		x	x		x	x	x				x		x	x	x	x	x	x	S26361-F3523-L510			209	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																				x		x	x	x	x	x	x	S26361-F3077-L5			17	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets:

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS UL TRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																		
Removable Media Drives (Continued)																																		
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type								x	x		x	x		x	x	x													S26361-F3077-L4			22	
	FDD 1.44MB	occupies accessible 3,5"- bay,incl. cable																						x						S26361-F1723-L510			14	
Hard Disks																																		
	HDD SATA 500GB 7.2k					x																								S26391-F507-L300			205	
	2nd HDD SATA 500GB 7.2k					x																								S26391-F508-L400			205	
	2nd HDD SATA 320GB 5.4k FDE					x																								S26391-F509-L100			183	
	SSD SATA 128GB FDE					x																								S26391-F510-L100			438	
	2nd SSD 256GB high speed					x																								S26391-F510-L210			631	
	HDD SATA 320GB 5.4k						x	x																						S26391-F893-L320			170	
	HDD SATA 320GB 5.4k XP optimized						x	x																						S26391-F893-L321			170	
	HDD SATA 500GB 7.2k						x	x																						S26391-F893-L507			207	
	SSD SATA 512GB FDE						x	x																						S26391-F893-L840			1561	
	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support									x			x			x													S26361-F3680-L128			259	
	SSD SATA III 128GB high speed	, very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support																								x				S26361-F3681-L128			259	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support																x										x	x	S26361-F3682-L128			259	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x			x			x													S26361-F3680-L256			433	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support																								x				S26361-F3681-L256			433	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support																x										x	x	S26361-F3682-L256			433	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support									x			x			x													S26361-F3680-L512			866	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support																								x				S26361-F3681-L512			866	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support																x										x	x	S26361-F3682-L512			866	
	SSD 128GB Highspeed FDE	occupies 3.5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support							x	x	x		x	x			x	x			x	x		x	x		x	x	x	S26361-F3575-L100			258	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support																								x				S26361-F3639-L100			258	
	SSD 256GB high speed FDE	occupies 3.5"-bay (internal), incl. cable and frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support							x	x	x		x	x			x	x			x	x		x	x		x	x	x	S26361-F3576-L100			434	
	SSD 256GB high speed FDE	occupies 3,5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support																								x				S26361-F3642-L100			434	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal)																								x		x	x	S26361-F3660-L320			55	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal)																								x		x	x	S26361-F3660-L500			63	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal)																								x		x	x	S26361-F3660-L100			91	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable																				x	x	x	x		x	x	x	S26361-F3560-L100			64	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology																								x				S26361-F3640-L100			63	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology																								x				S26361-F3661-L160			61	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x					x	x	x	x	x	x		x			S26361-F3212-L100			45	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x	x	x		x	x		x	x				x	x		x	x		x			S26361-F3570-L100			53	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x		x	x	x	x	x	x	x			x	x	x	x	x	x		x			S26361-F3435-L100			52	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable							x	x	x		x	x		x	x				x	x		x	x		x			S26361-F3568-L100			89	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology														x	x													S26361-F3212-L30			45	
	HDD SATA II 320GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable														x	x													S26361-F3705-L320			49	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable														x	x													S26361-F3705-L500			52	
	HDD SATA II 1000GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable														x	x													S26361-F3705-L100			91	
	Mounting Kit for 2.5" HDD/SSD																									x				S26361-F3706-L100			17	
	Mounting kit for 2x HDD	for 3rd and 4th HDD 3.5" and for 1st and 2nd HDD 2.5"																										x	x	S26361-F4030-L2			16	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F3497-L100			65	
	HDD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology							x	x	x	x	x	x	x	x	x				x	x		x	x	x	x	x	x	S26361-F3521-L100			120	
	HDD SATAII 2000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology							x	x	x		x	x		x	x	x			x	x		x	x	x	x	x	x	S26361-F3590-L100			208	
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology, incl. cable							x	x	x	x	x	x	x	x					x	x			x		x			S26361-F3526-L10			140	Phased out
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology, incl. cable							x	x	x	x	x	x	x	x	x	x			x	x			x	x	x	x	x	S26361-F3527-L10			231	
	HDD SATA II 600GB 10k	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology							x	x	x	x	x	x	x	x	x	x			x	x			x	x	x	x	x	S26361-F3632-L100			318	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS ULTRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Hard Disks (Continued)																																	
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal), incl. cable							x	x	x	x	x	x	x	x	x	x		x	x									S26361-F3414-L20			157	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal), incl. cable							x	x	x	x	x	x	x	x	x	x		x	x									S26361-F3518-L20			191	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal), incl. cable							x	x	x		x	x		x	x	x			x									S26361-F3591-L100			488	
SCSI/RAID/SAS controller																																	
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4							x	x	x	x	x	x																S26361-F3976-L1			103	
	SAS/SATA cable for RAID controller	for RAID controller D2616, plugs for 4x HDD,									x						x													S26361-F2581-L47			14	
Communication/Network																																	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0																								x		x	x	S26361-F3067-L60			24	
	Dual 1 Gigabit Ethernet PCIe x4										x			x			x	x												S26361-F3067-L80			111	
	USB 3.0 PCIe x1										x			x								x			x	x	x	x	x	S26361-F3050-L10			24	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile							x	x	x	x	x	x	x	x	x	x			x	x		x	x		x			S26361-F3067-L30			22	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules									x			x			x	x												S26361-F3067-L70			292	
	WLAN II, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface							x	x	x	x	x	x	x	x	x	x				x		x	x	x	x	x	x	S26361-F3108-L5			24	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11 modem cable to be ordered separately, full height																				x	x	x	x		x			S26361-F3088-L2			14	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																					x	x	x		x			S26361-F2542-L30			8	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height							x	x	x		x			x						x				x		x	x	S26361-F2542-L34			8	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile																					x	x	x		x			S26361-F2542-L40			8	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot; full height							x	x	x		x	x		x	x	x				x				x		x	x	S26361-F2542-L70			10	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel																								x		x	x	S26361-F3316-L6			26	
	Dual serial card PCI	Dual Port RS232							x	x	x		x	x		x	x				x	x		x	x		x			S26361-F3316-L4			24	Phased out
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel																								x		x	x	S26361-F3316-L7			34	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors										x	x	x								x	x	x		x		x	x	S26361-F3106-L520			22	Phased out
Rack-Infrastructure																																	
	Rack mounting kit CELSIUS										x			x		x	x	x										x	x	S26361-F2581-L101			191	
Port Replicator																																	
	Portreplicator			x	x																									S26391-F740-L500			35	Phased out
	Portreplicator							x																						S26391-F897-L100			91	
	Portrep\AC Adapter 210W\ EU-Cable Kit							x																						S26391-F897-L110			125	
	Portreplicator						x																							S26391-F987-L100			69	
	Portrep\AC-Adapter 120W \EU-Cable Kit						x																							S26391-F987-L120			108	
OS/Application-SW																																	
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days					x	x																						S26361-F2010-L199			9	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security							x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2007-L909			17	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero Essentials S, Norton Internet Security	x	x	x	x																								S26361-F2007-L904			17	
UPS/Power supply																																	
	1st Battery E8410/ E8420 8-cell 75Wh		x																											S26391-F405-L810			97	Phased out
	AC-Adapter 19V/100W		x																											S26391-F408-L300			35	
	2nd battery					x																								S26391-F440-L200			117	Phased out
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x																								S26391-F458-L200			148	Phased out
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under ''Miscellaneous''				x																								S26391-F519-L100			44	
	2ND BATTERY			x	x																									S26391-F746-L100			97	Phased out
	2nd battery						x																							S26391-F777-L200			115	
	External battery charger, incl. 16V AC						x	x																						S26391-F778-L400			152	
	2pin AC Adapter 19V/120W						x																							S26391-F886-L700			53	
	AC Adapter 19V/210W							x																						S26391-F896-L500			53	
	Battery 8cell 5800mAh						x	x																						S26391-F896-L700			90	
Security																																	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																					x							S26361-F1260-L520			22	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																				x		x	x	x	x	x	x	S26361-F1260-L521			22	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only								x	x		x	x		x	x	x												S26361-F1260-L522			24	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201			13	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210			97	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L101			16	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L102			23	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L103			28	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L104			24	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L105			36	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L106			45	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L107			27	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L108			44	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L109			64	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L113			39	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L114			64	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L115			74	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L116			42	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L117			70	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x																						S26361-F2009-L118			92	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L201			15	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets:

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS UL TRA	CELSIUS V840	CELSIUS V840-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Security (Continued)																																	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L202			24	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L203			30	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L204			25	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L205			38	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L206			47	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L207			28	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L208			45	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x	x	x																						S26361-F2009-L209			64	
	ATP, Data Protection,PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x																								S26361-F2009-L213			40	
	ATP, Data Protection,PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x																						S26361-F2009-L214			64	
	ATP, Data Protection,PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x																						S26361-F2009-L215			76	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x																						S26361-F2009-L217			73	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	x	x																						S26361-F2009-L218			94	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support				x																								S26361-F2432-L720			40	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium				x				x	x		x	x		x	x	x				x	x		x		x			S26361-F2727-L100			17	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3				x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x		x			S26361-F2727-L730			33	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing				x	x	x																						S26381-F11-L100			34	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-F331-L220			21	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.				x	x	x																						S26381-K435-L100			271	
Miscellaneous																																	
	Locking HDD cage																									x		x	x	S26361-F2542-L332			8	
	iButton for RAID 5 support	incl. license for RAID 5														x		x												S26361-F2581-L44			34	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSIUS V830) and YBWM004000 (CELSIUS M440).							x	x	x	x	x	x	x	x	x	x		x	x									S26361-F2581-L200			64	
	Rear USB 2.0 connector	2x USB 2.0																				x				x				S26361-F2438-L215			7	
	Blanking Plate 5.25" drive bays, 10 pcs.																					x				x				S26361-F2542-L326			10	
	Blanking Plate 3.5" drive bays, 10 pcs.																					x				x				S26361-F2542-L327			10	
	Blanking Plate 5.25" drive bays, 10 pcs.																							x	x		x	x	x	S26361-F2542-L325			22	
Keyboard /Mouse																																	
	Bluetooth Mouse V470	Bluetooth Mouse V470, 3 button Wheel Mouse, Laser, Tilt-Wheel-Function, without Dongle, 10m range, pouch, Software (no BT software), batteries, brown box, manual.	x	x	x	x																								LTC:M-RCQ142			31	
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% renewable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED							x	x	x		x	x		x	x	x			x	x		x	x	x	x	x	x	S26381-K341-L165			29	
	Laser Mouse CL3500	Laser Mouse with Tilt-Wheel function, user selectable resolution from 400 up to 1600 dpi, class 1 laser, USB cable 1,8m, manual, software CD.	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	S26381-K423-L100			13	
	SPACE EXPLORER	3D motion controller USB, manual, software, case, brown box.	x						x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26381-K425-L100			279	
	Notebook Mouse 400NB Black Retail	Notebook Mouse 400NB Black retail optical 1000 dpi tilt-wheel-function, USB cable 0,85, retail package blister				x																								S26381-K428-L100			8	
	Notebook Laser Mouse WI600	Notebook Laser Mouse WI600, 2,4 GHZ wireless technology, microreceiver, 3 programmable keys, 4-way-scroll function, 2 x AAA NiMH batteries, Software CD, manual, Retail box	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	S26381-K429-L100			15	
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2, 3 button Wheel Mouse with Tilt-Wheel-Function (wheel is 3rd button), 1100 dpi laser sensor, with PS2 adatper, grey with anthracite buttom, 1.8 m USB cable, manual, CD, brown box packed.				x																								S26381-K430-L100			15	
	Wireless Laser Mouse WL9000	Wireless Laser Mouse WL9000, black / silver with 10 buttons and 6 of those are programmable, 4-way scroll and zoom function, 800/1600 dip, class 1 Laser, USB micro receiver which is storable into the mouse, 2 x AA batteries, Software CD, manual, retail box.				x																								S26381-K432-L100			21	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories

Data Sheets:

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS UL TRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Keyboard /Mouse (Continued)																																	
	Wireless Laser Mouse WI400	Wireless Laser Mouse WI400, 2.4 GHz technology, interference-free usage among other 2.4 GHz products and extremly reliable due to specially generated IDs. Micro receiver and slot, 2 buttons, Wheel, switchable resolution 800, 1200 and 1600 dpi, Power on / off button, 2 x AAA batteries, manual, Retail box.	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	S26381-K433-L100			13	
	Laser Mouse GL9000	Laser Mouse GL9000, programmable10 button mouse, Tilt Wheel Technology, adjustable 800 up to 1600 dpi, class 1 Laser, USB cable 1.8m, Software CD, manual, Retail box		x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	S26381-K438-L100			15	
	MOUSE M440 ECO	MOUSE M440 ECO, Optical wheel mouse USB, 1000 dpi, PVC free USB cable 1.8 m white box				x																							S26381-K450-L100			11	
	KB520 GB	KB520 USB, standard keyboard Greatbritain UK , marble grey								x	x					x	x	x						x					S26381-K520-L165			18	
	KB SCR GB	SmartCard keyboard english with class 2 reader on the top. Without security seal. VOL up, VOL down, Play/Pause and calculator multifunction keys, fixes USB cable 1.8m, manual, driver DVD, USB 2.0																				x			x	x	x	x	x	S26381-K528-L165			33	
	KB400 USB GB	KB400 USB GB, SLIM value keyboard grey, UK layout, USB									x			x			x	x								x		x	x	S26381-K550-L165			13	
	KB400 PS2 GB	KB400 PS2 GB, SLIM value Keyboard black Great Britain, PS2								x	x					x	x	x						x						S26381-K551-L465			13	
	Wireless KB Mouse Set LX400 GB	Wireless keyboard & mouse set LX400 GB, RF laser mouse 1200 dpi, USB micro receiver, 2.4 GHz RF technology, 128Bit AES encryption, interference-free among other 2.4 GHz RF products due to special ID generation, 4 x AAA batteries, Hotkey software on CD, manual and safety instructions on CD, Retailbox.	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	S26381-K552-L465			25	
	Keyboard KB900 USB GB	Keyboard KB900 english layout, spill proof. Multifunction panel with 12 hotkeys, black with silver rim. Red LED, 1.8m USB cable.	x	x	x	x			x	x	x		x	x		x	x	x			x	x	x	x	x	x	x	x	x	S26381-K560-L465			19	
	Wireless Keyboard Set LX900 GB	Wireless Keyboard Set LX900 GB, 128AES bit-encryption, spill-proof, micro receiver, programmable lasermouse, CD, manual, batteries, retailbox	x	x	x	x			x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	S26381-K564-L465			40	
	KB900 MED GB	KB900 MED GB Siemens HC Variant 4m Leitung USB, white box																								x		x	x	TAV:X560BL465MD3			21	
	Keyboard KB500 USB (N) & Power Cord	marble grey, incl. power cord EU									x			x		x	x	x				x		x	x	x	x	x	x	S26361-F2542-L276			17	
Cables																																	
	Power cord China							x																						S26361-F2542-L51			9	
	power cable EU	black, 2-pole, 1.8 m	x			x	x																							T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m	x			x	x																							T26139-Y2540-V213			8	
	Monitor outlet cable	necessary to contact monitor directly to the PC																					x	x						S26361-F2542-L57			8	
	Cable for 2. USB device								x	x	x	x	x	x	x	x	x	x			x	x	x	x	x		x			S26361-F2581-L10			15	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire						x																						T26139-Y1744-V10			5	
	Power cord three-wire EU	Power cord three-wire EU		x	x		x																							S26361-F2581-L310			8	
Input Devices																																	
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x	x	x	x																								S26381-K440-L100			41	
Additional Software																																	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1																		x	x								U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x								U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x								U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																		x	x								U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																		x	x								U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																		x	x								U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																		x	x								U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0																		x	x								U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																		x	x								U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201																		x	x								U11081-C203			1749	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																		x	x								U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																		x	x								U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																		x	x								U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203																		x	x								U11081-C213			1749	

Windows®. Life without Walls™. Fujitsu recommends Windows 7

CELSIUS Accessories — **Data Sheets:**

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS R910	CELSIUS UL TRA	CELSIUS V940	CELSIUS V940-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W410	CELSIUS W480	CELSIUS W510	CELSIUS W510 POWER	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																	
Additional Software (Continued)																																	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																		x	x									U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207																		x	x									U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x			U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x				x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x			U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C502			1749	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x	x									U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C515			3498	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x	x									U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x	x									U10987-C504			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x	x									U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x	x									U10987-C529			2142	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x				x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x			U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x				x	x	x	x	x	x	x	x	x			x	x	x	x	x	x		x			U10987-C499			13	

Positioning Displays

P Line

Superior Displays - P Line and XL Line
A feast for your eyes and a pleasure to use for work or multimedia:
- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features

XL Line

B Line

Advanced Displays - B Line and SL Line
Efficiency for intensive office or entertainment usage:
- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
  e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays

SL Line

A/E Line

All-round Displays - A/E Line and L Line
Enter the world of LCD displays at an affordable price:
- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver

L Line

Displays

Data Sheets: http://ts.fujitsu.com/display

P Line
- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language

*: on sleected models

XL Line
- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line
- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line
- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line
- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line
- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Displays							
	DISPLAY P19-5P ECO	DISPLAY P19-5P ECO, Premium Line 48cm(19") Display, VGA, DVI, Enhanced Height adjust Auto Pivot, Light sensor, Fujitsu Logo	S26361-K1319-V140			188	Phased out
	DISPLAY E19-5	DISPLAY E19-5, E-Serie 48cm (19"), Commitment based availability	S26361-K1330-V160			100	Phased out
	DISPLAY E19W-5	DISPLAY E19W-5, E-Serie 48cm (19"wide), Commitment based availability	S26361-K1331-V160			100	
	DISPLAY P23T-6 IPS	DISPLAY P23T-6 IPS Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1370-V140			276	
	DISPLAY P24W-6 IPS	DISPLAY P24W-6 IPS Premium Line 61cm(24")wide Display IPS Panel DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1371-V140			388	
	DISPLAY P27T-6 IPS	DISPLAY P27T-6 IPS Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140			588	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140			153	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140			182	
	DISPLAY E19-6 LED	DISPLAY E19-6 LED E Line 48.3cm(19") black Commitment based availability only LED Backlight	S26361-K1376-V160			106	
	DISPLAY E22W-6 LED	DISPLAY E22W-6 LED E-Line 55.9cm(22")wide black Commitment based availability only LED Backlight	S26361-K1377-V160			135	

Displays — Data Sheets: http://ts.fujitsu.com/display

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Displays (Continued)							
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140			194	
	DISPLAY E23T-6 LED	DISPLAY E23T-6 LED E-Line 58.4cm(23")wide black Commitment based availability only LED Backlight	S26361-K1389-V160			147	
	DISPLAY B22W-6 LED proGREEN	DISPLAY B22W-6 LED proGREEN, B-Line 55.9cm(22")wide matt black, DVI, VGA, 4-in-1 stand, LED Backlight	S26361-K1392-V160			171	

Positioning Input Devices & Security devices

Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Input devices and Security — Data Sheets: http://ts.fujitsu.com/keyboards

Keyboards
A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice
Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Keyboard /Mouse							
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104			5	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1			5	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1			5	
Cables							
	Cable T26139-Y2691-C180	VGA extension cable, Sub-D 15 Pin - Sub-D 15 Socket, DDC, 1.8 m, replaces T26139-Y2607-V1	T26139-Y2691-C180			18	
	Cable extension PS2	keyboard/mouse-extension cable, PS2 Pin - PS2 Socket, 3.2 m	T26139-Y2677-C360			6	
	SCSI-cable,HVD,2xHD68(S)-2xHD68(S),4,5m		D:LE35999-C450			180	Phased out
	SCSI-cable,HVD,2xHD68(S)-2xHD68(S),12m		D:LE35999-M12			231	Phased out

Positioning PRIMERGY Economy Servers

PRIMERGY Econel 100 S2

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important. PRIMERGY Econel brings server performance at a price rivaling that of a PC!
PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring. With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Memory												
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x					S26361-F3373-L413			55	Phased out
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x					S26361-F3373-L414			81	Phased out
Removable Media Drives												
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge			x	x		S26361-F3324-L4			432	
Hard Disks												
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	SATA, 160 GB, 7200 rpm, 3.5-inch, economic			x	x		S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L100			207	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical					x	S26361-F3265-L500			141	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	S26361-F3204-L530			354	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x	S26361-F3204-L545			453	Phased out
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x				S26361-F3212-L100			45	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable		x				S26361-F3435-L100			52	
	HDD SATA III 500GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x					S26361-F3497-L100			65	
	HDD SATAIII 1000GB 7.2k BC	occupies 3,5"-bay (internal), supports NCQ and 6GB/s, incl. cable, compatible to SATA technology	x					S26361-F3521-L100			120	
SCSI/RAID/SAS controller												
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI			x	x	x	S26361-F2399-L1			253	Phased out
	68-Pin Kit for accessible drives	Cable with terminator			x	x		S26361-F2814-L6			56	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R					x	S26361-F3271-L1			181	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x	S26361-F3271-L201			180	
Communication/Network												
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter	x	x		x	x	S26361-F3142-L2			65	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter	x				x	S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter					x	S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x			x	x	S26361-F3516-L1			39	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp					x	S26361-F3516-L201			39	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, driver CD, PCI Express, full height/ low profile	x					S26361-F3067-L30			22	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x					S26361-F2542-L30			8	
Rack-Infrastructure												
	cage nut set, M5, t=2,5mm	Content: 50 pieces					x	S26361-F2735-L500			42	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks					x	S26361-F2735-L8			34	Phased out
PRIMERGY-Software												
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L341			89	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
PRIMERGY-Software (Continued)												
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x			x	x	S26361-F2565-L343			89	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x					S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x					S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x					S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x					S26361-F2567-L343			329	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!			x			U15000-C302			120	Orderable from: 01/10/2011
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!			x		x	U15000-C303			61	Orderable from: 01/10/2011
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x				x	S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x				x	S26361-F2565-L593			755	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x				x	S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x				x	S26361-F2565-L595			755	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	U15000-C176			184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x		x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!			x			U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!			x		x	U15000-C301			61	
	SUSE Linux ES 1SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1 year subscription renewal.	x	x				S26361-F2346-L601			125	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.					x	S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.	x	x			x	S26361-F2346-L621			427	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L416			502	

Economy Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
PRIMERGY-Software (Continued)												
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x	x	x	S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x	x	x	S26361-F2346-L418			1025	
OS/Application-SW												
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					U15355-C720			346	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x					U15355-C723			219	
UPS/Power supply												
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x			x	x	S26113-F80-L30			218	
Media												
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label				x		D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x	x	x	x	x	D:CL-DAT72-MX-01			4	
	MTC-L MEDIA LTO cleaning cartridge	Cleaning cartridge without label from Fuji for LTO drives			x	x		D:CL-FJ-LTO-01			32	Orderable from: 01/09/2011
	MTC-L MEDIA LTO clean. cartr. with label	cleaning cartridge with label from Fuji for LTO drives			x	x		D:CL-FJ-LTO-01L			33	Orderable from: 01/09/2011
	LTO cleaning cartridge Fuji no label	Cleaning cartridge without label from Fuji for LTO drives			x	x		D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives			x	x		D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives			x	x		D:CL-LTO2-IB-01			42	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives			x	x		D:CL-LTO2-IB-01L			43	
	VXA cleaning label	Label for VXA cleaning cartridge			x	x		D:CL-VXA2-LAB			2	
	VXA cleaning cartridge	VXA cleaning cartridge			x	x	x	D:CL-VXA2-X-01			27	
	VXA cleaning cartridge with label	VXA cleaning cartridge			x	x	x	D:CL-VXA2-X-01L			28	
	DAT160 data cartridge no label	DAT160 data cartridge without label				x		D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x	x	x	x	x	D:CR-DAT72-MX-01			12	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity			x	x		D:CR-FJ-LTO1-01			18	Orderable from: 01/10/2011
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity			x	x		D:CR-FJ-LTO1-01L			18	Orderable from: 01/10/2011
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity			x	x		D:CR-LTO1-FJ-01			20	Phased out

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Media (Continued)												
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity			x	x		D:CR-LTO1-FJ-01L			20	Phased out
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity			x	x		D:CR-LTO1-IB-01			28	
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity			x	x		D:CR-LTO1-IB-01L			29	
	LTO1 barcode label horizontal	label for LTO-1 data cartridges			x	x		D:CR-LTO1-LAB			2	
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity			x	x		D:CR-LTO1-MX-01			22	Phased out
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity			x	x		D:CR-LTO1-MX-01L			23	Phased out
	VXA barcode label	Label for VXA data cartridge			x	x		D:CR-VXA2-LAB			2	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			x	x	x	D:CR-VXA2-X10-01			31	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			x	x	x	D:CR-VXA2-X10-01L			32	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB			x	x	x	D:CR-VXA2-X23-01			58	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB			x	x	x	D:CR-VXA2-X23-01L			59	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x		x		S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed				x		S26361-F3857-L169			862	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x		x		S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed				x		S26361-F3857-L329			1306	
	LTO cleaning label horizontal	label for LTO cleaning cartridges			x	x		D:CL-LTO-LAB			2	
Additional Software												
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x		x			U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x		x			U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x		x			U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x		x			U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x		x			U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x		x			U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x		x			U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x		x			U11081-C203			1749	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Additional Software (Continued)												
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x		x			U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201			x			U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x		x			U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x		x			U11081-C213			1749	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x		x			U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x		x			U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x		x			U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x		x			U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C513			1075	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix												
Additional Software (Continued)												
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x		x			U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C502			1749	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x		x			U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C515			3498	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x		x			U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x		x			U10987-C504			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x		x			U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x		x			U10987-C529			2142	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x		x			U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x		x			U10987-C499			13	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Software Services										
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x		FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611			x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611			x	FSP:G-SP1L263PRL63			822	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP1VS03PRV09			847	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x		FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x		FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612			x	FSP:G-SP3L260PRL63			956	

Category	Description	Details	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 230R S1	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Software Services (Continued)										
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612			x	FSP:G-SP3L263PRL63			2056	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	FSP:G-SP3VS03PRV09			2163	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	FSP:G-SPTVS03PRV09			847	

Positioning PRIMERGY Tower Servers

PRIMERGY TX100 S1

PRIMERGY TX120

PRIMERGY TX150 S6

PRIMERGY TX200 S4

PRIMERGY TX300 S4

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY MX130 S1							
	PY MX130 S1 /SEMP 140/2 GB/DVD/	PY MX130 S1 /SEMP 140/2 GB/DVD/ KB400PS2GB/POW.CORD/ ,	VFY:M1301SC040GB			199	
	PY MX130 S1 /ATH II X2 220/2 GB/DVD/	PY MX130 S1 /ATH II X2 220/2 GB/DVD/ 2x250GB 7.2K/KB400PS2GB/POW.CORD/ ,	VFY:M1301SX020GB			281	

PRIMERGY TX100 S2 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX100 S2 is your entry to the world of server. It is the perfect system for SMEs looking to centralize their IT infrastructure, and offers a great price-performance ratio. Moreover, the TX100 S2 are very silent and energy efficient making it an excellent choice for any office environment. The 85% efficient power supply unit minimizes costs, as well as the environmental impact. The use of data security features such

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX100 S2							
	PY TX100S2/2XLFF /PENTIUM G6950/	PY TX100S2/2XLFF /PENTIUM G6950/ 2GB 1333 ECC U/DVD-ROM/ HD SATA 250GB 3.5"/POW.CORD/ ,	VFY:T1002SF010GB			253	
	PY TX100S2/2XLFF /CORE I3-540/	PY TX100S2/2XLFF /CORE I3-540/ 2x2GB 1333 ECC U/DVD-RW SM/ 2xHD SATA 250GB 3.5"/NO POWERCORD/ ,	VFY:T1002SX010IN			460	
	PY TX100S2/4XLFF /XEON X3430/	PY TX100S2/4XLFF /XEON X3430/ 2x2GB 1333 ECC U/DVD-RW SM/ 2xHD SATA 500GB 3.5"/KB400USBGBGREY/ POW.CORD/,	VFY:T1002SX150GB			575	
PRIMERGY TX100 S3							
	PY TX100S3/LFF/STANDARD PSU /	PY TX100S3/LFF/STANDARD PSU / XEON E3-1220/4 GB/DVD-RW SM/2xHD 500GB/ KIT/NO POWERCORD/ ,	VFY:T1003SC020IN			634	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX120 S3							
	PY TX120S3/LFF /CORE I3-2100/2 GB/	PY TX120S3/LFF /CORE I3-2100/2 GB/ DVD-RW SM SLIM/KIT/KB400USBGBGREY/ POW.CORD/ ,	VFY:T1203SF010GB			541	
	PY TX120S3/LFF /XEON E3-1220/2 GB/	PY TX120S3/LFF /XEON E3-1220/2 GB/ DVD-RW SM SLIM/KIT/KB400USBGBGREY/ POW.CORD/ ,	VFY:T1203SF020GB			635	
	PY TX120S3/LFF /XEON E3-1220/4 GB/	PY TX120S3/LFF /XEON E3-1220/4 GB/ 2x500GB 7.2K/KIT/KB400USBGBGREY/ POW.CORD/ ,	VFY:T1203SF030GB			776	

PRIMERGY TX140 S1 Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX140 S1							
	PY TX140S1F/LFF/STANDARD PSU /	PY TX140S1F/LFF/STANDARD PSU / XEON E3-1220/2 GB/DVD-RW SM/KIT/ KB400USBGBGREY/POW.CORD/ ,	VFY:T1401SC030GB			753	
	PY TX140S1F/LFF/STANDARD PSU /	PY TX140S1F/LFF/STANDARD PSU / XEON E3-1220/4 GB/DVD-RW SM/ 2x500GB 7.2K/KIT/KB400USBGBGREY/ POW.CORD/,	VFY:T1401SC040GB			941	

PRIMERGY TX150 S7 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX150 S7 tower server delivers new levels of energy efficient performance with Intel® Xeon® Quad-Core processor 3200 / 3300 series. This is achieved with a 1066 / 1333 MHz FSB clock rate and with Intel's new state-of-the-art multi-core optimized microarchitecture. A server with this processor proves to be a particularly powerful system that can respond quickly to your requirements.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX150 S7							
	PY TX150S7F/LFF/STANDARD PSU /	PY TX150S7F/LFF/STANDARD PSU / XEON X3430/2x2GB 1333 ECC U/DVD-RW SM/ KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX100GB			753	
	PY TX150S7F/LFF/HOT PLUG PSU /	PY TX150S7F/LFF/HOT PLUG PSU / XEON X3430/4GB 1333 ECC R/DVD-RW SM/ 2x250GB/KB400USBGBGREY/POW.CORD/ ,	VFY:T1507SX110GB			941	

PRIMERGY TX200 S6

Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY TX200 S6 is ideal for offices or branch infrastructures which need dual processor performance, high expandability and top manageability at the right price. With up to 96GB of RAM and redundancy features, you can make a great start into virtualization. The TX200 S6 also lends itself as a departmental server for business critical applications or as an email or web server. A tower to rack conversion kit protects your investment's lifetime.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX200 S6							
	PY TX200S6F/LFF/STANDARD PSU /	PY TX200S6F/LFF/STANDARD PSU / XEON E5606/4 GB/DVD-RW SM/ KB400USBGBGREY/POW.CORD/ ,	VFY:T2006SX070GB			1082	
	PY TX200S6F/LFF/HOT PLUG PSU /	PY TX200S6F/LFF/HOT PLUG PSU / XEON E5620/4 GB/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBGBGREY/ POW.CORD/,	VFY:T2006SX080GB			1529	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY TX300 S6							
	PY TX300S6F STANDARD FANS /XEON E5645/	PY TX300S6F STANDARD FANS /XEON E5645/ 4 GB/DVD-RW SM/RAID 6G 5/6 512MB/ KB400USBGBGREY/POW.CORD/ ,	VFY:T3006SX050GB			2229	
	PY TX300S6F REDUNDANT FANS /XEON E5620/	PY TX300S6F REDUNDANT FANS /XEON E5620/ 4 GB/FRONT-VGA/DVD-RW SM SLIM/ F-D-L-HDD-BOX2/RAID 6G 5/6 512MB/ KB400USBGBGREY/2xPOW.CORD/,	VFY:T3006SF020GB			1999	
	PY TX300S6F REDUNDANT FANS /XEON E5645/	PY TX300S6F REDUNDANT FANS /XEON E5645/ PERFORMANCE MODE/SP 3X4GB 1333 RG D/ DVD-RW SM/RAID 6G 5/6 512MB/ KB400USBGBGREY/2xPOW.CORD/,	VFY:T3006SX060GB			2259	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Processor																																				
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																				x					x					S26361-F3277-L186			338	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																					x					x					S26361-F3277-L200			253	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																				x					x					S26361-F3278-L200			388	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																				x	x				x	x				S26361-F3278-L213			364	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																					x					x					S26361-F3278-L226			427	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x					x					S26361-F3279-L226			639	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x					x					S26361-F3279-L240			888	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																				x					x					S26361-F3279-L253			1228	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																				x					x					S26361-F3280-L267			1596	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																				x					x					S26361-F3281-L226			888	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x					x					S26361-F3618-L240			445	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x					x					S26361-F3618-L253			828	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x					x					S26361-F3618-L266			859	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					x					x					S26361-F3619-L266			1005	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					x					x					S26361-F3619-L280			1208	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					x					x					S26361-F3619-L293			1924	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										x					S26361-F3619-L306			1389	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3619-L333			2209	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3619-L346			1716	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																										x					S26361-F3620-L293			820	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										x					S26361-F3620-L360			1716	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																					x					x					S26361-F3622-L213			634	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																					x					x					S26361-F3622-L226			1079	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																					x					x					S26361-F3633-L240			595	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x					x					S26361-F3648-L160			241	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					x					x					S26361-F3648-L213			268	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																					x					x					S26361-F3649-L253			820	
Memory																																				
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533											x	x																			S26361-F3000-L514			81	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533											x	x																			S26361-F3000-L515			141	Phased out

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Memory (Continued)																																				
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																						x								S26361-F3072-L523			427	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		x						x							S26361-F3230-L524			488	Phased out
	2GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz				x																											S26361-F3237-L515			141	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L514			39	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM		x												x																	S26361-F3335-L515			65	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x	x																								S26361-F3335-L524			39	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x	x																								S26361-F3335-L525			65	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			x	x																								S26361-F3335-L526			621	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz													x																		S26361-F3870-L514			56	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz													x																		S26361-F3870-L515			89	Phased out
	1GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz					x																										S26361-F3283-L514			56	Phased out
	2GB DDR2-667 PC2-5300 reg ECC 1module	1 Modul, registered single rank DDR2 667MHz					x																										S26361-F3283-L515			89	Phased out
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM														x																	S26361-F3336-L514			74	
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz					x																										S26361-F3283-L516			193	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																			x						x						S26361-F3263-L523			333	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM														x																	S26361-F3336-L515			104	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																			x						x						S26361-F3263-L524			488	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM														x																	S26361-F3336-L516			168	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																														S26361-F3373-L413			55	Phased out
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																														S26361-F3373-L414			81	Phased out
Memory Modules																																				
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3606-L513			39	
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L510			99	
	2 GB DDR3 1333 MHz PC3-10600 rg s	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L513			68	
	8 GB DDR3 1333 MHz PC3-10600 rg d	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3604-L515			168	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode																				x												S26361-F3970-L513			65	Phased out
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3284-L513			89	Phased out
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode																				x						x				S26361-F3284-L523			146	Phased out
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																												x			S26361-F3604-L516			462	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3284-L514			146	Phased out
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																				x						x				S26361-F3284-L534			433	Phased out
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3605-L510			99	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3284-L515			776	Phased out
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	8 GB (module(s) 8 GB) DDR3 LV, ECC, 1333 MHz, PC3-10600, DIMM																					x						x				S26361-F3605-L515			168	
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3285-L513			89	Phased out
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3285-L514			141	Phased out
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode																				x						x				S26361-F3285-L534			421	Phased out
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																				x						x				S26361-F3285-L515			261	Phased out
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode																				x						x				S26361-F3285-L535			791	Phased out
Graphics																																				
	Front-VGA interface	2nd optional VGA interface front side																												x	x		S26361-F2571-L16			18	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card		x	x				x							x								x						x		S26361-F2748-L537			116	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile					x	x																									S26361-F2748-L637			116	
Removable Media Drives																																				

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Removable Media Drives (Continued)																																				
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge						x																								S26361-F3325-L2			586	
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x	x	x				x						x								x						x			S26361-F3585-L2			295	
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																			x					x	x					S26361-F2826-L101			86	Phased out
	MountingKit DVD(sl)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display													x							x	x					x	x			S26361-F2826-L204			25	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																										x	x			S26361-F2826-L103			68	
	MountingKit DVD(sl)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																				x	x									S26361-F2826-L104			74	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD												x	x																	S26361-F2826-L102			86	Phased out
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black					x	x								x						x	x					x	x			S26361-F3269-L2			73	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black					x	x								x						x	x					x	x			S26361-F3531-L2			218	Phased out
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																				x	x					x	x			S26361-F2826-L114			141	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x	x				x						x							x	x					x	x			S26361-F3266-L2			26	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite												x							x						x					S26361-F3267-L1			68	Phased out
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x	x				x						x							x	x					x	x			S26361-F3267-L2			47	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite												x							x						x					S26361-F3269-L1			98	Phased out
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)				x	x																									S26361-F3857-L2			172	Phased out
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x	x				x						x							x	x					x	x			S26361-F3857-L4			136	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)						x																								S26361-F3857-L5			136	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US) and cleaning cartridge	x	x	x				x			x	x	x	x			x	x	x			x	x	x	x					S26361-F3324-L4			432	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge				x	x																									S26361-F3324-L2			536	Phased out
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge						x																								S26361-F3324-L5			427	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x		x			x	x						x							x	x					x	x			S26361-F3325-L4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge													x							x	x					x	x			S26361-F4009-L4			1104	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge													x	x						x	x					x	x			S26361-F3561-L4			1204	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge													x	x						x	x	x				x	x	x		S26361-F3626-L1			1682	Phased out
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge													x	x						x	x	x				x	x	x		S26361-F3626-L2			1682	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge													x								x						x			S26361-F3627-L1			2459	
Hard Disks																																				
	HDD Ext. 2x 2.5" hot plug TX120 S1/S2	for 2x 2.5" SAS/SATA HDD hot plug, aktiv termination				x	x																										S26361-F2826-L130			61	Phased out
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	SATA, 160 GB, 7200 rpm, 3.5-inch, economic	x	x																												S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x						x					S26361-F3265-L100			207	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x						x					S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical													x						x						x					S26361-F3265-L500			141	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x					S26361-F3291-L560			527	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic													x	x						x	x					x	x			S26361-F3293-L250			68	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, economic	x		x																												S26361-F3574-L250			68	
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic							x							x																S26361-F3700-L250			68	
	HD SATA 6G 250GB 7.2k NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic,			x			x																								S26361-F3701-L250			68	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise					x																										S26361-F3998-L32			560	
	HD SAS 6GB/s 146GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L114			180	
	HD SAS 6GB/s 300GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L130			271	
	HD SAS 6GB/s 450GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L145			416	
	HD SAS 6GB/s 600GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L160			525	
	HD SAS 6GB/s 146GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L514			256	
	HD SAS 6GB/s 73GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x																										S26361-F4004-L573			196	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x	x			x																								S26361-F3334-L250			94	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic						x	x						x							x	x					x	x			S26361-F3297-L160			133	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x	x			x																								S26361-F3334-L500			141	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Hard Disks (Continued)																																				
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic					x																										S26361-F3515-L160			133	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L114			212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L130			385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic						x	x						x							x	x					x	x			S26361-F3297-L320			167	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x	x	x			x																									S26361-F3334-L100			207	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch					x																										S26361-F3515-L320			167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L145			509	
	HD SATA 3G 2TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, non hot plug, 3.5-inch, business critical		x	x			x																									S26361-F3334-L200			341	
	HD SATA 3GB/s 1TB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical					x																										S26361-F3600-L100			246	
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L160			598	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic						x							x							x	x					x	x			S26361-F3297-L500			176	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L573			272	
	HD SATA 3GB/s 250GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical					x																										S26361-F3600-L250			168	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																				x						x					S26361-F3292-L514			392	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical					x																										S26361-F3600-L500			176	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical							x						x							x	x					x	x			S26361-F3294-L250			95	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical							x						x							x	x					x	x			S26361-F3294-L500			141	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical							x						x							x	x					x	x			S26361-F3294-L100			207	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	7.200 rpm, fitting height 1"							x						x							x	x					x	x			S26361-F3294-L200			409	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise													x							x	x						x			S26361-F3298-L32			560	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical						x	x						x							x	x					x	x			S26361-F3601-L250			168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical						x	x						x							x	x					x	x			S26361-F3601-L500			185	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical						x	x						x							x	x					x	x			S26361-F3601-L100			246	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x					S26361-F3291-L530			354	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise																				x						x					S26361-F3291-L545			453	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise							x						x							x	x						x			S26361-F4005-L530			280	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise							x						x							x	x						x			S26361-F4005-L545			362	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise							x						x							x	x						x			S26361-F4005-L560			416	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x				x	x					x	x							S26361-F3204-L530			354	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x				x						x	x							S26361-F3204-L545			453	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x							x							x						x			S26361-F4482-L114			181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x								x							x						x			S26361-F4482-L130			212	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x							x							x						x			S26361-F4482-L145			416	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x							x							x						x			S26361-F4482-L160			507	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x	x							x							x	x						x			S26361-F4482-L190			645	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x							x							x						x			S26361-F4482-L573			191	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise												x	x				x	x					x	x							S26361-F3204-L560			527	Phased out
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise							x							x							x						x			S26361-F4482-L514			249	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x									x						x					x						S26361-F3208-L114			212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x															x					x						S26361-F3208-L130			381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x															x					x						S26361-F3208-L145			509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x															x					x						S26361-F3208-L160			598	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x																					x						S26361-F3208-L573			269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x																					x						S26361-F3208-L514			388	
SCSI/RAID/SAS controller																																				
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI								x	x	x	x	x			x	x	x	x	x				x	x	x				x	x	x	S26361-F2399-L1			253	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI				x																												S26361-F2737-L201			253	Phased out
	68-Pin Kit for accessible drives	Cable with terminator								x	x	x	x	x	x		x	x	x	x	x	x	x		x	x	x	x	x					S26361-F2814-L6			56	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP												x							x							x				x	x	S26361-F3215-L10			188	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB													x							x						x					S26361-F3257-L10			201	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm					x																x						x	x			S26361-F3257-L110			142	
	RAID Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm			x			x	x							x								x									S26361-F3257-L210			141	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports					x		x						x	x						x	x	x				x	x	x			S26361-F3257-L4			95	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU													x							x	x					x	x				S26361-F3257-L512			453	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports						x	x							x	x						x	x	x				x	x			S26361-F3257-L8			115	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI														x	x						x	x	x				x	x	x			S26361-F3270-L1			168	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile					x																											S26361-F3270-L201			168	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R														x	x						x	x	x				x	x	x			S26361-F3271-L1			181	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile					x																											S26361-F3271-L201			180	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
SCSI/RAID/SAS controller (Continued)																																				
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port		x	x		x	x	x							x						x	x					x				S26361-F3554-L512			333	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports					x	x	x							x						x	x					x				S26361-F3554-L8			142	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU														x						x	x					x	x			S26361-F3593-L501			505	
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008					x									x							x						x			S26361-F3628-L501			222	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E													x						x						x					S26361-F3890-L11			188	Phased out
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU													x						x	x					x	x				S26361-F3890-L501			633	Phased out
	RAID CABLE TX100 S2	für nachträgliche Hochrüstung mit einem RAID Kontroller		x																												S26361-F3659-L1			21	
Fibre Channel																																				
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																		x	x	x	x			x	x	x	x			x	S26361-F3483-L1			1056	Phased out
	FC Ctrl 2x4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.																		x	x	x	x			x	x	x	x			x	S26361-F3483-L2			1635	Phased out
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																					x						x				S26361-F3631-L1			807	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																					x						x				S26361-F3631-L2			1294	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface																		x	x	x	x			x	x	x	x		x	x	S26361-F3306-L1			1006	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface																		x	x	x	x			x	x	x	x		x	x	S26361-F3306-L2			1549	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																			x	x	x				x	x	x				S26361-F3961-L1			807	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																			x	x	x				x	x	x				S26361-F3961-L2			1294	
Connection Blades																																				
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.							x	x						x							x						x				S26361-F3986-L3			346	
Communication/Network																																				
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter										x	x	x				x	x	x				x	x	x							S26361-F3142-L2			65	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter	x										x	x					x	x	x				x	x	x		x	x		S26361-F3228-L1			149	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x																										S26361-F3228-L201			151	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter	x	x									x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter				x	x																									S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter											x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3242-L1			207	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter					x																									S26361-F3242-L201			207	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket													x					x	x	x				x	x	x			x	S26361-F3462-L1			419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket				x																										S26361-F3462-L201			422	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x	x	x				x						x	x					x	x	x				x	x	x				S26361-F3516-L1			39	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp					x	x																									S26361-F3516-L201			39	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x	x		x	x	x							x							x						x				S26361-F3610-L502			132	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit						x	x							x							x						x				S26361-F3611-L501			324	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+							x							x							x						x				S26361-F3629-L502			427	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable																												x				S26361-F3592-L2			1018	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																												x				S26361-F3592-L108			342	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables														x							x						x	x			S26361-F3555-L501			693	Phased out
	Intel SFP+ Module MMF 10GBE LC	Intel Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC							x							x													x	x			S26361-F3555-L900			632	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter								x	x	x	x				x	x	x	x				x	x	x					x	x	x	S26361-F3011-L1			193	Phased out
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x	x																														S26361-F2542-L30			8	
Rack-Infrastructure																																				
	Conversion kit TX300S5 Floor -> Rack	for conversion of a floorstand BU to rack BU																											x				S26361-F1729-L240			104	Phased out
	Conversion kit TX300 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU																											x				S26361-F1729-L250			86	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																			x												S26361-F1729-L330			104	Phased out
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU										x	x	x																			S26361-F2618-L250			68	Phased out
	Conversionkit PRY TX200 S5 Floor -> Rack	for conversion of a floorstand BU to rack BU							x							x						x	x										S26361-F2618-L260			86	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management										x	x																				S26361-F2734-L32			193	Phased out
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg																	x	x					x	x	x	x	x				S26361-F2735-L103			76	Phased out
	RMK-F1_TX150-S6	full extraction with vario-carrier, pre-assembled with centre screw										x	x	x																			S26361-F2735-L105			76	Phased out
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount.; vario-carrier for toolless mounting, max. load 50 kg, , Rack installation depth (19" pillar distance) between 714mm and 785mm							x							x						x	x						x				S26361-F2735-L202			56	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Rack-Infrastructure (Continued)																																				
	cage nut set, M5, t=2,5mm	Content: 50 pieces											x	x					x	x					x	x	x					x	S26361-F2735-L500			42	
	Cable magmt. for 19" PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2							x						x	x						x	x				x	x	x				S26361-F2735-L7			25	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks											x	x					x	x					x	x						x	S26361-F2735-L8			34	Phased out
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks							x	x					x	x		x	x		x	x	x	x	x		x	x	x	x			S26361-F2201-L20			42	
PRIMERGY-Software																																				
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x								x						x						x							S26361-F1790-L240			256	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x								x	x					x	x	x				x	x	x				S26361-F1790-L241			259	
	iRMC S3 advanced pack							x	x																								S26361-F1790-L242			259	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L328			21	Phased out
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L341			89	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L343			89	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.	x	x	x		x	x	x						x	x					x	x					x	x	x				S26361-F2567-L20			325	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L30			98	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x		x	x	x						x																		S26361-F2567-L301			146	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x																	S26361-F2567-L306			141	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. ROK DVD, License.	x	x	x		x	x	x						x	x																	S26361-F2567-L308			132	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L31			76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L310			439	Phased out
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x		x	x	x						x																		S26361-F2567-L311			440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.	x	x	x		x	x	x						x								x							x			S26361-F2567-L318			360	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L32			367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L320			1456	Phased out
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x		x	x	x						x								x							x			S26361-F2567-L321			1456	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L33			65	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x			x	x	x						x	x						x	x					x	x				S26361-F2567-L330			2321	Phased out
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x		x	x	x						x								x							x			S26361-F2567-L331			2321	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L34			253	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2567-L343			329	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License		x	x		x		x						x								x							x			S26361-F2567-L350			498	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License			x		x		x						x								x							x			S26361-F2567-L351			495	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License			x		x		x						x								x							x			S26361-F2567-L352			495	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
PRIMERGY-Software (Continued)																																				
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L353			495	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L354			495	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L355			495	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L356			495	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L357			495	
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L358			495	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L359			495	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																											x				S26361-F2567-L360			641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L370			753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L371			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L372			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L373			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License			x		x		x						x								x						x				S26361-F2567-L374			758	
	Win SBS Essentials 2011 ROK MUL-Set1	Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA, License, Language set 1: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.		x	x																												S26361-F2567-L378			233	
	Win SBS Essentials 2011 ROK MUL-Set2	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.		x	x																												S26361-F2567-L379			232	
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L380			39	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L381			39	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L382			167	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L383			164	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L384			47	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L385			47	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L386			201	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;			x		x		x						x								x						x				S26361-F2567-L387			202	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x		x	x	x						x								x						x				S26361-F2567-L390			21	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x		x	x	x						x								x						x				S26361-F2567-L391			21	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C302			120	Orderable from: 01/10/2011
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C303			61	Orderable from: 01/10/2011
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L593			755	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x						x	x					x	x	x				x	x	x				S26361-F2565-L595			755	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C176			184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x			x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301			61	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
PRIMERGY-Software (Continued)																																				
	SUSE Linux ES 1SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1 year subscription renewal.	x	x	x		x	x	x						x	x																	S26361-F2346-L601			125	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.																			x	x	x				x	x	x				S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.	x	x	x		x	x	x						x	x					x	x	x				x	x	x				S26361-F2346-L621			427	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3 years																										x	x				S26361-F2346-L669			882	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x			x	x							x	x			x		x	x	x				x	x	x				S26361-F2346-L418			1025	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x								x					x	x				S26361-F2341-S702			769	
	VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!													x								x					x	x				S26361-F2341-S703			2231	
	VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x								x					x	x				S26361-F2341-S704			2231	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!													x								x					x	x				S26361-F2341-S705			2714	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x													x	x				S26361-F2341-S706			2714	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L707			807	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L708			807	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L709			2332	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L710			2332	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L711			2836	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!						x	x						x								x						x				S26361-F2341-L712			2836	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x						x														x				S26361-F2341-L730			8113	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x						x														x				S26361-F2341-L731			8113	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x						x														x				S26361-F2341-L732			14206	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x						x														x				S26361-F2341-L733			14206	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!						x	x						x														x				S26361-F2341-L734			17814	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!						x	x						x														x				S26361-F2341-L735			17814	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!						x	x						x														x				S26361-F2341-L740			3648	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!						x	x						x														x				S26361-F2341-L741			3648	
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!													x								x					x	x				S26361-F2341-S716			1527	
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x								x					x	x				S26361-F2341-S717			1527	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!													x								x					x	x				S26361-F2341-S718			2039	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x								x					x	x				S26361-F2341-S719			2039	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!													x								x					x	x				S26361-F2341-S720			506	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!													x								x					x	x				S26361-F2341-S721			506	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
PRIMERGY-Software (Continued)																																				
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!														x							x					x	x				S26361-F2341-S728			2854	
	VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!														x							x					x	x				S26361-F2341-S729			2854	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License						x	x							x					x	x	x		x	x	x	x	x			x	S26361-F2341-L300			68	
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)					x	x	x							x						x	x					x	x				S26361-F2341-D431			52	
OS/Application-SW																																				
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x				x	x	x					x	x	x					x						x					x	U15355-C720			346	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x				x	x	x						x	x	x					x						x					x	U15355-C723			219	
	ManageNow® for ITCM ManagedObjectsLicens			x	x		x	x	x							x						x	x						x				U24533-C400			1681	
UPS/Power supply																																				
	Power Supply Module 450W (hot plug)	for PS redundancy									x	x	x	x	x																		S26113-F483-L11			188	Phased out
	Power Supply Upgrade 450W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module									x	x	x	x	x																		S26113-F483-L6			333	Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU														x																	S26113-F540-L1			220	
	Power Supply Module 450W (hot plug)	for optional PS redundancy														x																	S26113-F540-L11			147	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																				x						x					S26113-F541-L10			184	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																				x	x										S26113-F541-L11			453	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																					x						x				S26113-F556-L10			186	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x				x				x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L30			218	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																													x	x	S26361-F3151-L300			25	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)																													x	x	S26361-F3151-L100			25	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																													x	x	S26361-F3151-L200			25	
Miscellaneous																																				
	Fan upgrade kit hot-plug redundancy	consists of two additional fans/boxes for fan redundancy																										x	x				S26361-F2544-L83			111	
	LocalView Option Kit S2	LCD display with adapter							x							x						x	x					x	x				S26361-F2557-L105			60	
	LocalView Option Kit S2	LCD display with installation kit																											x				S26361-F2557-L106			61	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter							x							x						x	x					x	x				S26361-F2557-L202			21	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit																				x	x					x	x				S26361-F2557-L205			21	
	Service LAN Option	integrated in the front operating panel						x	x																								S26361-F2571-L27			18	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																				x	x										S26361-F3120-L3			34	
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!		x	x			x								x						x	x					x	x				S26361-F3552-L1			42	
	Serial port option	Cable with 9 pin D-SUB interface												x	x	x																	S26361-F2571-L10			25	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface												x	x				x					x									S26361-F2571-L8			21	Phased out
	ServerView Local Service Panel	Support for Customer Self Service (CSS)													x						x												S26361-F2557-L201			39	Phased out
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)													x						x					x							S26361-F2557-L204			34	
Keyboard /Mouse																																				
	KBPC PX ECO GB	keyboard professional USB, Great Britain, 45% reneweable material, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PVC free USB cable 2m included, blue LED						x	x																								S26381-K341-L165			29	
Media																																				
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label	x					x	x					x	x	x				x	x	x	x			x	x	x	x				D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01			4	
	MTC-L MEDIA LTO cleaning cartridge	Cleaning cartridge without label from Fuji for LTO drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-FJ-LTO-01			32	Orderable from: 01/09/2011
	MTC-L MEDIA LTO clean. cartr. with label	cleaning cartridge with label from Fuji for LTO drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-FJ-LTO-01L			33	Orderable from: 01/09/2011
	LTO cleaning cartridge Fuji no label	Cleaning cartridge without label from Fuji for LTO drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01			42	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO - drives						x	x		x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L			43	
	VXA cleaning label	Label for VXA cleaning cartridge								x	x	x	x	x			x	x	x	x					x	x	x			x	x	x	D:CL-VXA2-LAB			2	
	VXA cleaning cartridge	VXA cleaning cartridge								x	x	x	x	x			x	x	x	x					x	x	x			x	x	x	D:CL-VXA2-X-01			27	
	VXA cleaning cartridge with label	VXA cleaning cartridge								x	x	x	x	x			x	x	x	x					x	x	x			x	x	x	D:CL-VXA2-X-01L			28	
	DAT160 data cartridge no label	DAT160 data cartridge without label	x					x	x					x	x	x				x	x	x	x			x	x	x	x				D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label	DAT72 data cartridge without label	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01			12	
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity								x	x	x		x	x		x	x	x	x					x	x	x			x		x	D:CR-FJ-LTO1-01			18	Orderable from: 01/10/2011
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity								x	x	x		x	x		x	x	x	x					x	x	x			x		x	D:CR-FJ-LTO1-01L			18	Orderable from: 01/10/2011
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-FJ-LTO2-01			18	Orderable from: 01/10/2011
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-FJ-LTO2-01L			18	Orderable from: 01/10/2011
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity						x	x				x	x	x				x	x	x	x	x			x	x	x	x			x	x	D:CR-FJ-LTO3-01			18	Orderable from: 01/10/2011

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Media (Continued)																																				
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-FJ-LTO3-01L			18	Orderable from: 01/10/2011
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity						x	x						x	x					x	x	x				x	x	x				D:CR-FJ-LTO4-01			20	Orderable from: 01/10/2011
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity											x		x	x						x						x					D:CR-FJ-LTO4-01L			20	Orderable from: 01/10/2011
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity						x	x							x							x						x				D:CR-FJ-LTO5-01			47	Orderable from: 01/10/2011
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity						x	x							x							x						x				D:CR-FJ-LTO5-01L			47	Orderable from: 01/10/2011
	LTO1 data cartridge Fuji no label	LTO-1 data cartridge without label from Fuji, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01			20	Phased out
	LTO1 data cartridge Fuji with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-FJ-01L			20	Phased out
	LTO1 data cartridge IBM no label	LTO-1 data cartridge without label from IBM, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01			28	
	LTO1 data cartridge IBM with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-IB-01L			29	
	LTO1 barcode label horizontal	label for LTO-1 data cartridges								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-LAB			2	
	LTO1 data cartridge Maxell no label	LTO-1 data cartridge without label from Maxell, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01			22	Phased out
	LTO1 data cartridge Maxell with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity								x	x	x		x	x		x	x	x	x				x	x	x				x		x	D:CR-LTO1-MX-01L			23	Phased out
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01			20	
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L			20	
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity										x	x	x	x	x			x	x	x	x			x	x	x	x			x	x	x	D:CR-LTO2-IB-01			28	
	LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L			28	
	LTO2 barcode label horizontal	label for LTO-2 data cartridges						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB			2	
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01			19	
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity						x	x			x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L			20	
	VXA barcode label	Label for VXA data cartridge								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-LAB			2	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01			31	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X10-01L			32	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01			58	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB								x	x	x	x	x			x	x	x	x				x	x	x				x	x	x	D:CR-VXA2-X23-01L			59	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L169			862	
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L329			1306	
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L500			175	
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed	x	x	x	x	x	x	x					x	x	x				x	x	x	x			x	x	x	x			x	S26361-F3857-L600			256	
	LTO3 data cartridge Fuji no label	LTO-3 data cartridge without label from Fuji, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01			19	
	LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity						x	x						x	x					x	x	x				x	x	x				D:CR-LTO4-FJ-01			21	
	LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity						x	x							x							x						x				D:CR-LTO5-FJ-01			48	
	LTO3 data cartridge IBM no label	LTO-3 data cartridge without label from IBM, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-IB-01			22	
	LTO4 data cartridge IBM no label	LTO-4 data cartridge without label from IBM, 800 GB native capacity						x	x				x			x						x	x	x				x	x	x				D:CR-LTO4-IB-01			23	
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01L			20	
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity											x		x	x						x						x					D:CR-LTO4-FJ-01L			22	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity						x	x						x	x							x						x				D:CR-LTO5-FJ-01L			49	
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity												x	x	x			x	x	x				x	x	x				x	x	D:CR-LTO3-IB-01L			23	
	LTO4 data cartridge IBM with label	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native						x	x				x			x						x	x	x				x	x	x				D:CR-LTO4-IB-01L			24	
	LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data												x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01W			23	
	LTO4 WORM data cartridge Fuji no label	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data											x		x	x						x	x	x				x	x	x				D:CR-LTO4-FJ-01W			30	
	LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data												x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-FJ-01WL			24	
	LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x		x	x						x	x	x				x	x	x				D:CR-LTO4-FJ-01WL			30	
	LTO cleaning label horizontal	label for LTO cleaning cartridges									x	x	x	x				x	x	x	x			x	x	x	x			x	x	x	D:CL-LTO-LAB			2	
	LTO3 barcode label horizontal	label for LTO-3 data cartridges						x	x					x	x	x			x	x	x	x	x		x	x	x	x	x		x	x	D:CR-LTO3-LAB			2	
	LTO4 barcode label horizontal	label for LTO-4 data cartridges						x	x				x			x					x	x	x				x	x	x				D:CR-LTO4-LAB			2	
	LTO5 WORM data cartridge Fuji no label	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x		x	x						x	x	x				x	x	x				D:CR-LTO5-FJ-01W			61	
	LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries											x		x	x						x	x	x				x	x	x				D:CR-LTO5-FJ-01WL			61	
	LTO5 barcode label horizontal	label for LTO-5 data cartridges						x	x				x			x						x	x	x				x	x	x				D:CR-LTO5-LAB			2	
Cables																																				
	Cable powercord rack, 4m	with Euro socket connector								x								x	x						x	x					x			T26139-Y1968-L10			13	
Additional Software																																				

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Additional Software (Continued)																																				
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x						x	x	x	x				x	x	x					x	x					x	x		U11081-C203			1749	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201								x	x	x	x				x	x	x					x	x					x	x		U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C213			1749	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x		x	x		U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U10987-C502			1749	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x					x	x	x	x				x	x	x					x	x				x	x	x		U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C515			3498	

Tower Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																				
Additional Software (Continued)																																				
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C504			4051	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C516			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x					x	x	x	x				x	x	x					x	x					x	x		U10987-C529			2142	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x		U10987-C499			13	

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services																									
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1AE03PRV07			595	
	SP 1y Ess-PL,7x24	SP 1 year VMware Essentials-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x			x	x	FSP:G-SP1BR03PRV08			883	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP1C603PRXD1			2759	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR					x	x	x			x			x	x		x	x	x	FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR					x	x	x			x			x	x		x	x	x	FSP:G-SP1EX03PRV01			403	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x	x		x	x	x		x	x									FSP:G-SP1L160PRL63			382	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601	x	x	x		x	x	x		x	x									FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x	x			x		x	x	x		x	x	x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611						x	x			x		x	x	x		x	x	x	FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1R700PRRC1			3744	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U500PRRC1			397	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE						x	x		x	x		x	x	x		x	x	x	FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1X500PRXTN			203	
	SP 1y 1,2,3 x10sure IS base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x					x	FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP1XS03PRV04			217	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase					x	x	x			x			x	x		x	x	x	FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x				x			x	x	x		x	x	x	FSP:G-SP3C600PRXD1			6131	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x			x			x	x	x		x	x	x		FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x				x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x				x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3EP03PRV08			1301	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x	x	x	x		x	x									FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602	x	x	x	x	x	x	x		x	x									FSP:G-SP3L163PRL63			2056	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x			x		x	x	x		x	x	x	FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612						x	x			x		x	x	x		x	x	x	FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x	x	FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for																	x	x	FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3R700PRRC1			11232	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV						x	x			x			x	x		x	x	x	FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV					x	x	x			x			x	x		x	x	x	FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT					x	x	x			x			x	x		x	x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL					x	x	x			x			x	x		x	x	x	FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD					x	x	x			x			x	x		x	x	x	FSP:G-SP3ST03PRV04			560	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x		x	x		x	x	x		x	x	x	FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND						x	x			x			x	x		x	x	x	FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SP3VS03PRV09			2163	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL						x	x			x			x	x		x	x	x	FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD						x	x			x			x	x		x	x	x	FSP:G-SP3XS03PRV04			560	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA103PRV05			1785	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE503PRV08			504	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU200PRV07			499	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for Vl3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for Vl3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV500PRV10			214	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase												x	x	x		x	x	x	FSP:G-SPAVN00PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase												x	x	x		x	x	x	FSP:G-SPAVN03PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x		x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE800PRV07			3771	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUS00PRV07			499	

Tower Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX140 S1	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																									
Software Services (Continued)																									
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase				x	x	x	x		x	x		x	x	x		x	x	x	FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase													x	x		x	x	x	FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x			x			x	x		x	x	x	FSP:G-SPTXS03PRV04			217	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S5 is a low-cost, easily-implemented platform with a Dual- or Quad-Core Intel® Xeon® UP 3000 sequence processor, integrated SAS or SATA RAID 0, 1 and a memory of up to 8 GB with a 1U space-saving depth of less than 60 cm. Integrated network and management functions make it ideal for

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.

PRIMERGY

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environ-ments with medium needs for availability features and virtualization focus. With 2 Dual-Core AMD Opteron™ proc-essors of the 2000 series and up to 32 Gbytes DDR2-667 direct addressable memory the PRIMERGY RX330 S1 matches your business application requirements perfectly and is ready for next generation AMD Quad-Core processors. Therefore the PRIMERGY RX330 S1 with up to 6 hot-plug SAS or SATA hard disks in combination with disk mirroring function, sufficient free PCI slots for heavy I/O requirements, a redundant power supply option, provides you with a budget saving platform.

PRIMERGY RX600 S4

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-inclass“ efficiency.

PRIMERGY RX100 Sx — Data Sheets: http://ts.fujitsu.com/primergy

Business processes and customer bases are becoming more and more comprehensive as they rely on Internet technology. Consequently, data centers are faced with the challenge of making flexible and fast enhancements to their front-end infrastructure services. Increasingly they are looking for a platform solution that has minimum impact on their budgets, yet is easy to deploy and simple to operate. The PRIMERGY RX100 S6 has the appropriate answer.
The technical developments, such as Quad-Core Intel® Xeon® CPU in the 3200/3300 series, integrated SAS or SATA RAID 0, 1 data protection, easy to replace 2 x 3.5-inch hot-plug SATA or SAS hard disks and 8GB RAM - all make the PRIMERGY RX100 S6 ideal for your business applications. It combines the advantages of cost-optimized SATA or SAS hard disk technology in just one height unit with an installation depth of less than 60 cm. This makes it easy to integrate into any rack enclosures. The standard iRMC S2 (integrated Remote Management Controller) offers comprehensive system management based on IPMI 2.0 technology. The integrated network and management functions make it a good choice for infrastructure solutions even if budgets are limited.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Special products							
PRIMERGY RX100 S7							
	PY RX100S7/LFF/STANDARD PSU /	PY RX100S7/LFF/STANDARD PSU / XEON E3-1220/4 GB/DVD-RW SM SLIM/ RMK-F1_DI_CMA_QRL/RACK CMA 1U/ RACK MOUNT 1U ASYM/KIT/POW.CORD/,	VFY:R1007SC010IN			776	
	PY RX100S7/LFF/HOT-PLUG PSU /	PY RX100S7/LFF/HOT-PLUG PSU / XEON E3-1220/4 GB/DVD-RW SM SLIM/ 2x500GB 7.2K/RMK-F1_DI_CMA_QRL/ RACK CMA 1U/RACK MOUNT 1U ASYM/KIT/,	VFY:R1007SC020IN			965	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX100 S7							
	PY RX100S7/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V101			449	
	PY RX100S7/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V201			484	

PRIMERGY RX100 Sx — Data Sheets: http://ts.fujitsu.com/primergy

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX100 S7 (Continued)							
	PY RX100S7/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V301			458	
	PY RX100S7/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V401			492	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Special products							
PRIMERGY RX200 S6							
	PY RX200 S6 6HD /XEON E5620/4 GB/	PY RX200 S6 6HD /XEON E5620/4 GB/ DVD-RW SM SLIM/RMK-F1_1-2U SERVER/ 1 U CABLE ARM/PSU 450W GOLD HP/ ,	VFY:R2006SF010GB			1624	

Model	Processor	Operating System	Cabinet	Memory	HDD	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW Dual DL / DVD RAM	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power pack	RAID Options	SAS Controller	FC Controller	System Option	Miscellaneous	Cable	Graphics	Product Code			End User Price (RRP)	Comments
Special products																													
PRIMERGY RX300 S6																													
	Intel® Xeon® E5620		Rack	4 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF010GB			1824	
	Intel® Xeon® X5650		Rack	1 x + 12 GB, DDR3, 1333 MHz								2 x GBit/s Ethernet				Integrated RAID 0/1 or RAID 5/6 controller for SAS base units (occupies one PCIe slot, if at least 1 HDD is configured).See under									VFY:R3006SF020GB			2565	

PRIMERGY RX600 S5 **Data Sheets: http://ts.fujitsu.com/primergy**

PRIMECENTER — Data Sheets: http://ts.fujitsu.com/primergy

PRIMECENTER - 19-inch rack system
19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard
PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;
this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.
New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack							
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253			4138	Phased out
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104			2024	Phased out
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1635	Phased out
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			2153	Phased out

PRIMECENTER SME Rack — Data Sheets: http://ts.fujitsu.com/primergy

Industry Standard Rack
19-inch PRIMECENTER SME in Height of 42 and 24 units
The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- **Asymmetrical design for ideal cable routing and best air flow**
- **Capacity 24 or 42 height units, no extra vertical height units**
- **Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.**
- **Full serviceability of servers thanks to telescopic rails for servers with hot-replace components**
- **All released components for PRIMECENTER rack family can be used as well**
- **All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be installed under the same conditions and restrictions (specially for servers with higher weight)**
- **No anti tilt protection as standard, rack has to be fixed at the ground floor**
- **Options available on demand at supplier**

Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code			End User Price (RRP)	Comments
Peripherals							
Rack-Infrastructure							
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures es factory	S26361-F2735-L300			168	Phased out
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L24			662	Phased out
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! -, http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls	S26361-F3327-L42			755	Phased out

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																								
Processor																																								
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB																			x																S26361-F3277-L186			338	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB																				x															S26361-F3277-L200			253	
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB																			x																S26361-F3278-L200			388	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB																			x	x															S26361-F3278-L213			364	Phased out
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB																				x															S26361-F3278-L226			427	Phased out
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB																			x																S26361-F3279-L226			639	Phased out
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB																			x																S26361-F3279-L240			888	Phased out
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB																			x																S26361-F3279-L253			1228	Phased out
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB																			x																S26361-F3280-L267			1596	Phased out
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB																			x																S26361-F3281-L226			888	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB													x																						S26361-F3286-L200			253	
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB												x																							S26361-F3288-L226			639	Phased out
	Xeon MP E7430 2.13GHz 12MB 1066MHz																										x									S26361-F3487-L430			2239	Phased out
	Xeon MP E7450 2.40GHz 12MB 1066MHz																										x									S26361-F3487-L450			3598	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB																				x															S26361-F3618-L240			445	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB																				x															S26361-F3618-L253			828	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB																				x															S26361-F3618-L266			859	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB																				x															S26361-F3619-L266			1005	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB																				x															S26361-F3619-L280			1208	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB																				x															S26361-F3619-L293			1924	Phased out
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB																				x															S26361-F3619-L306			1389	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB																				x															S26361-F3619-L333			2209	Phased out
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB																				x															S26361-F3619-L346			1716	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB																				x															S26361-F3620-L293			820	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB																				x															S26361-F3620-L360			1716	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB																				x															S26361-F3622-L213			634	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB																				x															S26361-F3622-L226			1079	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB																				x															S26361-F3633-L240			595	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB																				x															S26361-F3648-L160			241	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB																				x															S26361-F3648-L213			268	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB																				x															S26361-F3649-L253			820	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB																												x							S26361-F3999-L480			1005	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB																												x							S26361-F3999-L482			1449	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB																												x							S26361-F3999-L483			1933	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB																												x							S26361-F3999-L485			2558	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB																												x							S26361-F3999-L486			3378	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB																												x							S26361-F3999-L487			4151	
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB																											x								S26361-F3999-L520			1053	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB																											x								S26361-F3999-L530			1674	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB																											x								S26361-F3999-L540			2373	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB																											x								S26361-F3999-L542			2373	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB																											x								S26361-F3999-L545			2588	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB																											x								S26361-F3999-L550			3279	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB																											x								S26361-F3999-L555			3796	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB																											x								S26361-F3999-L560			4400	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB																												x							S26361-F3999-L837			2221	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB													x																						S26361-F4417-L266			1005	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB													x																						S26361-F4417-L280			1208	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB													x																						S26361-F4419-L240			445	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB													x																						S26361-F4419-L266			859	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB													x																						S26361-F4421-L213			634	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB													x																						S26361-F4421-L240			1079	
	CPU MEMORY Riser Board																																x			S26361-F4470-L100			1721	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB																																x			S26361-F4471-L540			2373	
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB																																x			S26361-F4471-L542			2373	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB																																x			S26361-F4471-L550			3279	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB																																x			S26361-F4471-L560			4400	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB																																	x		S26361-F4471-L837			2221	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB																																	x		S26361-F4471-L883			2351	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB																																	x		S26361-F4471-L885			3184	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB																																	x		S26361-F4471-L886			4215	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB																																	x		S26361-F4471-L887			4798	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB													x																						S26361-F4479-L213			364	Phased out
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB													x																						S26361-F4483-L160			241	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB													x																						S26361-F4484-L213			268	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB													x																						S26361-F4485-L240			595	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB													x																						S26361-F4486-L253			820	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB													x																						S26361-F4487-L306			1389	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB													x																						S26361-F4488-L346			1716	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB													x																						S26361-F4489-L293			820	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB													x																						S26361-F4490-L360			1716	
	CPU MEMORY Riser Board RX900 S2																																	x		S26361-F4524-L100			1721	
Memory																																								
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)			x	x																															S26361-F3000-L514			81	Phased out
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)			x	x																															S26361-F3000-L515			141	Phased out
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC									x							x																			S26361-F3072-L523			427	Phased out
	Memory Board Kit RX600 S4																										x									S26361-F3125-L440			256	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC										x							x																		S26361-F3230-L524			488	Phased out
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC						x																													S26361-F3335-L513			39	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC						x																													S26361-F3335-L514			39	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC						x																													S26361-F3335-L515			65	
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC							x																												S26361-F3335-L524			39	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC							x																												S26361-F3335-L525			65	
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC							x																												S26361-F3335-L526			621	
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC																					x														S26361-F3550-L512			226	Phased out
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC																					x														S26361-F3550-L513			522	Phased out
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL					x																														S26361-F3870-L514			56	Phased out
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL					x																														S26361-F3870-L515			89	Phased out
	Memory Board RX600 S5																										x									S26361-F3990-L100			259	Phased out
	Memory Board RX600 S6																												x							S26361-F3990-L600			206	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d																																x			S26361-F4472-L644			398	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d																																x			S26361-F4472-L645			673	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q																																x			S26361-F4472-L646			1846	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s																																	x		S26361-F4523-L942			398	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d																																	x		S26361-F4523-L943			673	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q																																	x		S26361-F4523-L945			1846	
	4GB 2x2GB FBD667 PC2-5300F d ECC																										x									S26361-F3263-L623			333	Phased out
	4GB 2x2GB FBD667 PC2-5300F d ECC											x								x																S26361-F3263-L523			333	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																										x									S26361-F3263-L624			488	Phased out
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC						x																													S26361-F3336-L515			104	
	16GB 2x8GB FBD667 PC2-5300F d ECC																										x									S26361-F3263-L625			1876	Phased out
	8GB 2x4GB FBD667 PC2-5300F d ECC																					x														S26361-F3263-L524			488	Phased out
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC						x																													S26361-F3336-L516			168	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d																											x								S26361-F4003-L643			276	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s																											x								S26361-F4003-L642			398	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d																											x								S26361-F4003-L644			706	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d																											x								S26361-F4003-L645			673	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q																											x								S26361-F4003-L646			1846	
Memory Modules																																								
	2 GB DDR3 1333 MHz PC3-10600 ub d													x							x															S26361-F3606-L513			39	
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC													x							x															S26361-F3604-L510			99	
	2 GB DDR3 1333 MHz PC3-10600 rg s													x							x															S26361-F3604-L513			68	
	8 GB DDR3 1333 MHz PC3-10600 rg d													x							x															S26361-F3604-L515			168	
	2GB DDR3-1066 PC3-8500 ub ECC 1 module													x																						S26361-F3970-L513			65	Phased out
	2GB DDR3-1066 PC3-8500 rg ECC 1 MODUL													x							x															S26361-F3284-L513			89	Phased out
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC													x							x															S26361-F3284-L523			146	Phased out
	16 GB DDR3 1066 MHz PC3-8500 rg q														x						x															S26361-F3604-L516			462	
	4GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL													x							x															S26361-F3284-L514			146	Phased out
	SP12GB 3x4 DDR3-1066 PC3-8500 rg d ECC													x							x															S26361-F3284-L534			433	Phased out
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC														x						x															S26361-F3605-L510			99	
	8GB DDR3-1066 PC3-8500 rg d ECC 1 MODUL													x							x															S26361-F3284-L515			776	Phased out
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d														x						x															S26361-F3605-L515			168	
	2GB DDR3-1333 PC3-10600 rg ECC 1 MODUL													x							x															S26361-F3285-L513			89	Phased out
	4GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL													x							x															S26361-F3285-L514			141	Phased out
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC													x							x															S26361-F3285-L534			421	Phased out
	8GB DDR3-1333 PC3-10600 rg d ECC 1 MODUL													x							x															S26361-F3285-L515			261	Phased out
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC													x							x															S26361-F3285-L535			791	Phased out
Graphics																																								
	Front-VGA interface																			x	x															S26361-F2571-L16			18	
	PY VGA Card 512MB PCI-e x1													x																						S26361-F2748-L537			116	
	PY LP VGA Card 512MB PCI-e x1						x	x													x															S26361-F2748-L637			116	
Removable Media Drives																																								
	Blu-ray Triple Writer slimline SATA							x																					x							S26361-F3641-L2			142	Deliverable from: 01/11/2011,Orderable from: 30/11/2011
	DVD-RW supermulti slimline SATA						x	x					x	x							x	x						x	x				x	x		S26361-F3269-L2			73	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Removable Media Drives (Continued)																																							
	Blu-ray Combo slimeline SATA						x	x					x	x						x	x						x	x				x	x			S26361-F3531-L2			218	Phased out
	DVD-RW supermulti slimline SATA					x						x							x							x										S26361-F3269-L1			98	Phased out
	RDX Drive USB 25MB/s 5.25" internal																			x	x						x	x								S26361-F3857-L4			136	
	RDX Drive USB 25MB/s 3.5" internal																			x	x															S26361-F3857-L5			136	
	RDX Drive USB 25MB/s 3.5" internal																			x	x															S26361-F3857-L7			180	
	Tape Kit DDS Gen5 36GB USB 5.25" int.																										x	x								S26361-F3324-L4			432	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																			x	x															S26361-F3324-L5			427	
	Tape Kit DDS Gen5 36GB USB 3.5" int.																			x	x															S26361-F3324-L7			474	
	Tape Kit DDS Gen6 80GB USB 5.25" int.													x														x								S26361-F3325-L4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS																										x									S26361-F4009-L4			1104	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS																										x	x								S26361-F3561-L4			1204	
	Tape Kit LTO4HH 800GB 120MB/s SAS																									x	x									S26361-F3626-L1			1682	Phased out
	Tape Kit LTO4HH 800GB 120MB/s SAS V2																									x	x	x								S26361-F3626-L2			1682	
	Tape Kit LTO5HH 1500GB 140MB/s SAS																										x	x								S26361-F3627-L1			2459	
Hard Disks																																							
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"			x	x										x																					S26361-F3219-L160			86	Phased out
	HD SATA 3GB/s 1TB 7.2k hot plug 3.5"					x						x							x		x														S26361-F3265-L100			207	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"					x						x							x		x														S26361-F3265-L250			94	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"					x						x							x		x														S26361-F3265-L500			141	
	HD SATA 3GB/s 1TB 7.2k non hot pl 3.5"					x																														S26361-F3272-L100			207	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"					x																														S26361-F3272-L250			94	
	HD SATA 3GB/s 500GB 7.2k non hot pl 3.5"					x																														S26361-F3272-L500			141	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP																					x														S26361-F3291-L560			527	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO																					x														S26361-F3293-L250			68	
	8x 2.5" HDD Upgrade Option														x	x																				S26361-F3317-L500			91	
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO							x																												S26361-F3700-L250			68	
	PCIe-SSD 320GB MLC																											x	x				x	x		S26361-F4522-L321			5479	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO																					x														S26361-F3297-L160			133	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"										x																									S26361-F3515-L160			133	
	PCIe-SSD 640GB MLC																											x	x				x	x		S26361-F4522-L641			8412	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP												x								x															S26361-F3292-L114			212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP												x								x															S26361-F3292-L130			385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO																				x															S26361-F3297-L320			167	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"										x																									S26361-F3515-L320			167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP												x								x															S26361-F3292-L145			509	
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP												x								x															S26361-F3292-L160			598	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO																				x															S26361-F3297-L500			176	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP												x								x															S26361-F3292-L573			272	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP												x								x															S26361-F3292-L514			392	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC						x	x													x	x														S26361-F3294-L250			95	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC						x	x													x	x														S26361-F3294-L500			141	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC						x	x													x	x														S26361-F3294-L100			207	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC						x	x													x	x														S26361-F3294-L200			409	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP						x	x					x	x							x	x						x	x				x	x		S26361-F3298-L32			560	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x						x								S26361-F3601-L250			168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x						x								S26361-F3601-L500			185	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC						x	x					x	x							x	x						x								S26361-F3601-L100			246	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP																				x															S26361-F3291-L530			354	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP																				x															S26361-F3291-L545			453	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP						x	x													x	x														S26361-F4005-L530			280	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP						x	x													x	x														S26361-F4005-L545			362	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP						x	x													x	x														S26361-F4005-L560			416	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"				x	x					x	x						x	x			x														S26361-F3204-L530			354	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"				x	x					x	x						x	x			x														S26361-F3204-L545			453	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L114			181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L130			212	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L145			416	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L160			507	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP						x	x					x	x							x	x						x	x				x	x		S26361-F4482-L190			645	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L573			191	
	HD SAS 3GB/s 600GB 15k hot plug 3.5"				x	x					x	x						x	x			x														S26361-F3204-L560			527	Phased out
	HD SAS 6G 146GB 15K HOT PL 2.5" EP						x	x						x							x	x						x	x				x	x		S26361-F4482-L514			249	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"										x	x						x	x							x	x									S26361-F3208-L114			212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"										x	x						x	x							x	x									S26361-F3208-L130			381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"										x	x						x	x							x	x									S26361-F3208-L145			509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"										x	x						x	x							x	x									S26361-F3208-L160			598	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"										x	x						x	x							x	x									S26361-F3208-L573			269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"																		x							x										S26361-F3208-L514			388	
SCSI/RAID/SAS controller																																							
	SCSI Ctrl U160 1- ch int/ext														x	x	x	x				x	x	x	x				x	x	x				x	S26361-F2399-L1			253	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	x	x	x	x					x	x						x	x	x				x			x	x									S26361-F2737-L201			253	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI																					x		x	x	x										S26361-F3215-L10			188	Phased out
	RAID Ctrl SAS 8 Port 256MB LP LSI																	x	x																	S26361-F3215-L201			654	Phased out
	RAID Contr BBU Upgrade for RAID 5/6											x								x		x														S26361-F3257-L10			201	Phased out
	RAID Contr BBU Upgrade for RAID 5/6						x						x	x							x	x						x	x				x	x		S26361-F3257-L110			142	
	RAID Contr BBU Upgrade for RAID 5/6 C							x																												S26361-F3257-L210			141	
	4-Port SAS cable for ports 5 and 6													x	x																					S26361-F3257-L250			21	
	RAID 0/1 SAS based on LSI MegaRAID 4Port						x	x					x	x	x													x	x	x						S26361-F3257-L4			95	
	RAID 5/6 SAS based on LSI MegaRAID 512MB												x	x							x	x														S26361-F3257-L512			453	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port													x							x	x	x													S26361-F3257-L8			115	
	SCSI Ctrl U320 1ch int/ext PCIe																											x	x	x						S26361-F3270-L1			168	
	SCSI Ctrl U320 1ch int/ext PCIe lp					x	x	x					x	x	x							x	x	x					x	x	x						S26361-F3270-L201			168	
	SAS Ctrl 3GB/s 4int/4ext PCIe																											x	x	x						S26361-F3271-L1			181	
	SAS Ctrl 3GB/s 8 port PCIe FH EFI																																	x	x	S26361-F3271-L2			180	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp					x	x	x					x	x	x						x	x	x	x												S26361-F3271-L201			180	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)						x	x							x						x	x							x	x			x	x		S26361-F3554-L512			333	
	RAID Ctrl SAS 6G 0/1 (D2607)						x	x							x						x	x							x	x						S26361-F3554-L8			142	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI						x	x						x	x						x	x						x	x				x	x		S26361-F3593-L501			505	
	SAS Ctrl 6G 8ext PCIe FH/LP						x	x							x						x								x	x					x	S26361-F3628-L501			222	
	RAID Ctrl SAS 8Port opt remote BBU LSI											x								x																S26361-F3890-L11			188	Phased out
	RAID Ctrl SAS 8Port opt Onboard BBU LSI																										x									S26361-F3890-L12			149	
	RAID Ctrl SAS 8Port 512M FH/LP LSI											x	x							x	x						x									S26361-F3890-L501			633	Phased out
	RAID Upgrade Kit RX100 S6						x																													S26361-F4414-L1			39	
	RAID Upgrade Kit RX100 S7							x																												S26361-F4414-L2			42	
Fibre Channel																																							
	FC Ctrl 4GBit/s QLE2460 MMF LC																					x		x	x	x										S26361-F3483-L1			1056	Phased out
	FC Ctrl 2x4GBit/s QLE2462 MMF LC																					x		x	x	x										S26361-F3483-L2			1635	Phased out
	FC Ctrl 4GBit/s QLE2460 MMF LC LP										x	x	x	x				x	x	x	x	x														S26361-F3483-L201			1056	Phased out
	FC Ctrl 2x4GBit/s QLE2462 MMF LC LP										x	x	x	x				x	x	x	x	x														S26361-F3483-L202			1635	Phased out
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC																											x	x				x	x		S26361-F3631-L1			807	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC																											x	x				x	x		S26361-F3631-L2			1294	
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LCLP													x								x														S26361-F3631-L201			807	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP													x								x														S26361-F3631-L202			1294	
	FC Ctrl 4GBit/s LPe1150 MMF LC														x							x		x	x	x	x									S26361-F3306-L1			1006	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC														x							x		x	x	x	x									S26361-F3306-L2			1549	Phased out
	FC Ctrl 4GBit/s LPe1150 MMF LC LP										x	x	x	x				x	x	x	x	x														S26361-F3306-L201			1006	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP										x	x	x	x				x	x	x	x	x														S26361-F3306-L202			1549	Phased out
	FC CTRL 8GBIT/S LPE1250 MMF LC FH																											x	x	x			x	x		S26361-F3961-L1			807	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC																											x	x	x			x	x		S26361-F3961-L2			1294	
	FC CTRL 8GBIT/S LPE1250 MMF LC LP											x	x	x						x	x	x														S26361-F3961-L201			807	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP											x	x	x						x	x	x														S26361-F3961-L202			1294	
Connection Blades																																							
	SFP+ Module Multi Mode Fiber 10GBE LC						x	x						x								x						x	x				x	x		S26361-F3986-L3			346	
	Infiniband Cu Cable 40GB, 4x QSFP, 1m													x								x						x	x							S26361-F3996-L101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m													x								x						x	x							S26361-F3996-L103			104	
Communication/Network																																							
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu								x					x			x					x											x				S26361-F3142-L2			65	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp			x	x				x	x						x	x	x																		S26361-F3227-L202			193	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu														x							x		x	x	x										S26361-F3228-L1			149	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp				x	x	x				x	x	x				x	x	x			x														S26361-F3228-L201			151	Phased out
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu														x							x					x									S26361-F3241-L1			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp				x	x	x				x	x	x	x				x	x	x	x	x														S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC														x							x			x	x	x						x	x		S26361-F3242-L1			207	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp				x	x	x	x			x	x	x	x				x	x	x	x	x														S26361-F3242-L201			207	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu																									x	x									S26361-F3462-L1			419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp					x						x	x					x	x	x		x														S26361-F3462-L201			422	Phased out
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu																					x														S26361-F3516-L1			39	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp					x	x	x				x	x	x						x	x	x														S26361-F3516-L201			39	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu						x	x						x								x						x	x				x	x		S26361-F3610-L502			132	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu						x	x						x								x						x	x				x	x		S26361-F3611-L501			324	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+						x	x						x								x						x	x				x	x		S26361-F3629-L502			427	
	IB HCA 40GB 1 Kanal QDR													x								x						x	x					x		S26361-F4475-L102			755	
	IB HCA 40GB 2 Kanal QDR													x								x						x	x					x		S26361-F4475-L202			992	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF						x						x	x						x	x															S26361-F3592-L202			1018	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Communication/Network (Continued)																																								
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF																										x	x	x				x			S26361-F3592-L2			1018	
	SFP+ Modul Multi Mode Fibre 10GB FCoE						x						x	x							x	x					x	x	x				x	x		S26361-F3592-L108			342	
	Eth Ctrl 2x10GBit PCIe x8 XF SR LC lp												x	x						x	x	x													S26361-F3505-L201			3991	Phased out
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+						x							x								x					x						x			S26361-F3555-L501			693	Phased out
	Intel SFP+ Module MMF 10GBE LC						x							x								x					x						x			S26361-F3555-L900			632	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	x						x							x	x	x	x				x	x	x	x				x	x	x			x	x	S26361-F3011-L1			193	Phased out
Rack-Infrastructure																																							
	RMK-F1 1-2U Server					x	x					x	x	x						x	x	x	x													S26361-F2735-L101			61	Phased out
	RMK-F1 RX600 S4																										x									S26361-F2735-L106			81	Phased out
	Rack Mount Kit for RX900																																x	x		S26361-F2735-L109			154	
	RMK-P_1-2U servers					x	x					x	x	x						x	x	x	x													S26361-F2735-L110			47	
	RMK-F1_DI_CMA													x								x														S26361-F2735-L140			47	
	RMK-F1_DI_CMA_QRL							x																												S26361-F2735-L145			82	
	Cable magmt. for 19" PC- Rack																																x	x		S26361-F2735-L17			26	
	Cable carrying plate DC-/PC-racks																						x										x			S26361-F2735-L20			34	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails																											x								S26361-F2735-L202			56	
	RMK-F2_DI_QRL (new)																												x							S26361-F2735-L245			99	
	Adapter angle PC/DC-Rack, 3U till 200Kg																																x	x		S26361-F2735-L31			25	
	cage nut set, M5, t=2,5mm			x	x						x				x			x				x			x	x				x						S26361-F2735-L500			42	
	Cable magmt. for 19" PC- Rack					x	x	x				x							x	x	x	x	x				x	x	x					x	x		S26361-F2735-L7			25	
	1 U cable arm, dragged			x	x	x	x				x	x	x	x	x			x				x			x						x						S26361-F2735-L8			34	Phased out
	Rack Cable Management Arm 1U							x						x																							S26361-F2735-L81			18	
	Cable management arm for 3rd party racks	x						x	x							x			x	x	x	x		x			x	x	x	x				x	x		S26361-F2201-L20			42	
PRIMERGY-Software																																							
	iRMC advanced pack				x						x								x				x														S26361-F1790-L240			256	
	iRMC S2 advanced pack					x	x					x	x	x							x	x					x	x	x					x	x		S26361-F1790-L241			259	
	iRMC S3 advanced pack							x																													S26361-F1790-L242			259	
	Win Srv 2008 SP2 Standard DVD Media Only					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L328			21	Phased out
	Win Server 2008 CAL (1 Device)					x	x	x				x	x	x						x	x	x	x				x	x	x				x	x	x		S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)					x	x	x				x	x	x						x	x	x	x				x	x	x				x	x	x		S26361-F2565-L341			89	
	Win Server 2008 CAL (1 User)					x	x	x				x	x	x						x	x	x	x				x	x	x				x	x	x		S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)					x	x	x				x	x	x						x	x	x	x				x	x	x				x	x	x		S26361-F2565-L343			89	
	iSCSI SW Target 3.2 (64-bit) EMB																				x	x															S26361-F2565-L564			8	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L20			325	
	MS SysCtr Essntls 2010 ROK					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L30			98	
	Win Svr 2008 R2 SP1 Foundation 1CPU ROK						x																														S26361-F2567-L301			146	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK					x	x																														S26361-F2567-L306			141	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC ROK					x	x	x																													S26361-F2567-L308			132	
	MS SysCtr Essntls 2010 Server ML 1-OSE					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L31			76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK					x	x	x					x	x							x	x	x				x	x	x					x			S26361-F2567-L310			439	Phased out
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK						x	x						x							x						x	x						x			S26361-F2567-L311			440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK						x	x						x							x	x					x	x						x			S26361-F2567-L318			360	
	MS SysCtr Essntls 2010 Server ML 5-OSE					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L32			367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK					x	x	x					x	x							x	x	x				x	x	x					x			S26361-F2567-L320			1456	Phased out
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK						x	x						x								x						x	x						x		S26361-F2567-L321			1456	
	MS SysCtr Essntls 2010 Client ML 5-Pack					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L33			65	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK					x	x	x					x	x							x	x	x				x										S26361-F2567-L330			2321	Phased out
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK						x	x						x								x						x	x						x	x		S26361-F2567-L331			2321	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK																												x						x	x		S26361-F2567-L333			4641	
	MS SysCtr Essntls 2010 Client ML 20-Pack					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L34			253	
	Win Server 2008 RDS CAL (1 Device)					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)					x	x	x					x	x						x	x	x	x				x	x	x					x	x		S26361-F2567-L343			329	
	Win SBS Standard 2011 w/5CAL ROK EN						x	x						x							x	x						x	x								S26361-F2567-L350			498	
	Win SBS Standard 2011 w/5CAL ROK DE						x	x						x							x	x						x	x								S26361-F2567-L351			495	
	Win SBS Standard 2011 w/5CAL ROK IT						x	x						x							x	x						x	x								S26361-F2567-L352			495	
	Win SBS Standard 2011 w/5CAL ROK FR						x	x						x							x	x						x	x								S26361-F2567-L353			495	
	Win SBS Standard 2011 w/5CAL ROK ES						x	x						x							x	x						x	x								S26361-F2567-L354			495	
	Win SBS Standard 2011 w/5CAL ROK CS						x	x						x							x	x						x	x								S26361-F2567-L355			495	
	Win SBS Standard 2011 w/5CAL ROK PT						x	x						x							x	x						x	x								S26361-F2567-L356			495	
	Win SBS Standard 2011 w/5CAL ROK NL						x	x						x							x	x						x	x								S26361-F2567-L357			495	
	Win SBS Standard 2011 w/5CAL ROK TR						x	x						x							x	x						x	x								S26361-F2567-L358			495	
	Win SBS Standard 2011 w/5CAL ROK HU						x	x						x							x	x						x	x								S26361-F2567-L359			495	
	Win HPC Srv 2008 R2 Suite ROK													x								x															S26361-F2567-L360			641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN						x	x						x							x	x															S26361-F2567-L370			753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE						x	x						x							x	x															S26361-F2567-L371			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT						x	x						x							x	x															S26361-F2567-L372			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR						x	x						x							x	x															S26361-F2567-L373			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES						x	x						x							x	x															S26361-F2567-L374			758	
	Win SBS 2011 CAL Suite (1 Device)						x	x						x							x	x															S26361-F2567-L380			39	
	Win SBS 2011 CAL Suite (1 User)						x	x						x							x	x															S26361-F2567-L381			39	
	Win SBS 2011 CAL Suite (5 Device)						x	x						x							x	x															S26361-F2567-L382			167	
	Win SBS 2011 CAL Suite (5 User)						x	x						x							x	x															S26361-F2567-L383			164	
	Win SBS 2011 Prem Add-on CAL (1 Device)						x	x						x							x	x															S26361-F2567-L384			47	
	Win SBS 2011 Prem Add-on CAL (1 User)						x	x						x							x	x															S26361-F2567-L385			47	
	Win SBS 2011 Prem Add-on CAL (5 Device)						x	x						x							x	x															S26361-F2567-L386			201	
	Win SBS 2011 Prem Add-on CAL (5 User)						x	x						x							x	x															S26361-F2567-L387			202	
	Win Srvs 2008 R2 SP1 Language Pack DVD						x	x						x								x						x	x						x	x		S26361-F2567-L390			21	
	Win Svrs 2008 R2 SP1 Service Pack DVD						x	x						x								x						x	x						x	x		S26361-F2567-L391			21	
	USB Flash Module 16GB intern																				x																S26361-F3299-L16			295	
	ServerView Deployment Mgr 6 Single Lic.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C302			120	Orderable from: 01/10/2011
	ServerView Depl. Mgr. 6 Single Upgrade	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C303			61	Orderable from: 01/10/2011
	FF4O-RE-AN Mono Server 2-Core											x						x	x								x	x	x					x	x		U26004-C401			1754	
	FF4O-RE-AN Mono Server 4-Core											x						x	x								x	x	x					x	x		U26004-C402			3509	
	FF4O-RE-AN Dual Server 2-Core											x						x	x								x	x	x					x	x		U26004-C403			3509	
	FF4O-RE-AN Dual Server 4-Core											x						x	x								x	x	x					x	x		U26004-C404			6140	
	FF4O-RE Spare Mono Server 2-Core											x						x	x								x	x	x					x	x		U26004-C405			877	
	FF4O-RE Spare Mono Server 4-Core											x						x	x								x	x	x					x	x		U26004-C406			1754	
	FF4O-RE Spare Dual Server 2-Core											x						x	x								x	x	x					x	x		U26004-C407			1754	
	FF4O-RE Spare Dual Server 4-Core											x						x	x								x	x	x					x	x		U26004-C408			3070	
	PRIMERGY MultiPath MPIO Upgrade to 5.01					x	x	x				x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01					x	x	x				x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L593			755	
	PRIMERGY MultiPath Upgrade to 5.01					x	x	x				x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01					x	x	x				x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2565-L595			755	
	PRIMERGY ServerView Suite subscription.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x					x	x		U15000-C176			184	
	ServerView Suite, latest version	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x						x		U15000-C289			21	
	ServerView Deployment Manager V5	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301			61	
	SUSE Linux ES 1SOC 1Y					x	x	x																													S26361-F2346-L601			125	
	SUSE Linux ES 32SOC 1Y											x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32SOC +1Y					x	x	x				x	x	x						x	x	x	x				x	x	x					x	x		S26361-F2346-L621			427	
	SUSE Linux ES4SAP APPS +1Y							x																				x	x						x	x		S26361-F2346-L661			946	
	SUSE Linux ES4SAP APPS +3y							x																				x	x						x	x		S26361-F2346-L662			2552	
	SUSE Linux ES SAP All-in-One 3Y																			x																	S26361-F2346-L669			882	
	Debian-Ubuntu FSE Basic Support 1Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y				x	x					x	x	x					x	x	x		x															S26361-F2346-L418			1025	
	VMware Upgrade ESXi to STD w/o SP-3yr						x	x												x								x	x								S26361-F2341-S702			769	
	VMware Upgrade ESXi to ENT w/o SP-1yr						x	x												x								x	x								S26361-F2341-S703			2231	
	VMware Upgrade ESXi to ENT w/o SP-3yr						x	x												x								x	x								S26361-F2341-S704			2231	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr						x	x												x								x	x								S26361-F2341-S705			2714	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr						x	x												x								x	x								S26361-F2341-S706			2714	
	VMware vSphere STD w/o SP-1yr						x	x												x								x	x								S26361-F2341-L707			807	
	VMware vSphere STD w/o SP-3yr						x	x												x								x	x								S26361-F2341-L708			807	
	VMware vSphere ENT w/o SP-1yr						x	x												x								x	x								S26361-F2341-L709			2332	
	VMware vSphere ENT w/o SP-3yr						x	x												x								x	x								S26361-F2341-L710			2332	
	VMware vSphere ENT-PL w/o SP-1yr						x	x												x								x	x								S26361-F2341-L711			2836	
	VMware vSphere ENT-PL w/o SP-3yr						x	x												x								x	x								S26361-F2341-L712			2836	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr						x	x												x								x	x								S26361-F2341-L730			8113	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr						x	x												x								x	x								S26361-F2341-L731			8113	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr						x	x												x								x	x								S26361-F2341-L732			14206	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr						x	x												x								x	x								S26361-F2341-L733			14206	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr						x	x												x								x	x								S26361-F2341-L734			17814	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr						x	x												x								x	x								S26361-F2341-L735			17814	
	VMware Essentials-PL w/o SP-1yr						x	x												x								x	x								S26361-F2341-L740			3648	
	VMware Essentials-PL w/o SP-3yr						x	x												x								x	x								S26361-F2341-L741			3648	
	VMware Upgrade STD to ENT w/o SP-1yr					x	x													x								x	x								S26361-F2341-S716			1527	
	VMware Upgrade STD to ENT w/o SP-3yr						x	x												x								x	x								S26361-F2341-S717			1527	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
	VMware Upgrade STD to ENT-PL w/o SP-1yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S718			2039	
	VMware Upgrade STD to ENT-PL w/o SP-3yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S719			2039	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S720			506	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S721			506	
	VMware Upgrade VCS FND to STD w/o SP-1yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S728			2854	
	VMware Upgrade VCS FND to STD w/o SP-3yr						x	x						x							x	x						x	x					x	x		S26361-F2341-S729			2854	
	VMware vSphere 4 Media Kit OEM						x	x			x	x	x	x				x	x	x	x	x			x	x	x	x	x		x	x	x	x	x		S26361-F2341-L300			68	
	VMware vSphere Embedded UFM Device DIS						x	x					x	x							x	x																S26361-F2341-D431			52	
OS/Application-SW																																								
	ARCserve r11.5 WIN Client Agent UNIX					x	x					x								x			x					x									U15355-C720			346	
	ARCserve r11.5 WIN Client Agent Windows					x	x					x								x			x					x									U15355-C723			219	
	ManageNow!® for ITCM ManagedObjectsLicens						x	x						x							x	x						x	x					x	x		U24533-C400			1681	
UPS/Power supply																																								
	Power Supply Module 770W silver hp												x	x																								S26113-F539-L1			181	
	Power Supply Module 800W (hot plug)																				x																	S26113-F543-L10			164	Phased out
	RX100 S7 conversion kit to hot-plug PSU							x																														S26113-F547-L10			162	
	Power Supply Module 800W gold hp																				x	x																S26113-F555-L10			198	
	Power Supply Module 850W																											x										S26113-F561-L10			388	Phased out
	Power Supply Module 850W (w/o power cord																												x									S26113-F561-L20			301	
	Power Supply Module 450W gold hp													x																								S26113-F570-L1			139	
	Power Supply Module 2.000W																																	x				S26113-F573-L10			759	
	Modular PSU 450W platinum hp							x																														S26113-F575-L10			136	
	Power Supply Module DC -48V 800W gold hp																				x																	S26113-F576-L50			561	
	Power Supply Module 2.000W																																		x			S26113-F608-L10			755	
	APC-UPS WEB Management Adapter		x	x	x	x	x			x	x	x	x	x			x	x	x	x	x	x	x		x	x	x				x	x					S26113-F80-L30			218	
Miscellaneous																																								
	LocalView Option Kit S2																				x	x																S26361-F2557-L106			61	
	Customer Self Service Module RX Server																				x	x																S26361-F2557-L205			21	
	Opt. Front VGA + Service LAN							x																														S26361-F2571-L37			42	
	Fan upgrade kit hot-plug redundancy																				x																	S26361-F2621-L5			98	Phased out
	cable Serial port option																x	x	x																			S26361-F3120-L3			34	
	TPM Module add-on kit						x	x					x	x							x	x						x	x					x	x		S26361-F3552-L1			42	
	Opt. Front VGA + add. USB						x																															S26361-F3577-L1			31	
	T-HANDLES RX300S6																				x																	S26361-F4000-L1			18	
	Fan upgrade kit hot-plug redundancy																x	x	x																			S26361-F2621-L4			81	Phased out
	Parallelport Option Centronics															x																						S26361-F2571-L8			21	Phased out
	ServerView Local Service Panel Kit						x	x				x							x																			S26361-F2557-L204			34	
Keyboard /Mouse																																								
	Laser Mouse Combo USB PS2																												x					x	x		S26381-K430-L100			15	
	MOUSE M440 ECO																																	x	x		S26381-K450-L100			11	
Media																																								
	DAT160 cleaning cartridge no label																											x	x					x	x		D:CL-DAT160-MX-01			19	
	DAT72 cleaning cartridge no label																x	x	x	x	x	x	x	x	x	x	x	x						x	x		D:CL-DAT72-MX-01			4	
	MTC-L MEDIA LTO cleaning cartridge																								x	x	x	x						x	x		D:CL-FJ-LTO-01			32	Orderable from: 01/09/2011
	MTC-L MEDIA LTO clean. cartr. with label																								x	x	x	x						x	x		D:CL-FJ-LTO-01L			33	Orderable from: 01/09/2011
	LTO cleaning cartridge Fuji no label																								x	x	x	x						x	x		D:CL-LTO2-FJ-01			34	
	LTO cleaning cartridge Fuji with label																								x	x	x	x						x	x		D:CL-LTO2-FJ-01L			35	
	LTO cleaning cartridge IBM no label																								x	x	x	x						x	x		D:CL-LTO2-IB-01			42	
	LTO cleaning cartridge IBM with label																								x	x	x	x						x	x		D:CL-LTO2-IB-01L			43	
	VXA cleaning label																								x	x												D:CL-VXA2-LAB			2	
	VXA cleaning cartridge																							x		x	x											D:CL-VXA2-X-01			27	
	VXA cleaning cartridge with label																							x		x	x											D:CL-VXA2-X-01L			28	
	DAT160 data cartridge no label																											x	x					x	x		D:CR-DAT160-MX-01			18	
	DAT72 data cartridge no label																x	x	x	x	x	x	x	x	x	x	x	x						x	x		D:CR-DAT72-MX-01			12	
	LTO2 data cartridge Fuji no label																									x												D:CR-FJ-LTO2-01			18	Orderable from: 01/10/2011
	LTO2 data cartridge Fuji with label																									x												D:CR-FJ-LTO2-01L			18	Orderable from: 01/10/2011
	LTO3 data cartridge Fuji no label																		x									x	x	x				x	x		D:CR-FJ-LTO3-01			18	Orderable from: 01/10/2011
	LTO3 data cartridge with label																											x	x	x				x	x		D:CR-FJ-LTO3-01L			18	Orderable from: 01/10/2011
	LTO4 data cartridge Fuji no label																											x	x	x				x	x		D:CR-FJ-LTO4-01			20	Orderable from: 01/10/2011
	LTO4 data cartridge Fuji with label												x	x							x	x						x	x	x				x	x		D:CR-FJ-LTO4-01L			20	Orderable from: 01/10/2011
	LTO5 data cartridge Fuji no label																												x	x							D:CR-FJ-LTO5-01			47	Orderable from: 01/10/2011
	LTO5 data cartridge Fuji with label																												x	x							D:CR-FJ-LTO5-01L			47	Orderable from: 01/10/2011
	LTO2 data cartridge Fuji no label																									x												D:CR-LTO2-FJ-01			20	
	LTO2 data cartridge Fuji with label																									x												D:CR-LTO2-FJ-01L			20	
	LTO2 data cartridge IBM no label												x	x							x	x				x												D:CR-LTO2-IB-01			28	
	LTO2 data cartridge IBM with label																									x												D:CR-LTO2-IB-01L			28	
	LTO2 barcode label horizontal																									x												D:CR-LTO2-LAB			2	
	LTO2 data cartridge Maxell no label																									x												D:CR-LTO2-MX-01			19	
	LTO2 data cartridge Maxell with label																									x												D:CR-LTO2-MX-01L			20	
	VXA barcode label																								x	x												D:CR-VXA2-LAB			2	
	VXA-2/320 data cartridge 40/80GB																								x	x												D:CR-VXA2-X10-01			31	
	VXA-2/320 data cartr. 40/80GB with label																							x		x	x											D:CR-VXA2-X10-01L			32	
	VXA-2/320 data cartridge 80/160GB																							x		x	x											D:CR-VXA2-X23-01			58	
	VXA-2/320 data cartr 80/160GB with label																							x		x	x											D:CR-VXA2-X23-01L			59	
	RDX Cartridge 160/320GB																		x	x	x	x				x	x	x						x				S26361-F3857-L160			89	
	RDX Cartridge Pack 10x 160/320GB																		x	x	x	x				x	x	x						x				S26361-F3857-L169			862	
	RDX Cartridge 320/640GB																		x	x	x	x				x	x	x						x				S26361-F3857-L320			139	
	RDX Cartridge Pack 10x 320/640GB																		x	x	x	x				x	x	x						x				S26361-F3857-L329			1306	
	RDX Cartridge 500GB/1000GB																		x	x	x	x				x	x	x						x				S26361-F3857-L500			175	
	RDX Cartridge 1TB																		x	x	x	x				x	x	x						x				S26361-F3857-L600			256	
	LTO3 data cartridge Fuji no label																		x									x	x	x				x	x		D:CR-LTO3-FJ-01			19	
	LTO4 data cartridge Fuji no label																											x	x	x				x	x		D:CR-LTO4-FJ-01			21	
	LTO5 data cartridge Fuji no label																												x	x							D:CR-LTO5-FJ-01			48	
	LTO3 data cartridge IBM no label																											x	x	x				x	x		D:CR-LTO3-IB-01			22	
	LTO4 data cartridge IBM no label																											x	x	x				x	x		D:CR-LTO4-IB-01			23	
	LTO3 data cartridge with label																											x	x	x				x	x		D:CR-LTO3-FJ-01L			20	
	LTO4 data cartridge Fuji with label												x	x							x	x						x	x	x				x	x		D:CR-LTO4-FJ-01L			22	
	LTO5 data cartridge Fuji with label																												x	x							D:CR-LTO5-FJ-01L			49	
	LTO3 data cartridge IBM with label												x	x							x	x				x	x	x						x	x		D:CR-LTO3-IB-01L			23	
	LTO4 data cartridge IBM with label																									x	x	x						x	x		D:CR-LTO4-IB-01L			24	
	LTO3 WORM data cartridge Fuji no label												x	x							x	x				x	x	x						x	x		D:CR-LTO3-FJ-01W			23	
	LTO4 WORM data cartridge Fuji no label												x	x												x	x	x						x	x		D:CR-LTO4-FJ-01W			30	
	LTO3 WORM data cartridge Fuji with label												x	x							x	x				x	x	x						x	x		D:CR-LTO3-FJ-01WL			24	
	LTO4 WORM data cartridge Fuji with label												x	x							x	x				x	x	x						x	x		D:CR-LTO4-FJ-01WL			30	
	LTO cleaning label horizontal																								x	x	x	x						x	x		D:CL-LTO-LAB			2	
	LTO3 barcode label horizontal																								x	x	x	x						x	x		D:CR-LTO3-LAB			2	
	LTO4 barcode label horizontal																									x	x	x						x	x		D:CR-LTO4-LAB			2	
	LTO5 WORM data cartridge Fuji no label												x	x							x	x					x	x						x	x		D:CR-LTO5-FJ-01W			61	
	LTO5 WORM data cartridge Fuji with label												x	x							x	x					x	x						x	x		D:CR-LTO5-FJ-01WL			61	
	LTO5 barcode label horizontal																										x	x						x	x		D:CR-LTO5-LAB			2	
Cables																																								
	Cable powercord rack, 4m	x	x	x	x			x						x	x																						T26139-Y1968-L10			13	
Additional Software																																								
	OPENFT-CR (WINDOWS) V8.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	x	x	x					x	x					x	x	x				x	x	x	x					x	x				x	x	U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C203			1749	
	OPENFT-3 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C213			1749	
	OPENFT-FTAM-3 (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	x	x	x					x	x					x	x	x						x	x					x	x				x	x	U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x				x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x				x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x				x	x	U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	x	x	x					x	x				x	x	x	x					x		x	x					x	x				x	x	U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	x	x	x					x	x				x	x	x	x					x		x	x					x	x				x	x	U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	x	x	x					x	x				x	x	x	x					x		x	x					x	x				x	x	U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x						x	x		x	x	x	x	x		x	x	x	x	x	U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x						x	x		x	x	x	x	x		x	x	x	x	x	U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	x	x	x					x	x					x	x	x						x	x		x	x	x	x	x		x	x	x	x	x	U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x					x	x	U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x					x	x	U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x		x	x	x				x	x					x	x	U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	x	x	x					x	x				x	x	x	x					x		x	x					x	x				x	x	U10987-C502			1749	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Additional Software (Continued)																																							
	OPENFT-FTAM-2 (UNIX systems) V11.0	x	x	x					x	x					x	x	x	x				x		x	x				x	x				x	x	U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	x	x	x					x	x					x	x	x	x				x		x	x				x	x				x	x	U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x		x	x	x	x		x	x	x	x	U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x		x	x	x	x		x	x	x	x	U10987-C515			3498	
	OPENFT-FTP-3 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x		x	x	x	x		x	x	x	x	U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C504			4051	
	OPENFT-FTAM-4 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C516			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	x	x	x					x	x						x	x	x						x	x					x	x				x	x	U10987-C529			2142	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499			13	
Software Services																																								
	SP 1y ENT (6 CPU+VC STD) Acc Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9						x	x				x	x	x					x	x	x	x	x				x	x	x	x				x	x		FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24						x	x				x	x	x					x	x	x	x	x				x	x	x	x				x	x		FSP:G-SP1AE03PRV07			595	
	SP 1y Ess-PL,7x24						x	x					x	x						x	x	x					x	x	x					x	x		FSP:G-SP1BR03PRV08			883	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9						x	x					x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24						x	x					x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9												x	x						x	x						x	x	x					x	x		FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24												x	x						x	x						x	x	x					x	x		FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9												x	x						x	x						x	x	x					x	x		FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24												x	x						x	x						x	x	x					x	x		FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9												x	x						x	x						x	x	x					x	x		FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24												x	x						x	x						x	x	x					x	x		FSP:G-SP1F303PRXD2			628	
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9													x							x																FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9													x							x																FSP:G-SP1H260PRV11			529	
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9													x							x																FSP:G-SP1H360PRV11			1000	
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9													x							x																FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9													x							x																FSP:G-SP1H560PRV11			3824	
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9													x							x																FSP:G-SP1H660PRV11			7588	
	SP 1y L1,4h Rt,5x9					x	x	x																														FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24					x	x	x																														FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9					x						x	x	x				x	x	x	x	x					x	x	x					x	x		FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24					x						x	x	x				x	x	x	x	x					x	x	x					x	x		FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 1OServ 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 1RServ 4CPU,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1R700PRRC1			3744	
	SP 1y ROR 1Serv 8CPU,5x9																																					FSP:G-SP1R800PRRC1			447	
	SP 1y Upgrade STD to ADV,5x9						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1SL03PRV07			595	
	SP 1y vSphere STD,5x9						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24						x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Aq.,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Aq.,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Aq.,5x9					x	x	x				x	x	x					x	x	x						x	x	x					x	x		FSP:G-SP1UB00PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9				x	x	x	x		x	x	x	x	x		x	x	x	x	x			x	x	x	x				x	x						FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9				x	x	x	x		x	x	x	x	x		x	x	x	x	x			x	x	x	x				x	x						FSP:G-SP1X500PRXTN			203	
	SP 1y 1,2,3 x10sure IS base,5x9																			x																		FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP1XS03PRV04			217	
	SP 1y RCVE Std.(MA),5x9																																					FSP:G-SP1Y100PRRC1			794	
	SP 1y RCVE Std.(Aq),5x9																																					FSP:G-SP1Y300PRRC1			174	
	SP 3y ENT (6 CPU+VC STD) Acc Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24					x						x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24						x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24					x	x	x				x	x	x					x	x	x	x					x	x	x					x	x		FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9												x	x						x	x						x	x	x					x	x		FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24												x	x						x	x						x	x	x					x	x		FSP:G-SP3F103PRXD2			349	

Rack Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX900 S1	PRIMERGY RX900 S2	PRIMERGY RX1300	PRIMERGY RX1600	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																							
Software Services (Continued)																																							
	SP 3y Citrix XS EE,5x9												x	x							x	x					x	x	x				x	x		FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24												x	x							x	x					x	x	x				x	x		FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9												x	x							x	x					x	x	x				x	x		FSP:G-SP3F300PRXD2			1396	
	SP 3y Citrix XS PE,7x24												x	x							x	x					x	x	x				x	x		FSP:G-SP3F303PRXD2			1884	
	SP 3y L1,4h Rt,5x9					x	x	x																												FSP:G-SP3L160PRL63			956	
	SP 3y L1,4h Rt,7x24					x	x	x																												FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9							x					x	x	x				x	x	x	x	x				x	x	x				x	x		FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24							x					x	x	x				x	x	x	x	x				x	x	x				x	x		FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9																			x																FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24																			x																FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3R700PRRC1			11232	
	SP 3y ROR 1Serv 8CPU,5x9																																	x	x		FSP:G-SP3R800PRRC1			1342	
	SP 3y Upgrade STD to ADV,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3ST03PRV04			560	
	SP 3y S&U, 1Man.,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Aq.,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Aq.,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Aq.,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9					x	x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24					x	x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9					x	x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24					x	x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3VS03PRV09			2163	
	SP 3y Upgrade ESXi to ENT-PL,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SP3XS03PRV04			560	
	SP 3y RCVE Std.(MA),5x9																																	x	x		FSP:G-SP3Y100PRRC1			2383	
	SP 3y RCVE Std.(Ag),5x9																																	x	x		FSP:G-SP3Y300PRRC1			522	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9					x	x	x					x	x	x																					FSP:G-SPAVND0PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24					x	x	x					x	x	x																					FSP:G-SPAVND3PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24					x	x	x					x	x	x					x	x	x					x	x	x							FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC STD) Acc Kit,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9						x	x					x	x	x					x	x	x	x	x			x	x	x	x			x	x		FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24						x	x					x	x	x					x	x	x	x	x			x	x	x	x			x	x		FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9												x	x						x	x	x	x				x	x	x				x	x		FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24												x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24						x	x					x	x	x					x	x	x	x				x	x	x				x	x		FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9						x	x						x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24						x	x						x	x					x	x	x					x	x	x				x	x		FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9												x	x						x		x					x									FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24												x	x						x		x					x									FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9												x	x						x		x					x									FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24												x	x						x		x					x									FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24					x	x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9												x	x						x		x					x									FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24												x	x						x		x					x									FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24						x	x					x	x	x					x	x	x					x	x	x				x	x		FSP:G-SPTXS03PRV04			217	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services																													
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	x	FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	x	FSP:G-SP1AE03PRV07			595	
	SP 1y Ess-PL,7x24	SP 1 year VMware Essentials-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x			x	x				x	x	x			x	x	x		x	x	FSP:G-SP1BR03PRV08			883	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C703PRXD1			436	

Rack Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C800PRXD1			1613	
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x			x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x			x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP1F303PRXD2			628	
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 4 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x											FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 8 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x											FSP:G-SP1H260PRV11			529	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 16 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x										FSP:G-SP1H360PRV11			1000	
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 32 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x										FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 64 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x										FSP:G-SP1H560PRV11			3824	
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 128 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase								x					x										FSP:G-SP1H660PRV11			7588	
	SP 1y L1,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x	x																			FSP:G-SP1L160PRL63			382	
	SP 1y L1,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E601		x	x	x																			FSP:G-SP1L163PRL63			822	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611		x				x	x	x		x	x	x	x	x			x	x	x		x	x	FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611		x				x	x	x		x	x	x	x	x			x	x	x		x	x	FSP:G-SP1L263PRL63			822	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1R700PRRC1			3744	
	SP 1y ROR 1Serv 8CPU,5x9	SP 1 year ServerView ROR support (1 Server) 8CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP1R800PRRC1			447	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1SL03PRV07			595	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1VS03PRV09			847	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x	FSP:G-SP1X500PRXTN			203	
	SP 1y 1,2,3 x10sure IS base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure IS base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase													x										FSP:G-SP1X700PRXTN			462	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP1XS03PRV04			217	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 1y RCVE Std.(MA),5x9	SP 1 year ServerView RCVE Std. (Manager) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP1Y100PRRC1			794	
	SP 1y RCVE Std.(Ag),5x9	SP 1 year ServerView RCVE Std. (1 Agent) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP1Y300PRRC1			174	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C500PRXD1			3066	
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C603PRXD1			8277	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x				x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F103PRXD2			349	
	SP 3y Citrix XS EE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F300PRXD2			1396	
	SP 3y Citrix XS PE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase							x	x				x	x				x	x	x		x	x	FSP:G-SP3F303PRXD2			1884	
	SP 3y L1,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x	x																				FSP:G-SP3L160PRL63			956	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 3y L1,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 1 CPU), prerequisite: Subscription S26361-F2346-E602		x	x	x																			FSP:G-SP3L163PRL63			2056	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612				x		x	x	x		x	x	x	x	x			x	x	x		x	x	FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612				x		x	x	x		x	x	x	x	x			x	x	x		x	x	FSP:G-SP3L263PRL63			2056	
	SP 3y L5,4h Rt,5x9	Service Pack classic 3 years Software Service, 4h remote response time, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for											x												FSP:G-SP3L560PRL63			1141	
	SP 3y L5,4h Rt,7x24	Service Pack classic 3 years Software Service, 2h remote response time 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux ES SAP All-in-One (1 Server up to 32 CPU). Subscription S26361-F2346-L669 is prerequisite for											x												FSP:G-SP3L563PRL63			2168	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3R700PRRC1			11232	
	SP 3y ROR 1Serv 8CPU,5x9	SP 3 years ServerView ROR support (1 Server) 8CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP3R800PRRC1			1342	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3ST03PRV04			560	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x		x	x	FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3VS03PRV09			2163	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SP3XS03PRV04			560	
	SP 3y RCVE Std.(MA),5x9	SP 3 years ServerView RCVE Std. (Manager) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP3Y100PRRC1			2383	
	SP 3y RCVE Std.(Ag),5x9	SP 3 years ServerView RCVE Std. (1 Agent) 8CPU Class V2, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																					x	x	FSP:G-SP3Y300PRRC1			522	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAA200PRV07			499	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE503PRV08			504	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS100PRV06			410	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAU300PRV09			714	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV103PRV10			252	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x															FSP:G-SPAVN00PRV04			373	
	SP Xtend 1y to 2y vSphere Std+VMotion(<V4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere Standard + VMotion (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x															FSP:G-SPAVN03PRV04			434	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAX200PRV04			185	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD		x	x	x		x	x	x			x	x	x				x	x	x				FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTA300PRV06			2551	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	x	FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x	x		x	x	x	x	x	x	FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x	x	x			x	x	x		x	x	FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x			x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x			x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSD03PRV05			373	
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSE03PRV06			484	

Category	Description	Details	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX100 S7	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX800	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Software Services (Continued)																													
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase		x	x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase						x	x				x	x		x			x						FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x		x	x	x			x	x	x	x			x	x	x		x	x	FSP:G-SPTXS03PRV04			217	

Positioning PRIMERGY Blade Servers

PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equiped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.

PRIMERGY SX650

The introduction of this new component for PRIMERGY Blade Servers offers an easy and cost effective opportunity for server consolidation; rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises.
Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models.
Operation within confined environments as file servers as well as for Microsoft Sharepoint Servers and Microsoft SQL Servers are popular usage cases.

PRIMERGY BX900 S1

The PRIMERGY BX900 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem quad-core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.

PRIMERGY BX920 S1

The PRIMERGY BX920 is a versatile blade server that can be equipted with 2 Intel® Xeon® 5500 series Dual, Quad or Turbo Quad-Core processors and has 9 DDR RAM memory slots. With two hard disk bays for 2.5-inch hot-plug SAS and an integrated SAS RAID 0/1 controller it is an ideal system for any type of workload.

PRIMERGY BX900 S1 — Data Sheets: http://ts.fujitsu.com/primergy

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.
The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.
Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.
Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX900 S1							
	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200			4900	Phased out
	PY BX900 S1 System Unit without PSU	10 U Systemunit without Server Blades, 1x MMB, no PSU, ServerView Suite, All emtpy slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V300			3106	

PRIMERGY BX920 S2

Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX920 S2							
	PY BX920 S2 /XEON E5620/4GB 1333 RG D/	PY BX920 S2 /XEON E5620/4GB 1333 RG D/ SINGLE PACKAGE/ ,	VFY:B9202SC010IN			1465	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX920 S2							
	PY BX920 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1353-V200			898	

PRIMERGY BX922 S2 — Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX922 S2							
	PY BX922 S2 DUAL SERVER BLADE /	PY BX922 S2 DUAL SERVER BLADE / XEON E5620/4GB 1333 RG D/SINGLE PACKAGE/ ,	VFY:B9222SC010IN			1453	
	PY BX922 S2 DUAL SERVER BLADE /	PY BX922 S2 DUAL SERVER BLADE / XEON E5645/4GB 1333 RG D/SINGLE PACKAGE/ ,	VFY:B9222SC020IN			1588	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX922 S2							
	PY BX922 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, max 2x CPU, max. 12 DIMM, w/o SSD, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1247-V200			872	

PRIMERGY BX924 S2 — Data Sheets: http://ts.fujitsu.com/primergy

All-round blade server packing lots of compute power in a small form factor.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY BX924 S2							
	PY BX924 S2 DUAL SERVER BLADE /	PY BX924 S2 DUAL SERVER BLADE / 2X XEON E5620/2x4GB 1333 RG D/ SINGLE PACKAGE/ ,	VFY:B9242SC010IN			2047	
	PY BX924 S2 DUAL SERVER BLADE /	PY BX924 S2 DUAL SERVER BLADE / XEON E5645/2x4GB 1333 RG D/ SINGLE PACKAGE/ ,	VFY:B9242SC020IN			2318	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX924 S2							
	PY BX924 S2 Dual Server Blade	Dual Server Blade, base unit without processor and memory, max 2x CPU, max. 18 DIMM, w/o SSD, for PRIMERGY BX900 S1 and BX400 S1	S26361-K1341-V200			988	

Model	Description	Details	Product Code	Partner Price (NRP)	Trade Guide Price (TGP)	End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE BX620 S6							
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for internal HDD`s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	803	845	945	

Quad Blade Server

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BX960 S1							
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200			3180	Phased out

Quad Processor high end rack mountaible Server

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY RX900 S1							
	PY RX900S1	Rack mountable server 19" (8U) incl. 2 hot plug power supply modules; 4x hot plug fans (redundant); 4x CPUMEMRiser for one XEON 7500 CPU and max. 4x4 DDR3 DIMM modules each; 8 drive bays for hot plug 2.5" SAS HDDs/SSDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 6x 1GB Ethernet ports WOL capable; 2x 10GB Ethernet ports; 16x PCIe 2.0 slots, 4x hot plug; SAS RAID controller optional; LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1361-V800			16922	Phased out
PRIMERGY RX900 S2							
	PY RX900S2	Rack mountable server 19" (8U) incl. 2 hot plug power supply modules; 4x hot plug fans (redundant); 4x CPUMEMRiser for one XEON E7-8800 CPU and max. 4x4 DDR3 LV DIMM modules each; 8 drive bays for hot plug 2.5" SAS HDDs/SSDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 6x 1GB Ethernet ports WOL capable; 2x 10GB Ethernet ports; 16x PCIe 2.0 slots, 4x hot plug; SAS RAID controller optional; LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K1403-V800			16922	

PRIMERGY SX650 Data Sheets: http://ts.fujitsu.com/primergy

To extend the internal storage capacity of a PRIMERGY BX620 S4 Dual Socket Server Blade, the PRIMERGY SX650 Storage Blade can be used.
With this product the internal storage capacity of a BX620 S4 can be extended by up to 730 Gbyte. The Storage Blade SX650 occupies one additional Server Blade slot within the PRIMERGY BX600 S3 System Unit, positioned at the right side of an adjacent BX620 S4 Server Blade. The 5 hard disk drives of the SX650 are driven by a high functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via one corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY BLADE SX650							
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500			740	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520			740	

PRIMERGY SX940 S1 — Data Sheets: http://ts.fujitsu.com/primergy

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92 x Server Blades.
A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blad e occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midp lane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX940 S1							
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200			815	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
PRIMERGY SX910 S1							
	PY SX910 S1 TAPE /RAID 0/1 SAS 4P/		VFY:S9101SC010IN			882	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMERGY SX910 S1							
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200			1144	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 eBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual IOP	PRIMERGY BLADE BX630 Dual IMP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY Blade Frame BF200	PRIMERGY Blade Frame BF Upgrade	PRIMERGY Blade Frame BF400	PRIMERGY Blade Frame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY gBLADE BSx20	PRIMERGY gBLADE BSx40	PRIMERGY gBLADE BH20	PRIMERGY gBLADE BH40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																											
Processor																															x	x											
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																			S26361-F4423-L200			253	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F4425-L240			445	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F4425-L266			859	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F4427-L266			1005	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F4427-L280			1208	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																																			S26361-F4429-L213			634	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																																			S26361-F4431-L226			1079	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink								x																											S26361-F4434-L200			253	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																											S26361-F4435-L240			445	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																											S26361-F4435-L266			859	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																											S26361-F4436-L266			1005	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																											S26361-F4436-L280			1208	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink								x																											S26361-F4437-L213			634	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink								x																											S26361-F4438-L226			1079	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																											S26361-F4499-L160			241	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink								x																											S26361-F4499-L213			268	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																											S26361-F4500-L240			595	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink								x																											S26361-F4500-L253			820	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																											S26361-F4501-L306			1389	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink								x																											S26361-F4502-L320			1389	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																															x	x			S26361-F4507-L160			241	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																															x	x			S26361-F4507-L213			268	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																															x	x			S26361-F4508-L240			595	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																															x	x			S26361-F4508-L253			820	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																															x	x			S26361-F4509-L306			1389	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																															x				S26361-F4510-L320			1389	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																															x				S26361-F4513-L293			820	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																															x				S26361-F4513-L346			1716	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																															x				S26361-F4513-L360			1716	
Memory																																											
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x																																			S26361-F3072-L523			427	Phased out
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x																																	S26361-F3230-L524			488	Phased out
	4GB 2x2GB DDR2-800 PC2-6400 rg ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																								S26361-F3550-L512			226	Phased out
	8GB 2x4GB DDR2-800 PC2-6400 rg d ECC	2 modules, registered DDR2 800MHz with SDDC													x	x																								S26361-F3550-L513			522	Phased out
	16GB 2x8GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC					x																																	S26361-F3263-L525			1876	Phased out
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x				S26361-F4003-L643			276	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x				S26361-F4003-L642			398	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x				S26361-F4003-L644			706	Phased out
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																	x				S26361-F4003-L645			673	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFb40	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																											
Memory (Continued)																																											
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																																x					S26361-F4003-L646			1846	
Memory Modules																																											
	4 GB DDR3 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM								x																					x	x	x						S26361-F4412-L510			99	
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM								x																					x	x	x						S26361-F4413-L513			42	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																					x	x	x						S26361-F4412-L513			73	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																					x	x	x						S26361-F4412-L515			168	
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode								x																				x									S26361-F3995-L513			65	Phased out
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																				x									S26361-F3993-L513			89	Phased out
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (module(s) 16 GB) 1066 MHz, PC3-8500, DIMM								x																					x	x	x						S26361-F4412-L516			462	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																				x									S26361-F3993-L514			159	Phased out
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s ECC	4 GB (1 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x																					x	x	x						S26361-F4415-L510			99	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																				x									S26361-F3993-L515			299	Phased out
	16GB DDR3-1066 PC3-8500 rg q ECC	1 module 16GB 1066MHz, quad rank, Registered DDR3 DIMM with SDDC = Chipkill, Single module for Independent Mode																												x									S26361-F3994-L516			1374	Phased out
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																					x	x	x						S26361-F4415-L515			168	
Removable Media Drives																																											
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black																						x																S26361-F3269-L2			73	
	Blu-ray Combo slimeline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, black																						x																S26361-F3531-L2			218	Phased out
Hard Disks																																											
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x																													S26361-F3998-L32			560	
	BX922 S2 disk drive mounting kit	BX922 Disk drive mounting kit																																	x					S26361-F4008-L1			60	
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, non hot plug, 2.5-inch, enterprise																																	x	x		x	x	S26361-F4008-L32			560	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, non hot plug, 2.5-inch, enterprise																																	x	x		x	x	S26361-F4008-L64			974	Phased out
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																																				x	x	S26361-F4468-L1			31	
	BX900 Mezz./Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																																				x	x	S26361-F4469-L1			31	
	HD SATA 3G 160GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non hot plug, 2.5-inch, economic																																	x					S26361-F3599-L160			133	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																												x	x									S26361-F3297-L160			133	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic					x			x	x																													S26361-F3515-L160			133	
	HD SATA 3G 320GB 5.4K NO HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic																																	x					S26361-F3599-L320			167	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L114			212	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L130			385	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																												x	x									S26361-F3297-L320			167	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch					x			x	x																													S26361-F3515-L320			167	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L145			509	
	HD SATA 3GB/s 1TB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x																													S26361-F3600-L100			246	
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L160			598	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																						x	x															S26361-F3297-L500			176	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L573			272	
	HD SATA 3GB/s 250GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x																													S26361-F3600-L250			168	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																						x																S26361-F3292-L514			392	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical								x	x																													S26361-F3600-L500			176	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise																						x	x																S26361-F3298-L32			560	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																						x	x																S26361-F3601-L250			168	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																						x																S26361-F3601-L500			185	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical																						x	x																S26361-F3601-L100			246	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise										x	x	x	x																										S26361-F3204-L530			354	Phased out
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise										x	x	x	x																										S26361-F3204-L545			453	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L114			181	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L130			212	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L145			416	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L160			507	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L190			645	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L573			191	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																																	x					S26361-F4482-L514			249	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise				x	x			x	x					x	x																								S26361-F3208-L114			212	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x			x	x					x	x																								S26361-F3208-L130			381	
	HD SAS 3GB/s 450GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x			x	x					x	x																								S26361-F3208-L145			509	
	HD SAS 3GB/s 600GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise					x			x	x					x	x																								S26361-F3208-L160			598	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise				x	x			x	x					x	x																								S26361-F3208-L573			269	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise					x			x	x					x	x																								S26361-F3208-L514			388	
SCSI/RAID/SAS controller																																											
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI			x							x	x	x																											S26361-F2399-L1			253	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI				x	x																																	S26361-F2737-L201			253	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile								x	x																													S26361-F3271-L201			180	
	RAID Ctrl SAS 6G 8Port ex 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU								x																														S26361-F3593-L501			505	
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008								x																														S26361-F3628-L501			222	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX100	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX900	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																										
SCSI/RAID/SAS controller (Continued)																																										
	RAID Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E					x		x	x																												S26361-F3890-L12			149	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU					x		x																												S26361-F3890-L501			633	Phased out
SATA/SAS controller																																										
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks					x		x																												S26361-F3207-L41			295	Phased out
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks								x																												S26361-F3207-L42			278	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks					x		x	x																												S26361-F3207-L51			758	
Fibre Channel																																										
	PY BX600 FC Mezz Card 4GB 2Port (FC42E)	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)					x		x	x						x	x																					S26361-F3306-L601			531	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel				x	x		x	x						x	x																					S26361-F3451-L1			274	
	FC Ctrl 2x4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.				x	x																														S26361-F3483-L202			1635	Phased out
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber								x																												S26361-F3631-L202			1294	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface					x																															S26361-F3306-L201			1006	Phased out
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface				x	x		x																													S26361-F3306-L202			1549	Phased out
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber					x			x																												S26361-F3961-L202			1294	
Connection Blades																																										
	FC SFP MMF 4GB LC (Brocade)	Brocade hot-pluggable SFP module, 4 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																					x			x	x											S26361-F3873-L104			111	
	FC SFP+ MMF 8GB LC (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), Multi-Mode Fiber with LC connector																					x			x	x											S26361-F3873-L108			209	
	PY CB FC License Up 12 Port (Brocade)	Upgrade license for Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers. The port upgrade license increases the number of useable port from 14 to 26. This upgrade license can only be added to the switch S26361-K1305-V14.																					x			x	x											S26361-F3873-L12			4314	
	FC SFP SMF 4GB LC 4km (Brocade)	Brocade hot-pluggable SFP module (4km), 4 GB/s Long-Wavelength Laser (SWL), Single-Mode Fiber with LC connector																					x			x	x											S26361-F3873-L204			445	
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector																					x			x	x											S26361-F3873-L208			1340	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																					x			x	x											S26361-F3986-L1			171	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades																					x			x	x											S26361-F3986-L2			94	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755.. For multi-mode short-range fiber optic cables up to 300m.																					x			x	x											S26361-F3986-L3			346	
	CX4 Stacking Cable 0.5m	for PY CB Eth Switch/IBP 1GB 36/8+2																					x			x	x											S26361-F3989-L305			193	
	CX4 Stacking Cable 3.0m	for PY CB Eth Switch/IBP 1GB 36/8+2																					x			x	x											S26361-F3989-L330			159	
	Infiniband Cu Cable 40GB, 4x QSFP, 1m																						x			x	x											S26361-F3996-L101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m																						x			x	x											S26361-F3996-L103			104	
Mezzanine Cards																																										
	PY Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex CNA OCe10102., The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addintion the Fibre Channel over Ethernet (FCoE) protcol is fully handled in hardware on the card.																															x	x	x		x	x		S26361-F3592-L502			768	
	PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																															x	x	x	x				S26361-F3992-L2			1053	
	PY Eth Mezz Card 10GB 2 Port V2	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																															x	x	x	x	x	x	x	S26361-F3997-L1			479	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																															x	x	x	x	x	x	x	S26361-F3331-L1			419	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8, The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																															x	x	x	x	x	x	x	S26361-F3874-L1			539	
	PY SAS HBA Mezz Card 6GB	SAS/SATA HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0																															x	x	x	x				S26361-F4480-L1			168	Deliverable from: 22/10/2011,Orderable from: 31/10/2011
	PY SAS RAID Mezz Card 6GB	SAS/SATA RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0																															x	x	x	x				S26361-F4481-L1			299	
	RAID Mezz iBBU Upgrade	BBU Upgrade for LSI SAS2108																															x	x	x	x				S26361-F4481-L10			154	
	RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2.																															x							S26361-F4481-L20			25	
Communication/Network																																										
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																						x	x	x													S26361-F3206-L6			1600	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI				x	x																															S26361-F3227-L202			193	Phased out
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x	x		x																													S26361-F3228-L201			151	Phased out
	Accessory Pack BladeFrame BF400	Accessory pack for System Unit BF400/BF400 S2, Contains important information, max 1x per System Unit BF400 / BF400 S2																		x		x	x															S26361-F3229-L998			4	
	PY BladeFrame BF200 accessory pack	for Rack mounting in 19" PRIMECENTER Racks																			x																	S26361-F3229-L999			75	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter				x	x																															S26361-F3241-L201			78	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter				x	x																															S26361-F3242-L201			207	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket				x	x																															S26361-F3462-L1			419	Phased out
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket				x	x																															S26361-F3462-L201			422	Phased out
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit								x																													S26361-F3610-L502			132	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x8 Low Profile, SFP+ for opt. module or Twinax cable								x																													S26361-F3592-L202			1018	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x																													S26361-F3592-L108			342	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BR420	PRIMERGY pBLADE BR540	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																											
Communication/Network (Continued)																																											
	Eth Ctrl 2x1GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables							x																																S26361-F3555-L501			693	Phased out
	Intel SFP+ Module MMF 10GBE LC	Intel Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC							x																																S26361-F3555-L900			632	
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules																								x															S26361-F3024-L10			1855	Phased out
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																								x															S26361-F3144-L14			7441	Phased out
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x	x							x	x	x																											S26361-F3011-L1			193	Phased out
	PY BX600 Eth IBP 1GB 30/12	Interfaces: external 6x RJ45 sockets , - please read configuration hints!																								x	x															S26361-F3859-L1			2722	Phased out
Rack-Infrastructure																																												
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC rack, 2U up to 150kg																						x																	S26361-F2735-L15			21	
	Adapter angle PC-Rack, 10U till 200Kg	Adapter angle PC/DC-Rack, 10U till 200Kg																										x	x												S26361-F2735-L41			47	
	Server Blade Dummy BX92x	Dummy CPU Blade for BX92x Server Blade																						x				x	x												S26361-F3025-L2			31	
	Connection Blade Dummy BX400/BX900	Dummy CPU Blade for BX92x Server Blade																						x				x	x												S26361-F3025-L3			31	
	Management Blade Dummy BX400/BX900	Dummy CPU Blade for BX92x Server Blade																						x				x	x												S26361-F3025-L4			31	
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks																					x		x	x	x														S26361-F2201-L20			42	
PRIMERGY-Software																																												
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection													x	x																										S26361-F1790-L240			256	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																				x	x	x	x	x	x	x			S26361-F2565-L318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x		x	x																				x	x	x	x	x	x	x			S26361-F2565-L328			21	Phased out
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x														x									S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x														x									S26361-F2565-L341			89	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x														x									S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x		x	x					x	x														x									S26361-F2565-L343			89	
	iSCSI SW Target 3.2 (64-bit) EMB	including update 1							x	x																					x	x								S26361-F2565-L564			8	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. ROK DVD, License.					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L20			325	
	MS SysCtr Essntls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L30			98	
	MS SysCtr Essntls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack., OSE = Operating System Environment					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L31			76	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x																				x	x	x	x	x	x	x			S26361-F2567-L310			439	Phased out
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								x																					x	x	x	x	x	x			S26361-F2567-L311			440	
	Win Srv 2008 R2 Standard 5CAL PRC ROK	Only for Fujitsu distributors for distribution in People's Republic of China. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. ROK DVD, License.								x																					x	x	x	x	x				S26361-F2567-L318			360	
	MS SysCtr Essntls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack., OSE = Operating System Environment					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L32			367	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.							x	x																				x									S26361-F2567-L320			1456	Phased out
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								x																					x	x	x	x	x	x			S26361-F2567-L321			1456	
	MS SysCtr Essntls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L33			65	
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.							x	x																				x									S26361-F2567-L330			2321	Phased out
	Win Svr 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.								x																					x	x	x	x	x	x			S26361-F2567-L331			2321	
	Win Svr 2008 R2 SP1 Datactr 4CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.																																	x	x			S26361-F2567-L333			4641	
	MS SysCtr Essntls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.					x		x	x					x	x														x	x	x	x	x	x	x			S26361-F2567-L34			253	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.					x		x	x					x	x														x									S26361-F2567-L340			73	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.					x		x	x					x	x														x									S26361-F2567-L341			329	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.					x		x	x					x	x														x									S26361-F2567-L342			73	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.					x		x	x					x	x														x									S26361-F2567-L343			329	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L350			498	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L351			495	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L352			495	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L353			495	
	Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L354			495	
	Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L355			495	
	Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L356			495	
	Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License																													x	x	x	x					S26361-F2567-L357			495	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX630 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFe40	PRIMERGY pBLADE BR620	PRIMERGY pBLADE BF540	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																										
PRIMERGY-Software (Continued)																																											
	Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L358			495	
	Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L359			495	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																													x	x	x					S26361-F2567-L360			641	
	Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L370			753	
	Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L371			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L372			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L373			758	
	Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License																												x	x	x	x					S26361-F2567-L374			758	
	Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL;																												x	x	x	x					S26361-F2567-L380			39	
	Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL;																												x	x	x	x					S26361-F2567-L381			39	
	Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL;																												x	x	x	x					S26361-F2567-L382			167	
	Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL;																												x	x	x	x					S26361-F2567-L383			164	
	Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL;																												x	x	x	x					S26361-F2567-L384			47	
	Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL;																												x	x	x	x					S26361-F2567-L385			47	
	Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL;																												x	x	x	x					S26361-F2567-L386			201	
	Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL;																												x	x	x	x					S26361-F2567-L387			202	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.								x																				x	x	x	x	x	x			S26361-F2567-L390			21	
	Win Srvs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.								x																				x	x	x	x	x	x			S26361-F2567-L391			21	
	ServerView Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x						x							x	x	x						U15000-C302			120	Orderable from: 01/10/2011
	ServerView Depl. Mgr. 6 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x						x							x	x	x						U15000-C303			61	Orderable from: 01/10/2011
	FF4O-RE-AN Mono Server 2-Core	FF4O RE ApplicationNode RTU for server with one 2-core CPU					x		x	x																													U26004-C401			1754	
	FF4O-RE-AN Mono Server 4-Core	FF4O RE ApplicationNode RTU for server with one 4-core CPU					x		x	x																													U26004-C402			3509	
	FF4O-RE-AN Dual Server 2-Core	FF4O RE ApplicationNode RTU for Server with two 2-core CPU					x		x	x																													U26004-C403			3509	
	FF4O-RE-AN Dual Server 4-Core	FF4O RE ApplicationNode RTU for Server with two 4-core CPU					x		x	x																													U26004-C404			6140	
	FF4O-RE Spare Mono Server 2-Core	FF4O RE RTU for spare server with one 2-core CPU					x		x	x																													U26004-C405			877	
	FF4O-RE Spare Mono Server 4-Core	FF4O RE RTU for spare server with one 4-core CPU					x		x	x																													U26004-C406			1754	
	FF4O-RE Spare Dual Server 2-Core	FF4O RE RTU for spare server with two 2-core CPU					x		x	x																													U26004-C407			1754	
	FF4O-RE Spare Dual Server 4-Core	FF4O RE RTU for spare server with two 4-core CPU					x		x	x																													U26004-C408			3070	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO. CD-ROM and License.					x		x	x					x	x														x	x	x	x	x	x	x		S26361-F2565-L592			376	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x														x	x	x	x	x	x	x		S26361-F2565-L593			755	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath. CD-ROM and License.					x		x	x					x	x														x	x	x	x	x	x	x		S26361-F2565-L594			376	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.					x		x	x					x	x														x	x	x	x	x	x	x		S26361-F2565-L595			755	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases., The subscription is licensed only for PRIMERGY servers.	x				x		x	x		x	x	x	x	x						x		x		x				x	x	x						U15000-C176			184	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x									x	x	x	x	x						x		x						x	x	x						U15000-C289			21	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x		x	x	x	x	x	x	x	x	x						x								x	x	x						U15000-C299			25	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x						x								x	x	x						U15000-C300			120	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x		x	x		x	x	x	x	x	x						x								x	x	x						U15000-C301			61	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.					x		x	x					x	x														x	x	x	x	x	x			S26361-F2346-L611			215	
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.					x		x	x					x	x														x								S26361-F2346-L621			427	
	SUSE Linux ES BX600 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1 year subscription renewal.					x		x	x					x	x										x													S26361-F2346-L631			1075	
	SUSE Linux ES BX900 +1Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 1 year subscription renewal.																										x	x	x	x	x	x	x	x			S26361-F2346-L641			1938	
	SUSE Linux ES BX400 1Y	.SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 1 year subscription renewal.																						x						x	x	x	x	x	x	x		S26361-F2346-L651			856	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year																												x								S26361-F2346-L411			81	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years																												x								S26361-F2346-L412			195	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year																												x								S26361-F2346-L415			209	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years																												x								S26361-F2346-L416			502	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year																												x								S26361-F2346-L417			424	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years																												x								S26361-F2346-L418			1025	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!								x																					x	x	x	x	x				S26361-F2341-S702			769	
	VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!								x																					x	x	x	x	x				S26361-F2341-S703			2231	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFb40	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																											
PRIMERGY-Software (Continued)																																												
	VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S704			2231	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S705			2714	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S706			2714	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L707			807	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L708			807	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L709			2332	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L710			2332	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L711			2836	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L712			2836	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L730			8113	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L731			8113	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L732			14206	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L733			14206	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L734			17814	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L735			17814	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L740			3648	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!							x										x	x		x								x	x	x	x						S26361-F2341-L741			3648	
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S716			1527	
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S717			1527	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S718			2039	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S719			2039	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S720			506	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S721			506	
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S728			2854	
	VMware Upgrade VCS FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!							x																					x	x	x	x	x					S26361-F2341-S729			2854	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License			x	x	x		x	x	x	x	x	x	x	x		x	x		x									x	x	x	x	x					S26361-F2341-L300			68	
	VMware vSphere Embedded UFM Device DIS	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)								x	x																			x		x	x	x					S26361-F2341-D431			52	
OS/Application-SW																																												
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/cstorage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/cstorage/infodocs/basb115win/basb115win-compmatrix.asp					x		x	x						x		x		x															x	x	x	x	U15355-C720			346	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/cstorage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/cstorage/infodocs/basb115win/basb115win-compmatrix.asp					x		x							x		x		x															x	x	x	x	U15355-C723			219	
	ManageNow® for ITCM ManagedObjects Licens																												x	x	x	x	x	x	x	x				U24533-C400			1681	
UPS/Power supply																																												
	PY BX600 PSU 2100W (hot plug)	for PS redundancy (3./4. PSU), with power cord.																									x															S26113-F603-L2			672	Phased out
	PY BX900 Power Supply Unit 100-240V AC	for PS redundancy (4. - 6. PSU), with power cord 3m																										x														S26113-F606-L201			654	Phased out
	PY BX400 PSU (1600W)	PY BX400 Power Supply (1600 W/1100 W) incl. power cable IEC320 C19 -> IEC320 C20																						x																		S26113-F607-L200			449	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																										x	x													S26361-F3962-L100			244	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans																						x																		S26361-F4474-L100			132	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply100-240V AC, w/o power cable																										x	x													S26113-F606-L250			647	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp																											x	x													S26113-F606-L300			1014	Orderable from: 15/10/2011
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																						x		x	x	x	x													S26361-F3151-L300			25	
	Power cord IEC320 C19 - IEC320 C14	with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 10A IEC320 C13)																						x																		S26361-F3151-L350			13	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->CEE 7/7 (Schuko)																						x		x	x	x	x													S26361-F3151-L100			25	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																						x		x	x	x	x													S26361-F3151-L200			25	
Miscellaneous																																												

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX900	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFb40	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																										
Miscellaneous (Continued)																																											
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports																							x	x													S26361-F3144-L46			1661	Phased out
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016																							x	x													S26361-F3144-L47			2480	Phased out
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!								x																					x	x	x	x					S26361-F3552-L1			42	
FC/IP-Infrastructure																																										
	PY BX900 Management Blade S1	Redundant Management Blade																					x				x	x												S26361-F3962-L500			675	
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver																								x	x												S26361-F3024-L4			149	Phased out
	Adaptive Netw. (300) field activation	Brocade 300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License																					x				x	x												D:FCSW-SW300-AN-L			1344	
	Fabric Watch (300) field activation	Brocade 300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License, Not included in the Enterprise Bundle																					x				x	x												D:FCSW-SW300-FW-L			953	
Cables																																											
	PY BX900 Y-Cable frontside	PY BX900 Y-Cable frontside																														x	x	x	x	x	x			S26361-F4478-L1			52	
	Cable powercord rack, 4m	with Euro socket connector																					x																	T26139-Y1968-L10			13	
Additional Software																																											
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x							x	x	x			x		x			x		x	x													U11081-C157			13	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x						x													U11081-C171			987	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x						x													U11081-C177			493	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x							x	x	x			x		x			x		x	x													U11081-C183			26	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x		x	x													U11081-C186			987	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x							x	x	x			x		x			x		x	x													U11081-C192			396	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x							x	x	x			x		x			x		x	x													U11081-C199			13	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x							x	x	x			x		x			x		x	x													U11081-C201			26	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x		x	x													U11081-C202			1075	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x		x	x													U11081-C203			1749	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x		x	x													U11081-C204			3498	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x							x	x	x			x		x			x		x	x													U11081-C207			623	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x							x	x	x			x		x			x		x	x													U11081-C212			1075	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x							x	x	x			x		x			x		x	x													U11081-C213			1749	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x							x	x	x			x		x			x		x	x													U11081-C214			3498	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x							x	x	x			x		x			x		x	x													U11081-C217			623	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x				x	x	x	x	U11081-C301			1075	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x				x	x	x	x	U11081-C311			1075	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x				x	x	x	x	U11081-C321			439	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U11081-C302			1749	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U11081-C312			1749	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U11081-C322			714	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U11081-C303			3498	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U11081-C313			3498	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U11081-C323			1428	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x				x	x	x	x	x	x	x	x	x	U11081-C300			26	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x		x	x				x	x	x	x	x	x	x	x	x	U11081-C299			13	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x								U10987-C501			1075	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x								U10987-C513			1075	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x			x		x	x				x	x								U10987-C525			439	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U10987-C502			1749	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U10987-C514			1749	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x							x	x	x			x		x	x	x	x		x	x							x	x	x	x	x			U10987-C526			714	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C503			3498	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C515			3498	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C527			1428	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x													U10987-C504			4051	

Blade Servers Accessories

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 c/Blade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX300	PRIMERGY BX400 S1	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFb20	PRIMERGY pBLADE BFb40	PRIMERGY pBLADE BR20	PRIMERGY pBLADE BR40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																											
Additional Software (Continued)																																											
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x														U10987-C516			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x							x	x	x			x		x			x		x	x														U10987-C528			1654	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x														U10987-C505			5247	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x														U10987-C517			5247	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x							x	x	x			x		x			x		x	x														U10987-C529			2142	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				U10987-C499			13	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services																																			
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1A300PRV06			2551	
	SP 1y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 1 year VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1A303PRV06			3035	
	SP 1y ADV Acceleration Kit,5x9	, Service Pack 1 year VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1AD00PRV05			1501	
	SP 1y ADV Acceleration Kit,7x24	, Service Pack 1 year VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1AD03PRV05			1785	
	SP 1y Upgrade ADV to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x	x			x	x	x									x	x	x	x	x							FSP:G-SP1AE00PRV07			499	
	SP 1y Upgrade ADV to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x	x			x	x	x									x	x	x	x	x							FSP:G-SP1AE03PRV07			595	
	SP 1y Ess-PL,7x24	SP 1 year VMware Essentials-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x							x	x	x					x	x	x	x	x	x	x					FSP:G-SP1BR03PRV08			883	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C100PRXD1			86	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C103PRXD1			116	
	SP 1y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C200PRXD1			430	
	SP 1y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C203PRXD1			581	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C300PRXD1			861	
	SP 1y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C303PRXD1			1162	
	SP 1y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C400PRXD1			204	
	SP 1y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C403PRXD1			276	
	SP 1y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C500PRXD1			1022	
	SP 1y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C503PRXD1			1379	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C600PRXD1			2044	
	SP 1y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C603PRXD1			2759	
	SP 1y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C700PRXD1			323	
	SP 1y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 1 year 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C703PRXD1			436	
	SP 1y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x									x	x	x	x	x	x					FSP:G-SP1C800PRXD1			1613	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 1y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x					FSP:G-SP1C803PRXD1			2178	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x					FSP:G-SP1C900PRXD1			3227	
	SP 1y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 1 year 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x					FSP:G-SP1C903PRXD1			4356	
	SP 1y ENT PL 8 Acceleration Kit,5x9	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x					FSP:G-SP1E800PRV07			3771	
	SP 1y ENT PL 8 Acceleration Kit,7x24	, Service Pack 1 year VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x					FSP:G-SP1E803PRV07			4487	
	SP 1y Upgrade ESXi to ADV,5x9	, Service Pack 1 year VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1EA00PRV05			321	
	SP 1y Upgrade ESXi to ADV,7x24	, Service Pack 1 year VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1EA03PRV05			373	
	SP 1y Upgrade ENT to ENT PL,5x9	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1EE00PRV07			499	
	SP 1y Upgrade ENT to ENT PL,7x24	, Service Pack 1 year VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1EE03PRV07			595	
	SP 1y Essentials PL,5x9	, Service Pack 1 year VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x					FSP:G-SP1EP00PRV08			428	
	SP 1y Essentials PL,7x24	, Service Pack 1 year VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x					FSP:G-SP1EP03PRV08			504	
	SP 1y ESXi 4.0 Single Server,5x9	, Service Pack 1 year VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x														x	x	x	x	x	x					FSP:G-SP1EX00PRV01			340	
	SP 1y ESXi 4.0 Single Server,7x24	, Service Pack 1 year VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR			x	x														x	x	x	x	x	x					FSP:G-SP1EX03PRV01			403	
	SP 1y Citrix XS AE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F100PRXD2			86	
	SP 1y Citrix XS AE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F103PRXD2			116	
	SP 1y Citrix XS EE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F200PRXD2			234	
	SP 1y Citrix XS EE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F203PRXD2			316	
	SP 1y Citrix XS PE,5x9	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F300PRXD2			465	
	SP 1y Citrix XS PE,7x24	SP 1 year 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP1F303PRXD2			628	
	SP 1y HPC 2 hn + 4 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 4 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H160PRV11			294	
	SP 1y HPC 2 hn + 8 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 8 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H260PRV11			529	
	SP 1y HPC 2 hn + 16 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 16 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H360PRV11			1000	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 1y HPC 2 hn + 32 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 32 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H460PRV11			1941	
	SP 1y HPC 2 hn + 64 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 64 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H560PRV11			3824	
	SP 1y HPC 2 hn + 128 cn,4h Rt,5x9	SP 1 year HPC Software upto 2 hnodes + 128 cnodes, 4h response, 5x9, service partner specified, contact Fujitsu, valid in country of purchase																			x	x	x	x							FSP:G-SP1H660PRV11			7588	
	SP 1y L2,4h Rt,5x9	Service Pack 1 year Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611	x		x	x					x	x								x	x	x	x	x	x					FSP:G-SP1L260PRL63			382	
	SP 1y L2,4h Rt,7x24	Service Pack 1 year Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E611	x		x	x					x	x								x	x	x	x	x	x					FSP:G-SP1L263PRL63			822	
	SP 1y L3,4h Rt,5x9	Service Pack 1 year Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631	x		x	x					x	x					x													FSP:G-SP1L360PRL63			2005	
	SP 1y L3,4h Rt,7x24	Service Pack 1 year Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L631	x		x	x					x	x					x													FSP:G-SP1L363PRL63			3810	
	SP 1y L4,4h Rt,5x9	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641														x		x	x	x	x	x	x	x	x	x					FSP:G-SP1L460PRL63			3803	
	SP 1y L4,4h Rt,7x24	Service Pack Classic 1 year Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L641														x		x	x	x	x	x	x	x	x	x					FSP:G-SP1L463PRL63			7226	
	SP 1y ROR 1Serv 4CPU,5x9	SP 1 year ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP1R500PRRC1			224	
	SP 1y ROR 10Serv 4CPU,5x9	SP 1 year ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP1R600PRRC1			2080	
	SP 1y ROR 18Serv 4CPU,5x9	SP 1 year ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP1R700PRRC1			3744	
	SP 1y Upgrade STD to ADV,5x9	, Service Pack 1 year VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1SA00PRV05			321	
	SP 1y Upgrade STD to ADV,7x24	, Service Pack 1 year VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP1SA03PRV05			373	
	SP 1y vSphere ADV,5x9	, Service Pack 1 year VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1SD00PRV05			321	
	SP 1y vSphere ADV,7x24	, Service Pack 1 year VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1SD03PRV05			373	
	SP 1y vSphere ENT,5x9	, Service Pack 1 year VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1SE00PRV06			410	
	SP 1y vSphere ENT,7x24	, Service Pack 1 year VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1SE03PRV06			484	
	SP 1y vSphere ENT PL,5x9	, Service Pack 1 year VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1SL00PRV07			499	
	SP 1y vSphere ENT PL,7x24	, Service Pack 1 year VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP1SL03PRV07			595	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 1y vSphere STD,5x9	, Service Pack 1 year VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1ST00PRV04			185	
	SP 1y vSphere STD,7x24	, Service Pack 1 year VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP1ST03PRV04			220	
	SP 1y S&U, 1Man.,5x9	Service Pack 1 year Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1U500PRRC1			397	
	SP 1y S&U, 1Ag.,5x9	Service Pack 1 year Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1U600PRRC1			87	
	SP 1y S&U, 10Ag.,5x9	Service Pack 1 year Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1U700PRRC1			677	
	SP 1y S&U, 18Ag.,5x9	Service Pack 1 year Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Resource Coordinator VE	x		x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1U800PRRC1			1323	
	SP 1y Upgrade STD to ENT PL,5x9	, Service Pack 1 year VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1US00PRV07			499	
	SP 1y Upgrade STD to ENT PL,7x24	, Service Pack 1 year VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1US03PRV07			595	
	SP 1y Upgrade VC FND to STD,5x9	, Service Pack 1 year VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1UV00PRV09			714	
	SP 1y Upgrade VC FND to STD,7x24	, Service Pack 1 year VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1UV03PRV09			847	
	SP 1y vCenter FND,5x9	, Service Pack 1 year VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1VC00PRV09			368	
	SP 1y vCenter FND,7x24	, Service Pack 1 year VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1VC03PRV09			424	
	SP 1y vCenter STD,5x9	, Service Pack 1 year VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1VS00PRV09			714	
	SP 1y vCenter STD,7x24	, Service Pack 1 year VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1VS03PRV09			847	
	SP 1y Support and Subscription,5x9	SP 1 year Support and Subscription, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1W100PRV02			252	
	SP 1y Support and Subscription,7x24	SP 1 year Support and Subscription, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x	x	x					FSP:G-SP1W103PRV02			303	
	SP 1y 1,2,3 x10sure base,5x9	SP 1 year 1st, 2nd & 3rd level support and updates for x10sure base package (one Control Node + one Application Node), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x								x	x	x	x	x	x	x					FSP:G-SP1X300PRXTN			259	
	SP 1y 1,2,3 x10sure 1 Ap-or SpNode,5x9	SP 1 year 1st, 2nd & 3rd level support and updates x10sure for 1 additional Application- or Spare Node, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x		x	x		x	x								x	x	x	x	x	x	x					FSP:G-SP1X500PRXTN			203	
	SP 1y Upgrade ESXi to ENT-PL,5x9	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1XE00PRV07			499	
	SP 1y Upgrade ESXi to ENT-PL,7x24	, Service Pack 1 year VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP1XE03PRV07			595	
	SP 1y Upgrade ESXi to STD,5x9	, Service Pack 1 year VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1XS00PRV04			185	
	SP 1y Upgrade ESXi to STD,7x24	, Service Pack 1 year VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP1XS03PRV04			217	
	SP 1y SaS for SingSerLic,5x9	SP 1 year Support and Subscription for single server license, BX systems, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x	x	x					FSP:G-SP1Z100PRV02			189	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 1y SaS for SingSerLic,7x24	SP 1 year Support and Subscription for single server license, BX systems, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x									x		x	x	x	x	x	x	x	x					FSP:G-SP1Z103PRV02			200	
	SP 1y SaS for 8x Lice,5x9	SP 1 year Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x									x		x	x	x	x	x	x	x	x					FSP:G-SP1Z200PRV02			397	
	SP 1y SaS for 8x Lice,7x24	SP 1 year Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x									x		x	x	x	x	x	x	x	x					FSP:G-SP1Z203PRV02			421	
	SP 1y SaS for 18x Lice,5x9	SP 1 year Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x											x	x	x	x	x	x	x	x					FSP:G-SP1Z300PRV02			702	
	SP 1y SaS for 18x Lice,7x24	SP 1 year Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x											x	x	x	x	x	x	x	x					FSP:G-SP1Z303PRV02			744	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,5x9	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3A300PRV06			6489	
	SP 3y ENT (6 CPU+VC_STD) Acc Kit,7x24	SP 3 years VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3A303PRV06			7714	
	SP 3y ADV Acceleration Kit,5x9	, Service Pack 3 years VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3AD00PRV05			3827	
	SP 3y ADV Acceleration Kit,7x24	, Service Pack 3 years VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3AD03PRV05			4538	
	SP 3y Upgrade ADV to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3AE00PRV07			1274	
	SP 3y Upgrade ADV to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3AE03PRV07			1513	
	SP 3y 1,2,3 lev sup VDI Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C100PRXD1			258	
	SP 3y 1,2,3 level VDI Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C103PRXD1			349	
	SP 3y 1,2,3 lev sup VDI Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C200PRXD1			1291	
	SP 3y 1,2,3 level VDI Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C203PRXD1			1743	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C300PRXD1			2582	
	SP 3y 1,2,3 level VDI Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support VDI Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C303PRXD1			3485	
	SP 3y 1,2,3 lev sup Ent Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C400PRXD1			613	
	SP 3y 1,2,3 level Ent Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 10 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C403PRXD1			828	
	SP 3y 1,2,3 lev sup Ent Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C500PRXD1			3066	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 3y 1,2,3 level Ent Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C503PRXD1			4138	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C600PRXD1			6131	
	SP 3y 1,2,3 level Ent Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Enterprise Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C603PRXD1			8277	
	SP 3y 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp,5x9	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C700PRXD1			968	
	SP 3y 1,2,3 level Pla Edi,10U/Dev w/o XenApp,7x24	SP 3 years 1,2,3 lev sup Pla Edi,10U/Dev w/o XenApp, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C703PRXD1			1307	
	SP 3y 1,2,3 lev sup Pla Edi,50U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C800PRXD1			4840	
	SP 3y 1,2,3 level Pla Edi,50U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 50 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C803PRXD1			6534	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,5x9	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C900PRXD1			9681	
	SP 3y 1,2,3 level Pla Edi,100U/Dev w/o XenApp,7x24	SP 3 years 1st, 2nd & 3rd level support Platinum Edition, 100 User/Device without XenApp , 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3C903PRXD1			13069	
	SP 3y ENT PL 8 Acceleration Kit,5x9	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3E800PRV07			9620	
	SP 3y ENT PL 8 Acceleration Kit,7x24	, Service Pack 3 years VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3E803PRV07			11435	
	SP 3y Upgrade ESXi to ADV,5x9	, Service Pack 3 years VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3EA00PRV05			818	
	SP 3y Upgrade ESXi to ADV,7x24	, Service Pack 3 years VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3EA03PRV05			974	
	SP 3y Upgrade ENT to ENT PL,5x9	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3EE00PRV07			1274	
	SP 3y Upgrade ENT to ENT PL,7x24	, Service Pack 3 years VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x							FSP:G-SP3EE03PRV07			1513	
	SP 3y Essentials PL,5x9	, Service Pack 3 years VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3EP00PRV08			1092	
	SP 3y Essentials PL,7x24	, Service Pack 3 years VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare Essentials PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3EP03PRV08			1301	
	SP 3y Citrix XS AE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x	x					FSP:G-SP3F100PRXD2			258	
	SP 3y Citrix XS AE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Advance Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x	x					FSP:G-SP3F103PRXD2			349	
	SP 3y Citrix XS EE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x	x					FSP:G-SP3F200PRXD2			702	
	SP 3y Citrix XS EE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Enterprise Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x	x					FSP:G-SP3F203PRXD2			947	
	SP 3y Citrix XS PE,5x9	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x	x					FSP:G-SP3F300PRXD2			1396	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 3y Citrix XS PE,7x24	SP 3 years 1st, 2nd & 3rd level support Ctrix XenServer Platinum Edition, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x															x	x	x	x	x	x					FSP:G-SP3F303PRXD2			1884	
	SP 3y L2,4h Rt,5x9	Service Pack 3 years Software Service, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612	x	x	x	x					x	x								x	x	x	x	x	x					FSP:G-SP3L260PRL63			956	
	SP 3y L2,4h Rt,7x24	Service Pack 3 years Software Service, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (1 Server with 32 CPU), prerequisite: Subscription S26361-F2346-E612	x	x	x	x					x	x								x	x	x	x	x	x					FSP:G-SP3L263PRL63			2056	
	SP 3y L3,4h Rt,5x9	Service Pack 3 years Software Service for BX600, 4h response, 5x9, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632	x		x	x					x	x					x													FSP:G-SP3L360PRL63			5013	
	SP 3y L3,4h Rt,7x24	Service Pack 3 years Software Service for BX600, 4h response, 7x24, service partner specified, contact FSC, valid in country of purchase for SUSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E632	x		x	x					x	x					x													FSP:G-SP3L363PRL63			9524	
	SP 3y L4,4h Rt,5x9	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 5x9, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-E642														x		x	x	x	x	x	x	x	x					FSP:G-SP3L460PRL63			10892	
	SP 3y L4,4h Rt,7x24	Service Pack Classic 3 years Software Service for BX900, 4h remote response, 7x24, Service partner Fujitsu. Central delivery remote for SuSE Linux Enterprise Server (complete Chassis), prerequisite: Subscription S26361-F2346-L642														x		x	x	x	x	x	x	x	x					FSP:G-SP3L463PRL63			20694	
	SP 3y ROR 1Serv 4CPU,5x9	SP 3 years ServerView ROR support (1 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3R500PRRC1			671	
	SP 3y ROR 10Serv 4CPU,5x9	SP 3 years ServerView ROR support (10 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3R600PRRC1			6240	
	SP 3y ROR 18Serv 4CPU,5x9	SP 3 years ServerView ROR support (18 Server) 4CPU Class V2 , 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3R700PRRC1			11232	
	SP 3y Upgrade STD to ADV,5x9	, Service Pack 3 years VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3SA00PRV05			818	
	SP 3y Upgrade STD to ADV,7x24	, Service Pack 3 years VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3SA03PRV05			974	
	SP 3y vSphere ADV,5x9	, Service Pack 3 years VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3SD00PRV05			818	
	SP 3y vSphere ADV,7x24	, Service Pack 3 years VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ADV	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3SD03PRV05			974	
	SP 3y vSphere ENT,5x9	, Service Pack 3 years VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3SE00PRV06			1051	
	SP 3y vSphere ENT,7x24	, Service Pack 3 years VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3SE03PRV06			1240	
	SP 3y vSphere ENT PL,5x9	, Service Pack 3 years VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3SL00PRV07			1274	
	SP 3y vSphere ENT PL,7x24	, Service Pack 3 years VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SP3SL03PRV07			1513	
	SP 3y vSphere STD,5x9	, Service Pack 3 years VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3ST00PRV04			471	
	SP 3y vSphere STD,7x24	, Service Pack 3 years VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	FSP:G-SP3ST03PRV04			560	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 3y S&U, 1Man.,5x9	SP 3 years Support & Update Subscription 1 Manager, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3U500PRRC1			1192	
	SP 3y S&U, 1Ag.,5x9	SP 3 years Support & Update Subscription 1 Agent, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3U600PRRC1			260	
	SP 3y S&U, 10Ag.,5x9	SP 3 years Support & Update Subscription 10 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3U700PRRC1			2032	
	SP 3y S&U, 18Ag.,5x9	SP 3 years Support & Update Subscription 18 Agents, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3U800PRRC1			3968	
	SP 3y Upgrade STD to ENT PL,5x9	Service Pack 3 years VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3US00PRV07			1274	
	SP 3y Upgrade STD to ENT PL,7x24	, Service Pack 3 years VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3US03PRV07			1513	
	SP 3y Upgrade VC FND to STD,5x9	, Service Pack 3 years VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3UV00PRV09			1821	
	SP 3y Upgrade VC FND to STD,7x24	, Service Pack 3 years VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3UV03PRV09			2163	
	SP 3y vCenter FND,5x9	, Service Pack 3 years VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3VC00PRV09			941	
	SP 3y vCenter FND,7x24	, Service Pack 3 years VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3VC03PRV09			1119	
	SP 3y vCenter STD,5x9	, Service Pack 3 years VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3VS00PRV09			1821	
	SP 3y vCenter STD,7x24	, Service Pack 3 years VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for Vmware vCenter FND	x		x	x					x	x								x	x	x	x	x	x	x					FSP:G-SP3VS03PRV09			2163	
	SP 3y Support and Subscription,5x9	SP 3 years Support and Subscription, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3W100PRV02			756	
	SP 3y Support and Subscription,7x24	SP 3 years Support and Subscription, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x	x	x	x	x	x	x	x	x	x					FSP:G-SP3W103PRV02			908	
	SP 3y Upgrade ESXi to ENT-PL,5x9	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3XE00PRV07			1274	
	SP 3y Upgrade ESXi to ENT-PL,7x24	, Service Pack 3 years VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere ENT PL	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3XE03PRV07			1513	
	SP 3y Upgrade ESXi to STD,5x9	, Service Pack 3 years VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3XS00PRV04			471	
	SP 3y Upgrade ESXi to STD,7x24	, Service Pack 3 years VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare vSphere STD	x		x	x					x	x								x	x	x	x	x						FSP:G-SP3XS03PRV04			560	
	SP 3y SaS for SingSerLic,5x9	SP 3 years Support and Subscription for single server license, BX systems, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x	x					FSP:G-SP3Z100PRV02			566	
	SP 3y SaS for SingSerLic,7x24	SP 3 years Support and Subscription for single server license, BX systems, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x	x					FSP:G-SP3Z103PRV02			600	
	SP 3y SaS for 8x Lice,5x9	SP 3 years Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x	x					FSP:G-SP3Z200PRV02			1191	
	SP 3y SaS for 8x Lice,7x24	SP 3 years Support and Subscription for x8 license bundle, designed for, but not limited to BX400, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x										x		x	x	x	x	x	x	x	x					FSP:G-SP3Z203PRV02			1263	
	SP 3y SaS for 18x Lice,5x9	SP 3 years Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x	x	x					FSP:G-SP3Z300PRV02			2105	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP 3y SaS for 18x Lice,7x24	SP 3 years Support and Subscription for x18 license bundle, designed for, but not limited to BX900, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x												x	x	x	x	x	x	x	x					FSP:G-SP3Z303PRV02			2231	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAA100PRV05			1501	
	SP Xtend 1y to 2y ADV Acceleration Kit (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware ADV Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAA103PRV05			1785	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAA200PRV07			499	
	SP Xtend 1y to 2y Upgrade ADV to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ADV to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAA203PRV07			595	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE100PRV07			2988	
	SP Xtend 1y to 2y ENT PL 6 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 6 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE103PRV07			3550	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE200PRV07			3771	
	SP Xtend 1y to 2y ENT PL 8 Acceleration Kit (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware ENT PL 8 Acceleration Kit (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE203PRV07			4487	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE300PRV05			321	
	SP Xtend 1y to 2y Upgrade ESXi to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE303PRV05			373	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE400PRV07			499	
	SP Xtend 1y to 2y Upgrade ENT to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ENT to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE403PRV07			595	
	SP Xtend 1y to 2y Essentials PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE500PRV08			428	
	SP Xtend 1y to 2y Essentials PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Essentials PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware Essentials PL	x	x	x	x		x	x		x	x								x	x	x								FSP:G-SPAE503PRV08			504	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAE700PRV01			340	
	SP Xtend 1y to 2y ESXi 4.0 Single Server (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware ESXi 4.0 Single Server (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMWare ESXi 4.0 Single SVR	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAE703PRV01			403	
	SP Xtend 1y to 2y vSphere ENT (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS100PRV06			410	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS300PRV05			321	
	SP Xtend 1y to 2y Upgrade STD to ADV (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ADV (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ADV	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS303PRV05			373	
	SP Xtend 1y to 2y vSphere ADV (<4.x),5x9	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS500PRV05			321	
	SP Xtend 1y to 2y vSphere ADV (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ADV (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS503PRV05			373	
	SP Xtend 1y to 2y vSphere ENT (<4.x),7x24	SP Prolongation from 1 year to 2 years VMware vSphere ENT (for available license < V4.x), 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS503PRV06			484	
	SP Xtend 1y to 2y vSphere STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS700PRV04			185	
	SP Xtend 1y to 2y vSphere STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere STD (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS703PRV04			217	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS800PRV07			499	
	SP Xtend 1y to 2y vSphere ENT PL (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vSphere ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAS803PRV07			595	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAU200PRV07			499	
	SP Xtend 1y to 2y Upgrade STD to ENT PL (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade STD to ENT PL (for available license < V4.x, support contract for VI3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAU203PRV07			595	
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for VI3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAU300PRV09			714	



Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend 1y to 2y Upgrade VC FND to STD (<4.x),7x2	Service Pack Prolongation from 1 year to 2 years VMware Upgrade VC FND to STD (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAU303PRV09			847	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),5	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV100PRV10			214	
	SP Xtend 1y to 2y View ENT Add 10 Clients (<4.x),7	Service Pack Prolongation from 1 year to 2 years VMware View ENT Add 10 Clients (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV103PRV10			252	
	SP Xtend 1y to 2y vCenter FND (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV200PRV09			368	
	SP Xtend 1y to 2y vCenter FND (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter FND (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV203PRV09			424	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV300PRV10			2138	
	SP Xtend 1y to 2y View ENT 100 Clients (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware View ENT 100 Clients (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV303PRV10			2551	
	SP Xtend 1y to 2y vCenter STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV400PRV09			714	
	SP Xtend 1y to 2y vCenter STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware vCenter STD (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vCenter FND	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV403PRV09			847	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV500PRV10			214	
	SP Xtend 1y to 2y View ENT Start 10 Clients (<4.x)	Service Pack Prolongation from 1 year to 2 years VMware View ENT Start 10 Clients (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware View ENT	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAV503PRV10			252	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),5x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAX100PRV07			499	
	SP Xtend 1y to 2y Upgrade ESXi to ENT-PL (<4.x),7x	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to ENT-PL (for available license < V4.x, support contract for V\3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere ENT PL	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAX103PRV07			595	
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),5x9	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for V\3.xx), 5x9, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAX200PRV04			185	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend 1y to 2y Upgrade ESXi to STD (<4.x),7x24	Service Pack Prolongation from 1 year to 2 years VMware Upgrade ESXi to STD (for available license < V4.x, support contract for V3.xx), 7x24, service partner specified, contact Fujitsu, valid in country of purchase for VMware vSphere STD	x	x	x	x		x	x		x	x								x	x	x									FSP:G-SPAX203PRV04			217	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,5x9	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTA300PRV06			2551	
	SP Xtend of 12m ENT (6 CPU+VC_STD) Acc Kit,7x24	SP Prolongation of 12 months VMware ENT (6 CPU+VC_STD) Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTA303PRV06			3035	
	SP Xtend of 12m ADV Acceleration Kit,5x9	SP Prolongation of 12 months VMware ADV Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTAD00PRV05			1501	
	SP Xtend of 12m ADV Acceleration Kit,7x24	SP Prolongation of 12 months VMware ADV Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTAD03PRV05			1785	
	SP Xtend of 12m Upgrade ADV to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTAE00PRV07			499	
	SP Xtend of 12m Upgrade ADV to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ADV to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTAE03PRV07			595	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x											FSP:G-SPTE600PRV07			2988	
	SP Xtend of 12m ENT PL 6 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 6 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x											FSP:G-SPTE603PRV07			3550	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,5x9	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTE800PRV07			3771	
	SP Xtend of 12m ENT PL 8 Acceleration Kit,7x24	SP Prolongation of 12 months VMware ENT PL 8 Acceleration Kit, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTE803PRV07			4487	
	SP Xtend of 12m Upgrade ESXi to ADV,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTEA00PRV05			321	
	SP Xtend of 12m Upgrade ESXi to ADV,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTEA03PRV05			373	
	SP Xtend of 12m Upgrade ENT to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTEE00PRV07			499	
	SP Xtend of 12m Upgrade ENT to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade ENT to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTEE03PRV07			595	
	SP Xtend of 12m Essentials PL,5x9	SP Prolongation of 12 months VMware Essentials PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTEP00PRV08			428	
	SP Xtend of 12m Essentials PL,7x24	SP Prolongation of 12 months VMware Essentials PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTEP03PRV08			504	
	SP Xtend of 12m ESXi 4.0 Single Server,5x9	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 5x9, service partner specified, contact Fujitsu, valid in country of purchase			x	x														x	x	x	x	x	x	x					FSP:G-SPTEX00PRV01			340	
	SP Xtend of 12m ESXi 4.0 Single Server,7x24	SP Prolongation of 12 months VMware ESXi 4.0 Single Server, 7x24, service partner specified, contact Fujitsu, valid in country of purchase			x	x														x	x	x	x	x	x	x					FSP:G-SPTEX03PRV01			403	
	SP Xtend of 12m Upgrade STD to ADV,5x9	SP Prolongation of 12 months VMware Upgrade STD to ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTSA00PRV05			321	
	SP Xtend of 12m Upgrade STD to ADV,7x24	SP Prolongation of 12 months VMware Upgrade STD to ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x											FSP:G-SPTSA03PRV05			373	
	SP Xtend of 12m vSphere ADV,5x9	SP Prolongation of 12 months VMware vSphere ADV, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTSD00PRV05			321	
	SP Xtend of 12m vSphere ADV,7x24	SP Prolongation of 12 months VMware vSphere ADV, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x					FSP:G-SPTSD03PRV05			373	



Blade Servers Services

Data Sheets: http://ts.fujitsu.com/primergy

Category	Description	Details	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX924 S3	PRIMERGY BX960 S1	PRIMERGY BX960 S2	PRIMERGY pBLADE BFa20	PRIMERGY pBLADE BFa40	PRIMERGY pBLADE BFi20	PRIMERGY pBLADE BFi40	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																																			
Software Services (Continued)																																			
	SP Xtend of 12m vSphere ENT,5x9	SP Prolongation of 12 months VMware vSphere ENT, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	FSP:G-SPTSE00PRV06			410	
	SP Xtend of 12m vSphere ENT,7x24	SP Prolongation of 12 months VMware vSphere ENT, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	FSP:G-SPTSE03PRV06			484	
	SP Xtend of 12m vSphere ENT PL,5x9	SP Prolongation of 12 months VMware vSphere ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x				FSP:G-SPTSL00PRV07			499	
	SP Xtend of 12m vSphere ENT PL,7x24	SP Prolongation of 12 months VMware vSphere ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x				FSP:G-SPTSL03PRV07			595	
	SP Xtend of 12m vSphere STD,5x9	SP Prolongation of 12 months VMware vSphere STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x		FSP:G-SPTST00PRV04			185	
	SP Xtend of 12m vSphere STD,7x24	SP Prolongation of 12 months VMware vSphere STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	FSP:G-SPTST03PRV04			217	
	SP Xtend of 12m Upgrade STD to ENT PL,5x9	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTUS00PRV07			499	
	SP Xtend of 12m Upgrade STD to ENT PL,7x24	SP Prolongation of 12 months VMware Upgrade STD to ENT PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTUS03PRV07			595	
	SP Xtend of 12m Upgrade VC FND to STD,5x9	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTUV00PRV09			714	
	SP Xtend of 12m Upgrade VC FND to STD,7x24	SP Prolongation of 12 months VMware Upgrade VC FND to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTUV03PRV09			847	
	SP Xtend of 12m View ENT Add 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVA00PRV10			214	
	SP Xtend of 12m View ENT Add 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Add 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVA03PRV10			252	
	SP Xtend of 12m vCenter FND,5x9	SP Prolongation of 12 months VMware vCenter FND, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x				FSP:G-SPTVC00PRV09			368	
	SP Xtend of 12m vCenter FND,7x24	SP Prolongation of 12 months VMware vCenter FND, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x				FSP:G-SPTVC03PRV09			424	
	SP Xtend of 12m View ENT 100 Clients,5x9	SP Prolongation of 12 months VMware View ENT 100 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVE00PRV10			2138	
	SP Xtend of 12m View ENT 100 Clients,7x24	SP Prolongation of 12 months VMware View ENT 100 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVE03PRV10			2551	
	SP Xtend of 12m vCenter STD,5x9	SP Prolongation of 12 months VMware vCenter STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x				FSP:G-SPTVS00PRV09			714	
	SP Xtend of 12m vCenter STD,7x24	SP Prolongation of 12 months VMware vCenter STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x	x	x	x	x	x	x				FSP:G-SPTVS03PRV09			847	
	SP Xtend of 12m View ENT Start 10 Clients,5x9	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVT00PRV10			214	
	SP Xtend of 12m View ENT Start 10 Clients,7x24	SP Prolongation of 12 months VMware View ENT Start 10 Clients, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x						x	x	x	x	x					x										FSP:G-SPTVT03PRV10			252	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTXE00PRV07			499	
	SP Xtend of 12m Upgrade ESXi to ENT-PL,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to ENT-PL, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTXE03PRV07			595	
	SP Xtend of 12m Upgrade ESXi to STD,5x9	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTXS00PRV04			185	
	SP Xtend of 12m Upgrade ESXi to STD,7x24	SP Prolongation of 12 months VMware Upgrade ESXi to STD, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x		x	x					x	x								x										FSP:G-SPTXS03PRV04			217	

Positioning PRIMEQUEST

PRIMEQUEST

PRIMEQUEST 580A server is Intel® 64-bit architecture (IA64) based high-end server for use in mission critical environments. They enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.
Combining the power of 64-bit Intel® Itanium® processors, the standard specifications of Microsoft® Windows and Linux operating systems and the wealth of market solutions with innovative fault immune system architecture for highest availability and business continuity, PRIMEQUEST server provide a new operational efficiency for business critical computing with truly open standards.
They hereby meet the demands of customers to expand the reach of open industry standards to include mission critical enterprise operations.

PRIMEQUEST 580A — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

The new PRIMEQUEST 580A is best choice for enterprises that are looking for a mission critical Intel® Itanium® based Linux or Windows platform to provide highest availability, robust performance and enhanced flexibility plus optimum resource usage.
Typical application areas for PRIMEQUEST 580A include large to largest-scale database systems and online transaction processing (OLTP) environments that require a fail-safe mission critical platform with flexibility for future growth.
PRIMEQUEST 580A offers flexible and scalable configuration capabilities for up to 32 Dual-Core processors and belonging I/O resources in a space-saving system cabinet. Automatic reconfiguration and flexible partitioning with up to 16 fail-safe, hardware isolated partitions using eXtended PARtitioning (XPAR) provide optimum resource usage with multiple OS instances.
The advanced system architecture incorporates two innovative key technologies that provide highest availability in a single system:
Mirror Mode and Flexible I/O (FIO).
With Mirror Mode, crossbar interconnects and memory modules can operate in duplex mode to isolate faults without causing a system halt, i.e. not influencing the IT production. FIO allows on demand reallocation of I/O resources to specific processing resources, which enables I/O to match throughput and performance requirements.
Enhanced performance (compared to the predecessors) and reliability of the new Dual-Core Intel® Itanium® 9100 series, large main memory capacities up to 2 Tbyte, high speed crossbar interconnect (up to 170 Gbyte/s throughput) and low memory latencies satisfy huge system and application bandwidth demands.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
PRIMEQUEST 1800E							
	PQ1800E Base Unit	System Board not mounted at shipment. (max. 4 System Boards) , - I/O Unit not mounted at shipment. (max. 2 I/O Units), - SAS Disk Unit not mounted at shipment. (max. 4 SAS Disk Units), - 1x Management Board and DVD-ROM drive mounted as standard., - 2x Power Supply Unit (PSU) mounted as standard., , At least one System Board and IO unit must be ordered with one base unit."	MCD3AC211S			38428	
	PQ 1800E2 Base Cabinet	System Board not mounted at shipment. (max. 4 System Boards) , - I/O Unit not mounted at shipment. (max. 2 I/O Units), - SAS Disk Unit not mounted at shipment. (max. 4 SAS Disk Units), - 1x Management Board and DVD-ROM drive mounted as standard., - 2x Power Supply Unit (PSU) mounted as standard., , At least one System Board and IO unit must be ordered with one base unit."	MCE3AC111S			27948	
Primequest IO box							
	PQ1800E/E2 IOBOX 12 PCIE SLOT		MC-0HPB21S			18777	

PRIMEQUEST Accessories

Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest 580A	Product Code			End User Price (RRP)	Comments
Accessories & services matrix														
Rack-Infrastructure														
	USB Cable 5m Connector A-B	USB cable kit for direct connection Rack Console to PQ	x	x	x	x	x	x	x	T26139-Y2660-L5			13	
PRIMERGY-Software														
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L340			20	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L341			89	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L342			20	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x	S26361-F2565-L343			89	
Additional Software														
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C504			4051	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C516			4051	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU							x	U10987-C528			1654	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0							x	U10987-C500			32	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions							x	U10987-C499			13	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
Processor									
	System Board	"For 32GB memory (8GB DIMM x4) use., - CPU not mounted. (max 2 CPUs), - Memory module not mounted. (max 8 memory modules), - 4x USB and 1x VGA ports included on one system board. , , At least one CPU and memory module must be ordered with one system board."	x		MC-3HSB21			13799	
	System Board	"For 32GB memory (8GB DIMM x4) use., - CPU not mounted. (max 2 CPUs), - Memory module not mounted. (max 8 memory modules), - 4x USB and 1x VGA ports included on one system board. , , At least one CPU and memory module must be ordered with one system board."	x		MC-3HSB31			17293	
	I/O Unit	- Max. two I/O Units can be mounted in one server., At least one I/O unit must be mounted., - 8x LAN ports for one I/O unit, - 2x SAS ports for one I/O unit, - Max. 8x PCI Express cards can be mounted, - One PCI Box can be connected for one I/O Unit, - Two SAS Disk unit can be connected to one I/O unit	x		MC-3HUX11			12576	
	I/O Unit	- Max. two I/O Units can be mounted in one server., At least one I/O unit must be mounted., - 8x LAN ports for one I/O unit, - 2x SAS ports for one I/O unit, - Max. 8x PCI Express cards can be mounted, - One PCI Box can be connected for one I/O Unit, - Two SAS Disk unit can be connected to one I/O unit	x		MC-3HUX21			12576	
	MMB	One Management Board mounted as standard, , Max. two Management Board can be mounted., - Adding one board makes Management Board for redundandancy., - 4x LAN ports mounted on one Management Board., (2x for user, 1x for REMCS, 1x for maintenance)	x		MC-5HMM11			3144	
PRIMERGY-Software									
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x		S26361-F2565-E318			21	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x		S26361-F2565-E328			21	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E310			453	Phased out

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
PRIMERGY-Software (Continued)									
	Win Srv 2008 R2 Standard 5CAL PRC OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) Simplified Chinese. OEM DVD, License.	x		S26361-F2567-E318			360	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E320			1456	Phased out
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E330			2321	Phased out
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		S26361-F2567-E332			4641	Phased out
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x		S26361-F2346-S101			282	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x		S26361-F2346-S102			767	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x		S26361-F2346-S103			425	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x		S26361-F2346-S104			1151	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x		S26361-F2346-S105			709	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x		S26361-F2346-S106			1919	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x		S26361-F2346-S111			460	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x		S26361-F2346-S112			1247	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x		S26361-F2346-S113			698	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x		S26361-F2346-S114			1872	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x		S26361-F2346-S115			1162	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x		S26361-F2346-S116			3119	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S121			188	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S122			519	

PRIMEQUEST Options — Data Sheets: http://ts.fujitsu.com/PRIMEQUEST

Category	Description	Details	PRIMEQUEST 1800E	Primequest IO box	Product Code			End User Price (RRP)	Comments
Options matrix									
PRIMERGY-Software (Continued)									
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S131			378	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S132			1048	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S141			94	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S142			260	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S151			94	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S152			260	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S161			94	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S162			260	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x		S26361-F2346-S171			118	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x		S26361-F2346-S172			325	
UPS/Power supply									
	PCIBOX PSU red.(200VAC)1xPSU	Redundant Power Feed Option for PCI Box , , - This Option is necessary If Redundant Power Feed or Dual Power Feed Option of Base Cabinet was selected. , - Max one option can be ordered for one PCI box, - 1 x PSU, 1 x 200VAC power cable (3m)		x	MC-0HPS11S			856	
	PSU for dps, 2PSU, 2 200VAC power cords	- 2x Power Supply Unit	x		MC-5HDP11S			5764	
	Red. PSU One PSU, one 200VACpc	- 1x Power Supply Unit	x		MC-6HPS11S			3144	
SW Data Center Products									
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2	x		U11420-C907			3	

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX80 iSCSI

The FibreCAT SX80 iSCSI is the iSCSI model of the FibreCAT SX family .

ETERNUS DX60

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

ETERNUS DX80

The ETERNUS DX80 offers quality and reliability.
The machine supports all relevant RAID levels. (0, 1, 5, 1+0, 5+0 and 6).

FibreCAT SX40

FibreCAT SX40 extends storage capacity and eliminates bottlenecks

FibreCAT SX60

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.

FibreCAT SX80

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.

Positioning Storage Disk Systems — Data Sheets: http://ts.fujitsu.com/storage

FibreCAT SX88

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.

FibreCAT SX100

The FibreCAT SX 100 – the enterprise model of the FibreCAT SX Family

FibreCAT CX4

FibreCAT CX4 for highest flexibility and scalability with UltraFlex™ - Storage goes future.

CentricStor FS

CentricStor FS (File Services) – Consolidated file services with unprecedented speed and reliability

FibreCAT SX40 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers. With a height of 2U, the FibreCAT SX40 subsystem meets the requirements for a compact design with high hard disk capacity in 19-inch rack infrastructures.Up to 12 SAS hard disks offer a total maximum capacity of 3.6 Tbytes in an external housing. Cascading of up to 3 FibreCAT SX40s via the second SAS x4 link permits expansion to a maximum of 10.8 Tbytes of external hard disk capacity.
In the FibreCAT SX40 storage subsystem, the active components – hot-plug hard disks and hot-plug power supply modules – can be replaced while the server is running. The redundant hot-plug power supply units can be connected with phase redundancy via separate power lines. Optimum and secure cooling of the hard disks is ensured by 2 independent fans in each power supply unit.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT SX40							
	FibreCAT SX40 SAS Disk Subsystem	19" rack mountable storage expansion unit (2U) for 12 hot replace SAS HD incl. rack mounting kit,1x SAS input/output module and redundant hot plug power supplies with power cords.	S26361-K1122-V200			1974	

FibreCAT CX4 — Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT CX4 series meets a full range of needs from departmental applications to enterprise-class business-critical systems by leveraging innovative technologies like Flash drives, UltraFlex™ technology and Virtual Provisioning. The unique combination of flexible, scalable hardware design and advanced software capabilities helps to cut costs and minimize energy use whilst optimizing availability and virtualization.
The FibreCAT CX4 series includes the models 120, 240, 480 and 960 which reflects the number of maximum drives. All models are delivered pre-configured with Fibre Channel and iSCSI connectivity allowing customers to choose the best connectivity for their applications. The FibreCAT CX4 series, optimized for virtualized environments, uniquely combines highest availability with ease of use and energy efficient technology at lowest TCO.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX4 ExpansionShelf							
	FibreCAT CX4 Expansion. empty	High-Availability-HDD-Frame 19", 3 hight units,, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material.	D:FCXS4D00-B			3697	

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX60 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batteries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power failure.
The ETERNUS DX60 systems are equipped with 4 Gigabit per second fibre channel technology. The standard machine comes with 8 snapshots and can be extended to 512 snapshots.
The very affordable ETERNUS DX60 systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			2998	
	V4Y ET DX60 1x FC 4G2P 5x300GB		VFY:DX600XF040IN			4898	
	V4Y ET DX60 1x FC 4G2P 2x300GB		VFY:DX600XF020IN			3057	
	V4Y ET DX60 1x FC 4G2P 2x450GB		VFY:DX600XF080IN			3057	
	V4Y ET DX60 1xiSCSI 2x450GB		VFY:DX600XF070IN			2970	
	V4Y ET DX60 1xiSCSI 2x300GB		VFY:DX600XF060IN			2833	
	V4Y ET DX60 1x iSCSI 4X 300GB		VFY:DX600XF090IN			4396	
	V4Y ET DX60 1x iSCSI 4x 1 TB		VFY:DX600XF120IN			4220	
	V4Y ET DX60 1x iSCSI 2x 2TB		VFY:DX600XF130IN			3933	
	V4Y ET DX60 1xiSCSI 2x1TB 7.2k		VFY:DX600XF050IN			2718	
	V4Y ET DX60 1x SAS 2x 300 GB		VFY:DX600XF110IN			2744	
ETERNUS DX60 S2 2.5							
	V4Y ET DX602 2,5" 1x FC 4G2P 6x300GB		VFY:DX620XF510IN			5179	
ETERNUS DX60 S2 3.5							
	V4Y ET DX602 1x FC 4G2P 2x300GB		VFY:DX620XF010IN			3744	
	V4Y ET DX602 1x FC 4G2P 2x1.0TB		VFY:DX620XF020IN			3762	
	V4Y ET DX602 1x iSCSI 2X 300GB		VFY:DX620XF030IN			3571	
	V4Y ET DX602 1x iSCSI 2x 2TB		VFY:DX620XF040IN			3846	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	ETERNUS DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F12AG			2631	
	ETERNUS DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22AG			4127	

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 (Continued)							
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L12AG			2396	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L22AG			3522	
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S12AG			2396	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S22AG			3522	
ETERNUS DX60 2.5							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks wit one FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)r	FTS:ET06F12BG			3122	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22BG			4574	
ETERNUS DX60 S2 2.5							
	ET DX60 S2 Base 2.5 Contr.x2 FC 4G	ETERNUS DX60 S2 (2.5inch, 4GBps, FC, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with FC 4G 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCFU			4209	
	ET DX60 S2 Base 2.5 Contr.x2 iSCSI 1G	ETERNUS DX60 S2 (2.5inch, 1GBps, iSCSI, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with iSCSI 1GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCLU			4783	
	ET DX60 S2 Base 2.5 Contr.x2 SAS 3G	ETERNUS DX60 S2 (2.5inch, 3GBps, SAS, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with SAS 3GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCSU			4783	
	ET DX60 S2 Base 2.5 Contr.x1 FC 4G	ETERNUS DX60 S2 (2.5inch, 4GBps, FC, single-controller), 1x 2.5" Controller Enclosure, 1x Controller(with FC 4G 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCFU			3300	
	ET DX60 S2 Base 2.5 Contr.x1 iSCSI 1G	ETERNUS DX60 S2 (2.5inch, 1GBps, iSCSI, single-controller), 1x 2.5" Controller Enclosure, 1x Controller (with iSCSI 1GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCLU			3514	
	ET DX60 S2 Base 2.5 Contr.x1 SAS 3G	ETERNUS DX60 S2 (2.5inch, 3GBps, SAS, single-controller), 1x 2.5" Controller Enclosure, 1x Controller (with SAS 3GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCSU			3514	
ETERNUS DX60 S2 3.5							

ETERNUS DX60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 S2 3.5 (Continued)							
	ET DX60 S2 Base 3.5 Contr.x2 FC 4G	ETERNUS DX60 S2 (3.5inch, 4GBps, FC, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with FC 4G 2port), 2x 1 GB cache, 2x AC cable 4m, 1x Rackmount Kit , Manual CD	FTS:ET062DDFU			3924	
	ET DX60 S2 Base 3.5 Contr.x2 iSCSI 1G	ETERNUS DX60 S2 (3.5inch, 1GBps, iSCSI, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with iSCSI 1GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DDLU			4366	
	ET DX60 S2 Base 3.5 Contr.x2 SAS 3G	ETERNUS DX60 S2 (3.5inch, 3GBps, SAS, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with SAS 3GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DDSU			4282	
	ET DX60 S2 Base 3.5 Contr.x1 FC 4G	ETERNUS DX60 S2 (3.5inch, 4GBps, FC, single-controller), 1x 3.5" Controller Enclosure, 1x Controller(with FC 4G 2port), 1x 1 GB cache, 2x AC cable 4m, 1x Rackmount Kit , Manual CD	FTS:ET062SDFU			3120	
	ET DX60 S2 Base 3.5 Contr.x1 iSCSI 1G	ETERNUS DX60 S2 (3.5inch, 1GBps, iSCSI, single-controller), 1x 3.5" Controller Enclosure, 1x Controller (with iSCSI 1GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SDLU			2918	
	ET DX60 S2 Base 3.5 Contr.x1 SAS 3G	ETERNUS DX60 S2 (3.5inch, 3GBps, SAS, single-controller), 1x 3.5" Controller Enclosure, 1x Controller (with SAS 3GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SDSU			2920	
ETERNUS DX60 S2 3.5 Expa							
	ET DX60 S2 DriveEncl. 3.5 EXP Mod. x1	Drive enclosure for DX60 S2 (3.5inch, single-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED1DU			2009	
	ET DX60 S2 DriveEncl. 3.5 EXP Mod. x2	Drive enclosure for DX60 S2 (3.5inch, dual-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED2DU			2746	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			2009	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS – Reliable Storage Solutions for your Dynamic Infrastructures

The ETERNUS DX80 offers quality and reliability. The machine supports all relevant RAID levels (0, 1, 5, 1+0, 5+0 and 6) and features like RAID migration to migrate data dynamically between disks or Data Block Guard to ensure data integrity. Instead of traditional batt eries the CacheProtector feature uses capacitors to write the content of the RAID controller cache to a flash memory in case of power f ailure.
The ETERNUS DX80 systems meet with 8 Gigabit per second fibre channel technology the requirements for data center operations. The standard machine is equipped with 8 snapshots and can be extended to 1024 snapshots.
The very affordable ETERNUS DX systems are easy to operate with the pre-installed graphical user interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80							
	V4Y ET DX80 1x FC 4G2P 12x450 GB		VFY:DX800XF180IN			8135	Phased out
	V4Y ET DX80 1x FC 4G2P 2x450GB		VFY:DX800XF030IN			4404	Phased out
	V4Y ET DX80 1x FC 4G2P 3x 450 GB		VFY:DX800XF150IN			5352	Phased out
	V4Y ET DX80 1x FC 4G2P 2x 300 GB		VFY:DX800XF100IN			4535	Phased out
	V4Y ET DX80 1x FC 4G2P 2x1TB		VFY:DX800XF020IN			4166	Phased out
ETERNUS DX80 2.5							
	VFY ET DX80 2,5" 1x FC 8G2P 12x300 GB		VFY:DX800XF500IN			8941	Phased out
	VFY ET DX80 2,5" 2x FC 8G2P 5x300GB		VFY:DX800XF530IN			12410	Phased out
	VFY ET DX80 2,5" 2x FC 8G2P 5x600GB		VFY:DX800XF540IN			13181	Phased out
ETERNUS DX80 S2 2.5							
	V4Y ETDX802 2.5" 1CO 1DB 8G2P 4x300GB		VFY:DX820XF510IN			5255	
	V4Y ETDX802 2.5" 1CO 1DB 8G2P 2x600GB		VFY:DX820XF530IN			6086	
ETERNUS DX80 S2 3.5							
	V4Y ETDX802 1CO 1DB 8G2P 2x300GB		VFY:DX820XF010IN			4652	
	V4Y ETDX802 1CO 1DB 8G2P 2x450GB		VFY:DX820XF020IN			4833	
	V4Y ETDX802 1CO 1DB 8G2P 2x 1TB		VFY:DX820XF030IN			4772	
	V4Y ETDX802 1CO 1DB 8G2P 2x600GB		VFY:DX820XF040IN			4893	
	V4Y ETDX802 1CO 1DB iSCSI 1G 2x300GB		VFY:DX820XF050IN			4652	
	V4Y ETDX802 1CO 1DB iSCSI 10G 2x600GB		VFY:DX820XF060IN			5437	
	V4Y ETDX802 1CO 1DB SAS 2x300GB		VFY:DX820XF070IN			4470	
	V4Y ETDX802 1CO 1DB FCOE 2x600GB		VFY:DX820XF080IN			5437	
	V4Y ETDX802 1CO 1DB 8G2P 2x1TB		VFY:DX820XF090IN			4867	
	V4Y ETDX802 1CO 1DB 8G2P 2x2TB		VFY:DX820XF100IN			5125	
	V4Y ETDX802 1CO 1DB 8G2P 5x600GB		VFY:DX820XF110IN			6407	
	V4Y ETDX802 1CO 1DB iSCSI 10G 2x2TB		VFY:DX820XF120IN			5467	
	V4Y ETDX802 3.5" 1CO 1DB iSCSI 1G1x600GB		VFY:DX820XF130IN			4326	Orderable from: 01/10/2011
	V4Y ETDX802 3.5" 1CO 1DB iSCSI 1G 2x 2TB		VFY:DX820XF140IN			4638	Orderable from: 01/10/2011

ETERNUS DX80 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX80 S2 3.5 (Continued)							

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 S2 2.5							
	ET DX80 S2 Base 2.5 Contr. x2	• Controller Enclosure 2.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082DCU			7056	
	ET DX80 S2 Base 2.5 Contr. x1	• Controller Enclosure 2.5", - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SCU			4385	
ETERNUS DX80 S2 3.5							
	ET DX80 S2 Base 3.5 Contr. x2	• Controller Enclosure 3.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V,2.5m) x 2, • Rack mount kit x 1	FTS:ET082DDU			7056	
	ET DX80 S2 Base 3.5 Contr. x1	• Controller Enclosure 3.5" , - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SDU			4385	
ETERNUS DX8090 S2 2.5 Expa							
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU			2061	
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2CU			2555	
ETERNUS DX8090 S2 3.5 Expa							
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU			2061	
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU			2555	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT CX ATA ExpansionShelf							
	FibreCAT CX ATA-Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXADR-00D			6816	Phased out
FibreCAT CX ExpansionShelf							
	FibreCAT CX S2 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material., 2 Interlink cable (FC2-HSSDC), 2 Interlink cable (FC1-HSSDC), Point to Point connection with 2GBit Switch for each drive.	D:FCXS2D-00D			3982	
	FibreCAT CX Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXDR-00D			3982	Phased out

| Category | Description | Details | ETERNUS DX60 S2 | ETERNUS DX60 S2 | ETERNUS DX60 S2 Fiber Channel | ETERNUS DX60 S2 2.5" 6 Drive | ETERNUS DX60 S2 2.5" 8 Drive | ETERNUS DX60 S2 | ETERNUS DX60 S3 3.5" 6 Drive | ETERNUS DX60 S3 3.5" 8 Drive | ETERNUS DX60 S3 3.5" 8 Drive Expansion | ETERNUS DX60 S3 | ETERNUS DX60 S3 2.5" 8 | ETERNUS DX60 S3 2.5" 8 Drive | ETERNUS DX60 S3 2.5" 8 Drive Expansion | ETERNUS DX60 S3 2.5" 16 Drive | ETERNUS DX60 S3 | ETERNUS DX60 S3 3.5" 6 Drive | ETERNUS DX60 S3 3.5" 8 Drive | ETERNUS DX100 S3 | ETERNUS DX100 S3 3.5" 8 Drive | ETERNUS DX100 S3 | ETERNUS DX100 S3 3.5" 8 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 8 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 8 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 16 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 16 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 24 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 24 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 48 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 48 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 80 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 80 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 120 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 120 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 168 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 168 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 240 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 240 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 320 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 320 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 480 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 480 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 640 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 640 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 960 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 960 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1280 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1280 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1600 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1600 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1920 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 1920 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2240 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2240 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2560 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2560 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2880 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 2880 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 3200 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 3200 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 3840 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 3840 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 4480 Drive | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5" 4480 Drive Expansion | ETERNUS DX200 S3 | ETERNUS DX200 S3 3.5"

Accessories Storage Disk Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | ETERNUS DX100 S3 | ETERNUS DX200 S3 | ETERNUS DX200 S3 Fibre upgrade | ETERNUS DX60 / DX 1 S3 Fibre | ETERNUS DX80 / DX 2 S3 Fibre | ETERNUS DX90 | ETERNUS DX90 S3 2.5 | ETERNUS DX90 S3 3.5 | ETERNUS DX90 S3 3.5 Fibre Expansion | ETERNUS DX90 S3 | ETERNUS DX60 S3 2.5 | ETERNUS DX60 S3 3.5 | ETERNUS DX60 S3 3.5 Fibre | ETERNUS DX80 S3 2.5 | ETERNUS DX80 S3 2.5 Fibre | ETERNUS DX80 S3 3.5 | ETERNUS DX80 S3 3.5 Fibre | ETERNUS LT60 | ETERNUS LT60 S2 | ETERNUS LT60 S2 | SecuTCS CS AX4 supported | SecuTCS CS DX supported | SecuTCS CS Disk/vtl/SAF | SecuTCS CS/ 3500 Private | SecuTCS CS 3AC | SecuTCS CS 3BC | SecuTCS CS 4C | SecuTCS CS 4B | SecuTCS CS 3B | SecuTCS CS Disk/vtl/SAF | SecuTCS CS 4AC | SecuTCS CS 4BC | SecuTCS CS 4AC | SecuTCS CS 4BC | SecuTCS CS 3BB | SecuTCS CS 3BC | SecuTCS CS 3B | SecuTCS CS 4B | SecuTCS CS 4BB

Accessories Storage Disk Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | ETERNUS DX100 S3 | ETERNUS DX200 S3 | ETERNUS DX200 S3 Fibre Channel | ETERNUS DX60 / DX 80 S2 2.5 Zoll | ETERNUS DX60 / DX 80 S2 3.5 Zoll | ETERNUS DX60 / DX 80 S2 | ETERNUS DX60 S3 2.5 Zoll | ETERNUS DX60 S3 3.5 Zoll | ETERNUS DX60 S3 3.5 Zoll Expansion | ETERNUS DX80 | ETERNUS DX90 S3 2.5 Zoll | ETERNUS DX90 S3 3.5 Zoll | ETERNUS DX80 S3 2.5 Zoll | ETERNUS DX80 S3 3.5 Zoll | ETERNUS DX80 2.5" | ETERNUS DX80 3.5" | ETERNUS DX80 S3 2.5 | ETERNUS DX80 S3 3.5 | ETERNUS LT60 | ETERNUS LT60 S2 | ETERNUS LT60 S2 | ETERNUS LT60 S2 | FibreCAT CX 4 Gb/s equivalent | FibreCAT CX 4 Gb/s equivalent | FibreCAT CX 4 Gb/s equivalent

Accessories Storage Disk Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category / Description — Accessories & servers matrix

| Details | ETERNUS DX100 S4 | ETERNUS DX200 S4 | ETERNUS DX440 S2 | ETERNUS DX100 S3 FBC upgrade | ETERNUS DX60 / DX 80 S2 to S3 Upgr. | ETERNUS DX80 / DX 90 S2 to S3 Upgr. | ETERNUS DX80 S3 | ETERNUS DX80 S3 2 x 8Gb FC Expansion | ETERNUS DX90 S3 | ETERNUS DX90 S3 2 x 8Gb FC | ETERNUS DX90 S3 2 x 8 Gb/s SAS | ETERNUS DX90 S3 2 x 8 Gb/s iSCSI | ETERNUS DX400 S3 | ETERNUS DX400 S3 2 x 8 Gb/s FC | ETERNUS DX400 S3 2 x 8 Gb/s SAS | ETERNUS DX400 S3 2 x 8 Gb/s iSCSI | ETERNUS LT60 S2 | ETERNUS LT60 | ETERNUS LT60 S2 | ETERNUS LT60 S2 | FibreCAT CX 4 Gb/s expandable | FibreCAT CX 4 Gb/s non-expandable | FibreCAT CX Disk Projects | FibreCAT CX 600 Projects | FibreCAT CX 500 | FibreCAT CX 500 J40 | FibreCAT CX 40 | FibreCAT CX 40 J40 | FibreCAT CX 20 | FibreCAT CX 20 J40 (Replacement) | FibreCAT CX 400 | FibreCAT CX 4x0 J40C | FibreCAT CX 4x0 J40E | FibreCAT CX 4x0 J40C | FibreCAT CX 600 | FibreCAT CX 600 J60B | FibreCAT FB 4x00 J60 | FibreCAT S1 SE Expansion | FibreCAT S1 SE | FibreCAT S1 SE Expansion | FibreCAT S1 ME | FibreCAT S1 ME Expansion | FibreCAT S1 ME 1000 (SC) | FibreCAT S1 ME 1000 Expansion | FibreCAT FX 600 | FibreCAT FX 600 J60 Expansion | FibreCAT FX 60 | FibreCAT FX 60 Expansion | FibreCAT FX 80 | FibreCAT FX 80 Expansion | FibreCAT FX 80 J80 Fibre Channel Cable | JBOD VDS Rack Cable | JBOD VDS Desktop | PTC Desktop Drive | PTC Cable | PTC Adapter | PTC FC-SATA HBA | PTC FC-SATA HBA for J80 | PTC FC-SAS HBA for J80 | Virtual Backbox | Virtual Desktop | Disk Peripherals | FUJITSU PRIMERGY Peripherals | FUJITSU PRIMERGY Peripheral Boxes | FUJITSU PRIMERGY SAS HP | FUJITSU PRIMERGY SAS HS | FUJITSU PRIMERGY SCSI | FUJITSU PRIMERGY SCSI | FUJITSU Transceiver | Product Code | Purchase Price (RRP) | Remarks |
|---|---|---

Accessories & services matrix

| Category | Description | Details | S26361-D1543-E12 | S26361-D1544-E12 | S26361-D1545 | S26361-D1545-F48 upgrade | S26361-D1541-E12 1 Expa | S26361-D1541-E12 2 Expa | S26361-D1540 | S26361-D1548-E12 1 Expa | S26361-D1548-E12 2 Expa | S26361-D1548-E12 3 Expansion | S26361-D1549 | S26361-D1546-E12 1 Expa | S26361-D1546-E12 2 Expa | S26361-D1546-E12 3 Expa | S26361-D1547 | S26361-D1547-E12 1 Expa | S26361-D1547-E12 2 Expa | S26361-D1547-E12 3 Expa | S26361-L750 | S26361-L752 | S26361-L762 | S26361-L762 | Fujitsu TCO-V-3141 equivalent | Fujitsu TCO-V-3142 equivalent | Fujitsu TCO-V-3143 equivalent | Fujitsu TCO-V-3144 | Fujitsu TCO-V-3145 | Fujitsu TCO-V-3146 | Fujitsu TCO-V-3147 | Fujitsu TCO-V-3148 (Tape Encryption) | Fujitsu TCO-V-3149 | Fujitsu TCO-V-3150 | Fujitsu TCO-V-3151 | Fujitsu TCO-V-3152 | Fujitsu TCO-V-3153 | Fujitsu TCO-V-3154 | Fujitsu TCO-V-3155 | Fujitsu TCO-V-3156 | Fujitsu TCO-V-3157 | Fujitsu TCO-V-3158 | Fujitsu TCO-V-3159 | Fujitsu TCO-V-3160 | Fujitsu TCO-V-3161 | Fujitsu TCO-V-3162 | Fujitsu TCO-V-3163 | Fujitsu TCO-V-3164 | Fujitsu TCO-V-3165 | Fujitsu TCO-V-3166 | Fujitsu TCO-V-3167 | Fujitsu TCO-V-3168 | Fujitsu TCO-V-3169 | Fujitsu TCO-V-3170 | Fujitsu TCO-V-3171 | Fujitsu TCO-V-3172 | Fujitsu TCO-V-3173 | Fujitsu TCO-V-3174 | Fujitsu TCO-V-3175 | Fujitsu TCO-V-3176 | Fujitsu TCO-V-3177 | Jetty 5 Rack 19U | Jetty 5 Rack 38U | Jetty SLB/SE/SE2/SE3LIB/B | Jetty SLB/SE/SE2/SE3LIB/B | PRIMERGY VOS Node Locker | PRIMERGY VOS Node Locker | PTC DLI Library Drive | PTC DLI LTO | PTC Magazin | PTC ISC AX A7 M | PTC ISC AX A7 M | PTC ISC AX 40U for 28U | Virtual Starline | Virtual Starline | Disk Peripherals | Disk Peripherals | FUJITSU PRIMERGY Peripherals | FUJITSU PRIMERGY Peripherals | PRIMERGY SAS/F | PRIMERGY SAS/S | PRIMERGY SAS | PRIMERGY SAS | FUJITSU PRIMERGY | Product Code | | Purchase Price (RRP) | Comments |
|---|---|---

Accessories Storage Disk Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | ETERNUS LT 32 | ETERNUS LT 32 Upgrade | ETERNUS LT 32 Upgrade | ETERNUS LT 32 Upgrade

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	Product Code			End User Price (RRP)	Comments
Accessories & services matrix									
Software Services									
	SP 3y ET SF DX4xx/DX8xxx,5x9	SP 3 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET00PRE01			192	
	SP 3y ET SF DX4xx/DX8xxx,7x24	SP 3 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET03PRE01			231	
	SP 4y ET SF DX4xx/DX8xxx,5x9	SP 4 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET00PRE01			245	
	SP 4y ET SF DX4xx/DX8xxx,7x24	SP 4 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET03PRE01			295	
	SP 5y ET SF DX4xx/DX8xxx,5x9	SP 5 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET00PRE01			294	
	SP 5y ET SF DX4xx/DX8xxx,7x24	SP 5 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET03PRE01			353	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,5x9	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET00PRE01			67	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,7x24	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET03PRE01			81	

Positioning Storage Tape Systems

LTO Desktop

Available with one LTO-1 or LTO-2 drive for rapid data transfer. Because time is of the essence.

SL500

The rack-mounted library scales from 30 to 575 LTO cartridge slots and accommodates up to 18 tape drives.

SCALAR i500

Midrange Tape Library with modular design provides industry-leading scalability, performance, and reliability.

ETERNUS LT20

The ETERNUS LT20 is an ultra compact tape library with up to 8 media slots and one half geight LTO drives on one height unit for small and midsized companies

ETERNUS LT40

The ETERNUS LT40 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

ETERNUS LT60

The ETERNUS LT60 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

FibreCAT TXF

The innovative FibreCAT/ETERNUS storage subsystems from Fujitsu offer high quality, availability and are user-friendly. ETERNUS backup systems make data backup easy, reliable and low-priced. A large range of supported backup devices with SCSI, SAS or USB interfaces make this storage subsystem an individual, flexible solution for use in rack systems and high-availability environments. The ETERNUS backup systems meet the increased storage capacity requirements regarding archiving and data backup in data centers and can be used wherever medium to large data quantities have to be saved. FibreCAT storage subsystems from Fujitsu ensure that the basis of your company is retained.

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

ETERNUS CS is a powerful virtual tape solution that provides fully integrated Disk to Disk to Tape (D2D2T) backup. It offers data protection for all types of enterprise data. ETERNUS CS enables customers to consolidate their tape infrastructures, exploiting the best of both disk and tape.

ETERNUS CS uses a powerful Grid Architecture (CGA) to provide unmatched scalability and unmatched disaster tolerance. Unlike Virtual Tape Libraries (VTL) that just emulates tape, ETERNUS CS offers True Tape Virtualization (TTV). This provides unmatched connectivity and unmatched TCO (Total Cost of Ownership) reduction. This is the reason why CentricStor is the only virtual tape solution that makes tape fit for ILM (Information Lifecycle Management).

For pricing and configuration information please contact your Fujitsu Technology Solutions sales contact.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ET CS VFY Products							
	ETERNUS CS800 NAS ENTRY (VFY)	Model Option: VFY CS800-S3 Server NAS Entry, incl. 1 year SW subscription.	VFY:DDAE3CF010IN			29912	Orderable from: 01/10/2011
CS800 S1							
	CS-800 DX80 Base	CS800 DX80 Base, RAID controller plus 8 TB RAID6 protected disk storage, see CfgHint	CS-DDA-DX80F			22728	
	CS-800 DX80 Extension	CS800 DX80 Extension for CS800 S1, Additional 8 TB of RAID6 protected disk storage, Maximum 9 extensions supported, see CfgHints	CS-DDA-DX80E			17763	
CS800 S2/S3							
	ETERNUS CS800 S2 NAS Entry	ETERNUS CS800 S2 Entry System (bundle), Packaged dedupe appliance in a box, 5 x 1 GB Ethernet, 4 TB usable capacity (internal RAID system)	ETCS-DDAE-P20			9123	
	ETERNUS CS800 S2 NAS Basic	ETERNUS CS800 S2 Basic System (bundle), Packaged dedupe appliance including RAID system, 7 x 1 GB Ethernet, 16 TB usable capacity (one RAID system)	ETCS-DDAB-P21			58772	
	ETERNUS CS800 S2 NAS Performance	ETERNUS CS800 S2Performance System (bundle), Packaged dedupe appliance including 2 RAID systems, 2 x 10 GB Ethernet, 5 x 1 GB Ethernet, 2 x 8 GB FC (PTT), 32 TB usable capacity (two RAID systems),	ETCS-DDAP-P22			94737	
	ETERNUS CS800 S2 VTL 16TB	ETERNUS CS800 S2 VTL Entry System (bundle), Packaged dedupe appliance including 2 RAID systems, 4 x 8 GB FC (VTL / PTT), 5 x 1 GB Ethernet (no NAS), 16 TB usable capacity (two RAID systems), ,	ETCS-DDAD-P22			94737	

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
CS800 S2/S3 (Continued)							
	ETERNUS CS800 S2 VTL	ETERNUS CS800 S2 VTL System (bundle), Packaged dedupe appliance including 2 RAID systems, 4 x 8 GB FC (VTL / PTT), 5 x 1 GB Ethernet (no NAS), 32 TB usable capacity (two RAID systems),	ETCS-DDAC-P22			94737	
	ETERNUS CS800 S3 NAS Entry 4 TB	ETERNUS CS800 S3 Entry System (bundle), Packaged dedupe appliance in a box, 5 x 1 GB Ethernet, 4 TB usable capacity (internal RAID system)	ETCS-DDAE-P30			9123	
	ETERNUS CS800 S3 NAS Entry 8 TB	ETERNUS CS800 S2 Entry System (bundle), Packaged dedupe appliance in a box, 5 x 2 GB Ethernet, 8 TB usable capacity (internal RAID system)	ETCS-DDAF-P30			10947	
	ETERNUS CS800 S3 NAS Basic	ETERNUS CS800 S3 Basic System (bundle), Packaged dedupe appliance including RAID system, 7 x 1 GB Ethernet, 16 TB usable capacity (one RAID system)	ETCS-DDAB-P31			58772	
	ETERNUS CS800 S3 NAS Performance	ETERNUS CS800 S3 Performance System (bundle), Packaged dedupe appliance including 2 RAID systems, 2 x 10 GB Ethernet, 5 x 1 GB Ethernet, 2 x 8 GB FC (PTT), 32 TB usable capacity (two RAID systems)	ETCS-DDAP-P32			94737	
	ETERNUS CS800 S3 VTL	ETERNUS CS800 S3 VTL System (bundle), Packaged dedupe appliance including 2 RAID systems, 4 x 8 GB FC (VTL / PTT), 5 x 1 GB Ethernet (no NAS), 32 TB usable capacity (two RAID systems)	ETCS-DDAC-P32			94737	
	CS800 S2 DX80 Expansion Unit (16 TB)	ETERNUS CS800 S2 & S3 DX80 Expansion Unit Additional 16 TB of RAID6 protected disk storage.	ETCS-DDA-DX80E2			19298	
CS800 S2 (Japan only)							
	ETERNUS CS800 S2 NAS Basic	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architect handles RAID System like real Hardware.	FJCS-DDAB-P21			58772	
	ETERNUS CS800 S2 NAS Performance	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architec handles RAID Systm like real Hardware.	FJCS-DDAP-P22			94737	

ETERNUS CS Virtual Tape Appliance — Data Sheets: http://ts.fujitsu.com/ETERNUS_CS

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
CS800 S2 (Japan only) (Continued)							
	ETERNUS CS800 S2 VTL	FJ Japan System without RAID Device, Sytem will be manufactured in Augsburg including all cable infrastucture and shipped to FJ Japan for finishing with RAID Device. The System Architec handles RAID Systm like real Hardware.	FJCS-DDAC-P22			94737	
TVCs FirbreCAT							
	CS TVC 3.6 TB BASIS CX3-20 4GB	CS TVC 3.6 TB BASIS CX3-20 4GB Tape Volume Cache basic configuration based on CX3-20 3.6 TB, 4 GBit,	CS-TVC-CX3FE			54386	Phased out
	CS TVC 3.6 TB extension CX3-20 4GB	TVC Extention for CX3-20F	CS-TVCE-CX3E			32456	Phased out

LTO-4SAS Desktop

Data Sheets: http://ts.fujitsu.com/storage

The performance and reliability of the LTO tape drive meet current and future requirements for a state-of-the-art backup drive. The successful path taken in the tape storage sector is continued with the fourth generation of the Linear Tape Open (LTO) standardized drive technology.
The drive operates at a speed of 80 Mbyte/s and processes ½-inch cartridges with a storage capacity of 800 GB (native capacity). A high level of data integrity is guaranteed thanks to magneto-resistive (MR) heads, optimal tape guidance, and a redundantly configured servo system. Specially developed control elements and an easy-to-use menu system guarantee problem-free operation of the MTC drive. An easy-to-read LCD display continuously shows the status of the drive and media during operation
The desktop tape drive is therefore an entry-level component into the LTO-4 technology and is particularly suitable for backup and time-critical applications that require rapid data transfer. The tape drive can be attached to various open system servers via the SAS interface.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
SAS LTO Desktop Drive							
	Desktop LTO-4 SAS HH 800 GB	Fujitsu LTO-4 Desk Top Model, Interface SAS, Capacity 800/1600GB	D:LTO-DT-U4S			1046	
	Desktop LTO-5 SAS HH 1500 GB LVD	Fujitsu LTO-5 Desk Top Model, Interface SAS, Capacity 1500GB native	D:LTO-DT-U5S			1782	

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT20 – Green Efficiency

The ETERNUS LT20 from Fujitsu is optimized for low power consumption in operation and enables the cost-effective entry into the ETERNUS series for small and midsized companies.
It is based on proven LTO technology, which provides large capacity, high speed and very small media costs. The ETERNUS LT20 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on your individual requirements you can either order it with an LTO-3 or LTO-4 half height drive which can be can be connected via SAS (Serial Attached SCSI) or Fibre Channel interface to the server. By means they use the most current, future-proof standard for high data transfer rates and trouble-free transmission.
It is only one Rack Unit high whereas it offers up to 12.8 TB compressed storage capacity when equipping it with eight LTO-4 cartridges.
The ETERNUS LT20 is very reliable, easy to use and very affordable. Moreover one year onsite service is included.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS LT20							
	VFY ETERNUS LT20 S2,1xLTO-3HH SAS, 8Slot		VFY:LT202XF010IN			2958	
			VFY:LT202XF020IN			3475	
			VFY:LT202XF030IN			3735	
			VFY:LT202XF040IN			3934	
			VFY:LT202XF050IN			4049	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 S2							

ETERNUS LT20 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT20 S2 (Continued)							
	ET LT20 S2 Library, 8Slot, no drive	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-3, LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Memory capacity until from 3,2 up to 24 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8GB/s , Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT20S2JNXU			1458	
	ET LT20S2 1xLTO-4HH FC,8Slot+BackupExec	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader, one LTO-4 FC Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface FC 4GB, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m), Quickstart Version for backup of one server and up to five clients, backup target is one tape drive with unlimited number of cartridges.	FTS:LT20S2JFF1U-BE			3807	
	ET LT20S2 1xLTO-4HH SAS,8Slot+BackupExec	Tape Library ETERNUS LT20 S2 with 8 cartridge slots, integrated Barcode Reader one LTO-4 SAS Half Height drive and BackupExec (BE) 2010 OEM QuickStart. , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.)., - Interface SAS SFF8088, - LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m), Quickstart Version for backup of one server and up to five clients, backup target is one tape drive with unlimited number of cartridges.	FTS:LT20S2JSF1U-BE			3510	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT40 – Green Efficiency

The ETERNUS LT40 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materi als, as well as high and easy scalability which results in a longer service life for the devices.
It is an ultra compact tape library with up to 24 media slots and up to two drives on two height units. The ETERNUS LT40 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channe l to the server. The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 38.4 TB in just two height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS LT40							
	VFY ETERNUS LT40 S2,1xLTO-4HH SAS,24Slot		VFY:LT402XF020IN			4844	
			VFY:LT402XF030IN			5068	
			VFY:LT402XF040IN			4997	
			VFY:LT402XF050IN			5698	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS JX40							
	ETERNUS JX40	ETERNUS JX40 1 SAS Channel JBOD System	FTS:ETJXS11BG			2412	
ETERNUS DX440							
	ETERNUS DX440 Base Unit (Floor Stand)	FloorStand DX440 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET44S20AU			28421	
	ETERNUS Expansion rack for DX440	ETERNUS Expansion Rack, Dimensions = 590× 990 × 1,800 mm, Including Mounting material, 3x PDU (Power Distribution Unit) are content in the Rack., Power cord: 6x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETMER4U			3465	
	ETERNUS DX440 Base Unit (FTS rack mount)	Rack Version DX440 Basis Module. This Module is to use at PRIMECENTER Racks.	FTS:ET44R2GAU			26535	
	Addit. drive enclos. set (2xDE) DX440	Additional Drive Enclosure pair (2xDE) DX440	FTS:ETMDE2BU			6228	
	Addit. drive enclos. set (2xDE) FC DX440	Additional Drive Enclosure set (2xDE) with long optical FC connecting cables (SFPs included) to connect these DE modules with DE modules which are not physically adjacent to each other (i.e. in an other rack)., Installation of up to 30 drives possible.	FTS:ETMDE3BU			6228	
ETERNUS DX440 S2							
	ET DX440 S2 Base RM Contr. x2	ETERNUS DX440 S2 CE, - Controller Enclosure x 1, - Controller Model (Type2) x 2, - Power Supply Unit x 2, - Battery Charge Unit x 3, - AC cable (2.5m) x 2, - Rackmount Kit x 1, - CD Manuale , - DVD (SF15 Software), Note: 240 Volt Version!	FTS:ET442SAU			44512	
ETERNUS DX8400							

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX8400 (Continued)							
	ETERNUS DX8400 floor stand model	FloorStand DX8400 Basis Module with ETERNUS Rack., ETERNUS Rack with NEMA Power connectors.	FTS:ET84S20AU			112789	
	Add drive encl. set 4xDE DX8400 BaseRack	Additional Drive Enclosure pair (4xDE) DX8400 only for the BaseRack to configure.	FTS:ETHDE1AU			24693	
	Add drive encl. set 4xDE DX8xxx Exp.Rack	Additional Drive Enclosure pair (4xDE) DX8xxx to configure to an Expansion Rack.	FTS:ETHDE2AU			19430	
	Expansion Rack for DX8400/DX8700	ETERNUS Expansion Rack , Dimensions = 620× 990 × 1,800 mm, Including Mounting material, 2x PDU (Power Distribution Unit) are content in the Rack., Power cord: 3x AC 200-240V (NEMA:L6-30P 4m)	FTS:ETHERAU			7526	
ETERNUS LT40 S2							
	ET LT40 S2 Library 12 to 24Slot,no drive	Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full hight tape drive slot, - two Half Height or one Full HightTape Drive slot for the equipment of the library can be between a LTO-3 (Half Height only), LTO-4 or LTO 5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Memory capacity until from 9,6 up to 72 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6GB/s (SFF8088) or FC 8GB/s, Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT40S2JNXU			2496	
	ET LT40S2 1xLTO-4HH FC,24Slot+BackupExec	Tape Library ETERNUS LT40 S2 with 24 cartridge slots, integrated Barcode Reader one LTO-4 Half Height (HH) FC-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge , Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included, Quickstart Version for backup of one server and up to five clients, backup target is one tape drive with unlimited number of cartridges.	FTS:LT40S2JFF1U-BE			5439	

ETERNUS LT40

Data Sheets: http://ts.fujitsu.com/storage

ET LT40S2 1xLTO-4HHSAS,24Slot+BackupExec	Tape Library ETERNUS LT40 S2 with 24 cartridge slots, integrated Barcode Reader, one LTO-4 Half Height (HH) SAS-drive and BackupExec (BE) 2010 OEM QuickStart , 2 cartridge magazine per 12 cartridge, Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included, Quickstart Version for backup of one server and up to five clients, backup target is one tape drive with unlimited number of cartridges.	FTS:LT40S2JSF1U-BE			5142	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

ETERNUS LT60 – Green Efficiency

The ETERNUS LT60 from Fujitsu is optimized for low power consumption in operation, the use of environmentally friendly materials, as well as high and easy scalability, which results in a longer service life for the devices.
It is an ultra compact tape library with up to 48 media slots and up to four drives on four height units. The ETERNUS LT60 is the world's first library with LTO-4 Fibre Channel half height drives. Depending on the model the library can be connected via SAS or Fibre Channel to the server.
The system is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The tape library offers a maximum compressed storage capacity of 76.8 TB in just four height units.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Standard products							
ETERNUS DX60							
	V4Y ET DX60 1x FC 4G2P 2x1.0TB		VFY:DX600XF030IN			2998	
	V4Y ET DX60 1x FC 4G2P 5x300GB		VFY:DX600XF040IN			4898	
	V4Y ET DX60 1x FC 4G2P 2x300GB		VFY:DX600XF020IN			3057	
	V4Y ET DX60 1x FC 4G2P 2x450GB		VFY:DX600XF080IN			3057	
	V4Y ET DX60 1xiSCSI 2x450GB		VFY:DX600XF070IN			2970	
	V4Y ET DX60 1xiSCSI 2x300GB		VFY:DX600XF060IN			2833	
	V4Y ET DX60 1x iSCSI 4X 300GB		VFY:DX600XF090IN			4396	
	V4Y ET DX60 1x iSCSI 4x 1 TB		VFY:DX600XF120IN			4220	
	V4Y ET DX60 1x iSCSI 2x 2TB		VFY:DX600XF130IN			3933	
	V4Y ET DX60 1xiSCSI 2x1TB 7.2k		VFY:DX600XF050IN			2718	
	V4Y ET DX60 1x SAS 2x 300 GB		VFY:DX600XF110IN			2744	
ETERNUS DX60 S2 2.5							
	V4Y ET DX602 2,5" 1x FC 4G2P 6x300GB		VFY:DX620XF510IN			5179	
ETERNUS DX60 S2 3.5							
	V4Y ET DX602 1x FC 4G2P 2x300GB		VFY:DX620XF010IN			3744	
	V4Y ET DX602 1x FC 4G2P 2x1.0TB		VFY:DX620XF020IN			3762	
	V4Y ET DX602 1x iSCSI 2X 300GB		VFY:DX620XF030IN			3571	
	V4Y ET DX602 1x iSCSI 2x 2TB		VFY:DX620XF040IN			3846	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60							
	ETERNUS DX60 BASE 1x FC Controller 4G2P	ETERNUS DX60 Base-System with one FC Controller, • Controller Enclosure (CE 3.5") x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F12AG			2631	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 (Continued)							
	ETERNUS DX60 BASE 2x FC Controller 4G2P	ETERNUS DX60 Base-System with two FC Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22AG			4127	
	ETERNUS DX60 BASE 1x iSCSI Controller	ETERNUS DX60 Base-System with one iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L12AG			2396	
	ETERNUS DX60 BASE 2x iSCSI Controller	ETERNUS DX60 Base-System with two iSCSI Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (iSCSI 1GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06L22AG			3522	
	ETERNUS DX60 BASE 1x SAS Controller	ETERNUS DX60 Base-System with one SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S12AG			2396	
	ETERNUS DX60 BASE 2x SAS Controller	ETERNUS DX60 Base-System with two SAS Controller, • Controller Enclosure (CE 3.5“) x 1, - Controller Module (SAS 3GB) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06S22AG			3522	
ETERNUS DX60 2.5							
	ETERNUS DX60 BASE 2,5" 1x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks wit one FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 1, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)r	FTS:ET06F12BG			3122	
	ETERNUS DX60 BASE 2,5" 2x FC CTR 4G2P	ETERNUS DX60 Base-System for 2.5" Disks with two FC Controller, • Controller Enclosure (CE 2.5“) x 1, - Controller Module (4GBit/s FC 2-port) x 2, - 1GB Cache Memory for the controller , - Power Supply Unit x 2, • AC cable (2.5m) x 2, • Rack mount kit x 1 (with Adapter angle 50 kg)	FTS:ET06F22BG			4574	
ETERNUS DX60 S2 2.5							
	ET DX60 S2 Base 2.5 Contr.x2 FC 4G	ETERNUS DX60 S2 (2.5inch, 4GBps, FC, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with FC 4G 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCFU			4209	
	ET DX60 S2 Base 2.5 Contr.x2 iSCSI 1G	ETERNUS DX60 S2 (2.5inch, 1GBps, iSCSI, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with iSCSI 1GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCLU			4783	
	ET DX60 S2 Base 2.5 Contr.x2 SAS 3G	ETERNUS DX60 S2 (2.5inch, 3GBps, SAS, dual-controller), 1x 2.5" Controller Enclosure, 2x Controller (with SAS 3GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DCSU			4783	

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX60 S2 2.5 (Continued)							
	ET DX60 S2 Base 2.5 Contr.x1 FC 4G	ETERNUS DX60 S2 (2.5inch, 4GBps, FC, single-controller), 1x 2.5" Controller Enclosure, 1x Controller(with FC 4G 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCFU			3300	
	ET DX60 S2 Base 2.5 Contr.x1 iSCSI 1G	ETERNUS DX60 S2 (2.5inch, 1GBps, iSCSI, single-controller), 1x 2.5" Controller Enclosure, 1x Controller (with iSCSI 1GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCLU			3514	
	ET DX60 S2 Base 2.5 Contr.x1 SAS 3G	ETERNUS DX60 S2 (2.5inch, 3GBps, SAS, single-controller), 1x 2.5" Controller Enclosure, 1x Controller (with SAS 3GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SCSU			3514	
ETERNUS DX60 S2 3.5							
	ET DX60 S2 Base 3.5 Contr.x2 FC 4G	ETERNUS DX60 S2 (3.5inch, 4GBps, FC, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with FC 4G 2port), 2x 1 GB cache, 2x AC cable 4m, 1x Rackmount Kit , Manual CD	FTS:ET062DDFU			3924	
	ET DX60 S2 Base 3.5 Contr.x2 iSCSI 1G	ETERNUS DX60 S2 (3.5inch, 1GBps, iSCSI, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with iSCSI 1GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DDLU			4366	
	ET DX60 S2 Base 3.5 Contr.x2 SAS 3G	ETERNUS DX60 S2 (3.5inch, 3GBps, SAS, dual-controller), 1x 3.5" Controller Enclosure, 2x Controller (with SAS 3GBps 2port), 2x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062DDSU			4282	
	ET DX60 S2 Base 3.5 Contr.x1 FC 4G	ETERNUS DX60 S2 (3.5inch, 4GBps, FC, single-controller), 1x 3.5" Controller Enclosure, 1x Controller(with FC 4G 2port), 1x 1 GB cache, 2x AC cable 4m, 1x Rackmount Kit , Manual CD	FTS:ET062SDFU			3120	
	ET DX60 S2 Base 3.5 Contr.x1 iSCSI 1G	ETERNUS DX60 S2 (3.5inch, 1GBps, iSCSI, single-controller), 1x 3.5" Controller Enclosure, 1x Controller (with iSCSI 1GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SDLU			2918	
	ET DX60 S2 Base 3.5 Contr.x1 SAS 3G	ETERNUS DX60 S2 (3.5inch, 3GBps, SAS, single-controller), 1x 3.5" Controller Enclosure, 1x Controller (with SAS 3GBps 2port), 1x 1 GB cache, 2x AC cable , 1x Rackmount Kit , Manual CD	FTS:ET062SDSU			2920	
ETERNUS DX60 S2 3.5 Expa							
	ET DX60 S2 DriveEncl. 3.5 EXP Mod. x1	Drive enclosure for DX60 S2 (3.5inch, single-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED1DU			2009	
	ET DX60 S2 DriveEncl. 3.5 EXP Mod. x2	Drive enclosure for DX60 S2 (3.5inch, dual-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED2DU			2746	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			2009	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	
ETERNUS LT60 S2							

ETERNUS LT60 — Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS LT60 S2 (Continued)							
	ET LT60 S2, 36Slot, 1x LTO-5 FC FH drive	Tape Library ETERNUS LT60 with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the secound right magazine can be activatet over a separate license., - Memory capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8GB/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-S36			7412	
	ET LT60 S2, 48Slot, 1x LTO-5 FC FH drive	Tape Library ETERNUS LT60 with 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active, - Memory capacity until from 72 up to 144 Tbyte (uncompr./compr.) depending on the cartridges., - Interface FC 8GB/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-S48			7982	
	ET LT60 S2 Library 24 to 48Slot,no drive	Tape Library ETERNUS LT60 with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, - four Half Height or two Full HightTape Drive slots for the equipment of the library can be between a LTO-3 (Half Height only), LTO-4 or LTO 5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Memory capacity until from 9,6 up to 144 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6GB/s (SFF8088) or FC 8GB/s, Processing LTO2, LTO 3, LTO 4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU			3787	

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
ETERNUS DX80 S2 2.5							
	ET DX80 S2 Base 2.5 Contr. x2	• Controller Enclosure 2.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082DCU			7056	
	ET DX80 S2 Base 2.5 Contr. x1	• Controller Enclosure 2.5", - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SCU			4385	
ETERNUS DX80 S2 3.5							
	ET DX80 S2 Base 3.5 Contr. x2	• Controller Enclosure 3.5" , - Controller Module x 2, - Cache Memory (2GB) x 2, - Power Supply Unit x 2, • AC cable (AC200V - 240V,2.5m) x 2, • Rack mount kit x 1	FTS:ET082DDU			7056	
	ET DX80 S2 Base 3.5 Contr. x1	• Controller Enclosure 3.5" , - Controller Module x 1, - Cache Memory (2GB) x 1, - Power Supply Unit x 2, • AC cable (AC200V - 240V, 2.5m) x 2, • Rack mount kit x 1	FTS:ET082SDU			4385	
ETERNUS DX60/DX80 Expansion							
	Eternus DX Expansion 1x I/O	ETERNUS DX80 Expansion Shelf with one I/O Module	FTS:ETLDE1AG			2009	
	Eternus DX Expansion 2x I/O	ETERNUS DX80 Expansion Shelf with two I/O Modules	FTS:ETLDE2AG			2185	
	ETERNUS DX Expansion 2,5" 1x I/O	ETERNUS DX80 2.5" Expansion Shelf with one I/O Module	FTS:ETLDE1BG			2501	
	ETERNUS DX Expansion 2,5" 2x I/O	ETERNUS DX80 2.5" Expansion Shelf with two I/O Module	FTS:ETLDE2BG			2462	
ETERNUS DX8090 S2 2.5 Expa							
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU			2061	
	ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2CU			2555	
ETERNUS DX8090 S2 3.5 Expa							
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU			2061	
	ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS-miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU			2555	

FibreCAT TXF

Data Sheets: http://ts.fujitsu.com/storage

The FibreCAT TXF storage subsystem consolidates data backup in 19-inch rack environments so that the servers do not have to have their own backup drives. The FibreCAT TXF storage subsystem and its 3 height unit 19“ rack housing offer space for backup drives that are directly connected to the servers and which can be installed in PRIMECENTER racks or in standard racks from other manufacturers. The rack installation can be with optional rack mount kits for fixed installation or with full extraction.
There are three basic versions with SCSI, SAS or USB technology available. Each I/O module has 4 ports to connect up to 4 servers as well as a power management for remote switch on/off of individual drives or the entire system.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FibreCAT TXF							
	FibreCAT TXF 19" Tape Enclosure	19" rack mountable basic unit (3U) for connection of 4 servers incl. 1x power supply module; opt. mounting kit; 4x 1.6" bays only for 5.25" backup devices incl. terminator; interface: 4 seperat SCSI channels or 4 seperat SASI channels or 4 seperat USB channels	S26361-K1228-V100			727	

Accessories Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | S ETERNUS DX410 S2 | S ETERNUS DX440 S2 | S ETERNUS DX440 S2 Fibre Channel upgrade | S ETERNUS DX4xx S2 2.5 Expansion | S ETERNUS DX4xx S2 3.5 Expansion | S ETERNUS DX8700 S2 | S ETERNUS DX8900 S2 2.5 | S ETERNUS DX8900 S2 2.5 Expansion | S ETERNUS DX8900 S2 3.5 | S ETERNUS DX8900 S2 3.5 Expansion | S ETERNUS DX8700 S2 2.5 Fibre | S ETERNUS DX8900 S2 2.5 Fibre | S ETERNUS DX8700 S2 3.5 | S ETERNUS DX8900 S2 3.5 | S ETERNUS DX8700 S2 3.5 Fibre | S ETERNUS DX8900 S2 3.5 Fibre | S ETERNUS DX60 S2 | S ETERNUS DX60 S2 Fibre | S ETERNUS DX60 S2 iSCSI | FibreCAT S Series | FibreCAT S Series Fibre | FibreCAT S Series iSCSI | FibreCAT S Series SAS | FibreCAT S Series SAS Expansion | FibreCAT S Series SAS Enclosure | FibreCAT S Series SAS Controller | FibreCAT S Series SAS Controller Expansion | FibreCAT S Series SAS Enclosure Expansion | FibreCAT S Series SAS Controller Fibre | FibreCAT S Series SAS Controller iSCSI | FibreCAT S Series SAS Controller SAS | FibreCAT S Series SAS Controller SAS Expansion | FibreCAT S Series SAS Enclosure | FibreCAT S Series SAS Enclosure Expansion | FibreCAT S Series SAS Controller Fibre Expansion | FibreCAT S Series SAS Controller iSCSI Expansion | FibreCAT S Series SAS Controller SAS Expansion

Accessories Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | EB RNAS SX44 | EB RNAS SX48 | EB RNAS SX88 | EB RNAS SX88 Rail upgrade | EB RNAS SX44 S2 3 Expa | EB RNAS SX88 S2 3 Expa | EB RNAS SX88 | EB RNAS SX88 S2 1 S | EB RNAS SX88 S2 2 S | EB RNAS SX88 S2 3 S Expansio | EB RNAS SX88 | EB RNAS SX88 S2 1 S | EB RNAS SX88 S2 1 S | EB RNAS SX88 S2 1 S Expa | EB RNAS SX88 S2 2 S | EB RNAS SX88 S2 3 S | EB RNAS LTO 4U | EB RNAS LTO 5U | EB RNAS LTO 6U | EB RNAS LTO 7U | EB RNAS LTO 8U | EB RNAS LTO 8U Expansionkit | EB RNAS LTO 8U Expansionkit | EB RNAS CA 5U Expansionkit | EB RNAS CA 5U Expansionkit | EB RNAS CA 5

| Category | Description | Details | EB RNAS SVR 4k | EB RNAS SVR 8k | EB RNAS SVR 8k G2 | EB RNAS SVR 8k FibreChannel | EB RNAS SVR 8k G2 3 Ext.Un | EB RNAS SVR 8k G2 7 Ext.Un | EB RNAS SVR 8k G3 | EB RNAS SVR 8k G3 1 S | EB RNAS SVR 8k G3 1 S Encrypt. | EB RNAS SVR 8k G3 1 SE enc | EB RNAS SVR 8k G3 1 S Encrypt. | EB RNAS SVR 8k | EB RNAS SVR 8k G4 2 S | EB RNAS SVR 8k G4 3 S | EB RNAS SVR 8k G4 3 S Encrypt. | EB RNAS SVR 8k G5 | EB RNAS SVR 8k G5 2 S | EB RNAS SVR 8k G5 3 S | EB RNAS LTR 8 | EB RNAS LTR G2 | EB RNAS LTR G2 Encrypt. | EB RNAS LTR G2 | FibreCH CA 8k Expansionshelf | FibreCH CA 8k Expansionshelf | FibreCH CA Primergy | FibreCH CA Prisma | FibreCH CA 24C | FibreCH CA 24C | FibreCH CA 24C Expansionshelf | FibreCH CA 24C | FibreCH CA 24C | FibreCH CA 24C

Accessories & service matrix

| Category | Description | Details | EXTRACT 3XX8 | EXTRACT 3XX8 G2 | EXTRACT 3XX8 M | EXTRACT 3XX8 M Fibrechannel | EXTRACT 3XX8 M G2 3 Ext | EXTRACT 3XX8 M G2 7 Ext | EXTRACT 3XX8 | EXTRACT 3XX8 G2 | EXTRACT 3XX8 G2 3 | EXTRACT 3XX8 G2 3 Ext | EXTRACT 3XX8 G2 7 Ext | EXTRACT 3XX8 Expansion | EXTRACT 3XX8 G2 | EXTRACT 3XX8 G2 3 | EXTRACT 3XX8 G2 3 Ext | EXTRACT 3XX8 G2 7 | EXTRACT 3XX8 G2 7 Ext | EXTRACT 3XX8 G2 3 | EXTRACT 3XX8 G2 7 | EXTRACT 3XX8 G2 7 Ext | EXTRACT 3XX8 | EXTRACT 3XX8 Expansion | EXTRACT 3XX8 LTO6 | EXTRACT 3XX8 LTO6 G2 | EXTRACT 3XX8 LTO6 M | EXTRACT 3XX8 LTO6 M G2 | EXTRACT CX 5X Expansion/Rack | EXTRACT CX 5X Expansion/Shelf | EXTRACT CX3 Expansion/Rack | EXTRACT CX3 Expansion/Shelf | EXTRACT CX3 Firepass | EXTRACT CX3 Firepass | EXTRACT CX4 24C | EXTRACT CX4 24E | EXTRACT CX4 24F | EXTRACT CX4 Expansion/Rack | EXTRACT CX4 Expansion/Shelf | EXTRACT CX4 8B | EXTRACT CX4 8B2 | EXTRACT CX4 8B4C | EXTRACT CX4 8B4C | EXTRACT CX4 8B8 | EXTRACT CX4 8B | EXTRACT CX4 Expansion | EXTRACT CX4 Expansion | EXTRACT NX4 | EXTRACT NX4 Expansion | EXTRACT NX4 Expansion | EXTRACT NX8 | EXTRACT NX8 Expansion | EXTRACT NX8 Expansion | EXTRACT NX8 Expansion | EXTRACT SX8 | EXTRACT SX8 Expansion | EXTRACT SX8 | EXTRACT SX8 Expansion | EXTRACT SX8 Expansion | EXTRACT SX8 8GB/2 | EXTRACT SX8 8GB/4 Expansion | EXTRACT SX8 Expansion | EXTRACT TX 8 | EXTRACT TX 8 Expansion/Rack | EXTRACT TX 8 Expansion/Shelf | EXTRACT TX 8 L V2 | EXTRACT TX 8 L V2 G2 | EXTRACT TX 8 L V3 | EXTRACT TX 8 L V3 G2 | EXTRACT TX 8 L V3 G3 | EXTRACT TX7 | ETERNUS8000, ETERNUS8200 | ETERNUS8000, ETERNUS8400 | ETERNUS8000, ETERNUS8800 | MAB VX Cache Module | MAB VX Cache Module+Battery | MAB VX Cache Module+Flash | MB Backup Server | MFC Desktop Drive | MFC LTO Gen 5 FC | MFC Loader | MFC SCSI LW 1U/E | MFC Scalar i500 for EB2 | MFC Scalar i500 for EB2 | NetApp/FalconStor | NetApp/FalconStor | Other Peripherals | PRIMEFLEX for SAP HANA Solutions | PRIMEFLEX for SAP HANA Tailored Data Center Integration | PRIMERGY Options | PRIMERGY Peripheral Bays | PRIMERGY SAS Cards | PRIMERGY SAS HDD | PRIMERGY SX 8 | PRIMERGY SX 8 | SAN Storage Systems | Product Code | | XFM Net Price (RRP) | Comments |
|---|---|---

Accessories Storage Tape Systems — Data Sheets: http://ts.fujitsu.com/storage

Accessories & services matrix

| Category | Description | Details | EB RMA2 SW 8 | EB RMA2 SW 16 | EB RMA2 SW 32 | EB RMA2 SW 48 | EB RMA2 SW 48 Upgrade | EB RMA2 SW 64 Upgrade | EB RMA2 SW 64 > 32 Ports | EB RMA2 SW 64 > 48 Ports | EB RMA2 SW 96 | EB RMA2 SW 96 > 64 Ports | EB RMA2 SW 96 > 64 Ports Upgrade | EB RMA2 SW 128 | EB RMA2 SW 128 > 64 | EB RMA2 SW 128 > 96 | EB RMA2 SW 192 | EB RMA2 SW 192 > 64 Ports | EB RMA2 SW 192 > 96 Ports | EB RMA2 SW 192 > 128 Ports | EB RMA2 SW 256 | EB RMA2 SW 256 > 64 Ports | EB RMA2 SW 256 > 96 Ports | EB RMA2 SW 256 > 128 Ports | EB RMA2 SW 256 > 192 Ports | EB RMA2 LTO 32 | EB RMA2 LTO 48 | EB RMA2 LTO 64 | EB RMA2 LTO 96 | EB RMA2 LTO 192 | FibreCAT CX X1 Expansionshelf | FibreCAT CX X1 Expansionshelf | FibreCAT CX3 Expansion | FibreCAT CX30 Progida | FibreCAT CX40 | FibreCAT CX40 AIC | FibreCAT CX4-4C | FibreCAT CX4-8 | FibreCAT CX4-8 Expansionshelf | FibreCAT CX45 | FibreCAT CX4-10FC | FibreCAT CX4-10FC | FibreCAT CX4-40FC | FibreCAT CX4-40FC | FibreCAT CX4-80 | FibreCAT CX700 | FibreCAT CX900 | FibreCAT Nuvo 64 | FibreCAT Nuvo Key | FibreCAT SB40 | FibreCAT SB40 version | FibreCAT SX30 | FibreCAT SX30 Expansion | FibreCAT SX40 | FibreCAT SX40 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT SX60 | FibreCAT SX60 Expansion | FibreCAT TX 48 | FibreCAT TX Expansion | FibreCAT TX 48 S2 | FibreCAT TX 24 S2 | FibreCAT TX 48 S2 | FibreCAT TX 24 S3 | FibreCAT TX 48 S3 | FibreCAT TX7 | LibraryStation 3584/LB6/LB6 | LibraryStation 3584/LB6/LB6 Expansion | LibraryStation 3588 | MM VX-Module | MM VX-Module Expander | MM VX-Module | IPE Desktop Drive | IPE Rack 19" | IPE Tower | IPE SCSI-/FC/SE | IPE SCSI-/FC/SE | IPE Router 600 for IBM | IPE Router 600 for IBM 2 | NetApp/FalconStor | NetApp/FalconStor | NetApp/FalconStor | Other Peripherals | PRIMEFLEX for VMware Solutions | PRIMEFLEX for VMware Solutions | PRIMEFLEX for VMware Solutions

Accessories Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

| Category | Description | Details | ETERNUS LT 32 , drive LTO6 HalfHeight, LTO6 drive capable of reading and writing to LTO-6 and LTO-5 cartridges, capable of reading...

Category	Description	Details	ETERNUS DX410	ETERNUS DX440	Product Code			End User Price (RRP)	Comments
Accessories & services matrix									
Software Services									
	SP 3y ET SF DX4xx/DX8xxx,5x9	SP 3 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET00PRE01			192	
	SP 3y ET SF DX4xx/DX8xxx,7x24	SP 3 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP3ET03PRE01			231	
	SP 4y ET SF DX4xx/DX8xxx,5x9	SP 4 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET00PRE01			245	
	SP 4y ET SF DX4xx/DX8xxx,7x24	SP 4 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP4ET03PRE01			295	
	SP 5y ET SF DX4xx/DX8xxx,5x9	SP 5 years ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET00PRE01			294	
	SP 5y ET SF DX4xx/DX8xxx,7x24	SP 5 years ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SP5ET03PRE01			353	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,5x9	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 5x9, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET00PRE01			67	
	SP Xtend of 12m ET SF DX4xx/DX8xxx,7x24	SP Prolongation of 12 months ETERNUS SF DX4xx/DX8xxx, 7x24, service partner specified, contact Fujitsu, valid in country of purchase	x	x	FSP:G-SPTET03PRE01			81	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4x x S2 2. 5 Expa	ETERNUS DX4x x S2 3. 5 Expa	ETERNUS DX60	ETERNUS DX60 2. 5	ETERNUS DX60 S2 2. 5	ETERNUS DX60 S2 3. 5	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX60 /DX80 Expansion	ETERNUS DX80 S2 2. 5	ETERNUS DX80 S2 3. 5	ETERNUS DX8090 S2 2. 5 Expa	ETERNUS DX8090 S2 3. 5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5	ETERNUS DX90 S2 3. 5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	FibreCAT TX/F	Library Scalar i3000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																														
Customizing																																													
	switch off possibility of encryption	Order number to switch off the possibility of data encryption	x		x					x	x	x	x			x	x						x	x																		FTS:ETCRYPTOFF			16	
Memory																																													
	DX410 S2 8G CacheMem.set f.2Contr2x2DIM	- 2x (2x 2GB DIMM) Total 8GB cache	x																																							FTS:ETNM24			824	
	DX440 S2 24G CacheMem.set f.2Contr2x3DIM	- 2x (3x 4GB DIMM) Total 24GB cache				x																																				FTS:ETNM46			1649	
	DX440 S2 48G CacheMem.set f.2Contr2x3DIM	- 2x (3x 8GB DIMM) Total 48GB cache				x																																				FTS:ETNM86			4946	
Removable Media Drives																																													
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)																																				x				S26361-F3857-E4			136	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge																																				x				S26361-F3324-E4			427	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge																																				x				S26361-F3325-E4			586	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																				x				S26361-F4009-E4			1104	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																				x				S26361-F3561-E4			1204	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																																				x				S26361-F3626-E1			1682	Phased out
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																																				x				S26361-F3626-E2			1682	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge																																				x				S26361-F3627-E1			2459	
Hard Disks																																													
	DX60 S2 HD SAS 300GB 15k 3.5 x1	Disk Drive(3.5inch) 300GB 15krpm x1 for DX60 S2, 1x SAS 300GB 15krpm 3.5inch											x	x																														FTS:ETED3HA			263	
	DX60 S2 HD SAS 300GB 10k 2.5 x1	Disk Drive(2.5inch) 300GB 10krpm x1 for DX60 S2, 1x SAS 300GB 10krpm 2.5inch										x																															FTS:ETED3HB			263	
	DX8090 S2 HD SAS 300G 10k 2.5 x1	, SAS disk drive (300GB/10krpm) x 1, 2.5"														x		x				x																					FTS:ETED3HC			325	
	DX8090 S2 HD SAS 300G 15k 3.5 x1	, SAS disk drive (300GB/15krpm) x 1, 3.5"															x		x				x																					FTS:ETED3HD			239	
	DX60 S2 HD SAS 450GB 15k 3.5 x1	Disk Drive(3.5inch) 450GB 15krpm x1 for DX60 S2, 1x SAS 450GB 15krpm 3.5inch											x	x																														FTS:ETED4HA			351	
	DX60 S2 HD SAS 450GB 10k 2.5 x1	Disk Drive(2.5inch) 450GB 10krpm x1 for DX60 S2, 1x SAS 450GB 10krpm 2.5inch										x																															FTS:ETED4HB			439	
	DX8090 S2 HD SAS 450G 10k 2.5 x1	, SAS disk drive (450GB/10krpm) x 1, 2.5"														x		x				x																					FTS:ETED4HC			411	
	DX8090 S2 HD SAS 450G 15k 3.5 x1	, SAS disk drive (450GB/15krpm) x 1, 3.5"															x		x				x																					FTS:ETED4HD			320	
	DX60 S2 HD SAS 600GB 15k 3.5 x1	Disk Drive(3.5inch) 600GB 15krpm x1 for DX60 S2, 1x SAS 600GB 15krpm 3.5inch											x	x																														FTS:ETED6HA			497	
	DX60 S2 HD SAS 600GB 10k 2.5 x1	Disk Drive(2.5inch) 600GB 10krpm x1 for DX60 S2, 1x SAS 600GB 10krpm 2.5inch										x																															FTS:ETED6HB			497	
	DX8090 S2 HD SAS 600G 10k 2.5 x1	, SAS disk drive (600GB/10krpm) x 1, 2.5"														x		x				x																					FTS:ETED6HC			489	
	DX8090 S2 HD SAS 600G 15k 3.5 x1	, SAS disk drive (600GB/15krpm) x 1, 3.5"															x		x				x																					FTS:ETED6HD			381	
	DX60 S2 HD SAS 900GB 10k 2.5 x1	Disk Drive(2.5inch) 900GB 10krpm x1 for DX60 S2, 1x SAS 900GB 10krpm 2.5inch										x																															FTS:ETED9HB			761	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX8090 S2 HD SAS 900G 10k 2.5 x1	, SAS disk drive (900GB/10krpm) x 1, 2.5"														x		x				x																					FTS:ETED9HC			761	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX60 S2 HD NLSAS 1TB 7.2 3.5 x1	Disk Drive(3.5inch) 1TB 7.2krpm x1 for DX60 S2, 1x SAS 1TB 7.2krpm 3.5inch											x	x																														FTS:ETEN1HA			273	
	DX8090 S2 HD NLSAS 1TB 7.2 3.5 x1	, Nearline SAS disk drive (1TB/7.2krpm) x 1															x		x				x																					FTS:ETEN1HD			290	
	DX60 S2 HD NLSAS 2TB 7.2 3.5 x1	Disk Drive(3.5inch) 2TB 7.2krpm x1 for DX60 S2, 1x SAS 2TB 7.2krpm 3.5inch											x	x																														FTS:ETEN2HA			410	
	DX8090 S2 HD NLSAS 2TB 7.2 3.5 x1	, Nearline SAS disk drive (2TB/7.2krpm) x 1															x		x				x																					FTS:ETEN2HD			508	
	DX60 S2 HD NLSAS 3TB 7.2 3.5 x1	Disk Drive(3.5inch) 3TB 7.2krpm x1 for DX60 S2, 1x SAS 2TB 7.2krpm 3.5inch											x	x																														FTS:ETEN3HA			614	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX8090 S2 HD NLSAS 3TB 7.2 3.5 x1	, Nearline SAS disk drive (3TB/7.2krpm) x 1															x		x				x																					FTS:ETEN3HD			614	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX8090 S2 SSD SAS 100G 2.5 x1	, SSD (100GB, 2.5 inch) x 1														x		x				x																					FTS:ETES1HC			5074	
	DX8090 S2 SSD SAS 100G 3.5 x1	, SSD (100GB, 3.5 inch) x 1															x		x				x																					FTS:ETES1HD			5074	
	DX8090 S2 SSD SAS 200G 2.5 x1	, SSD (200GB, 2.5 inch) x 1														x		x				x																					FTS:ETES2HC			6403	
	DX8090 S2 SSD SAS 200G 3.5 x1	, SSD (200GB, 3.5 inch) x 1															x		x				x																					FTS:ETES2HD			6403	
	DX SAS HD 300GB 10k 2.5"	ETERNUS DX 2.5" SAS HDD, 300GB 10,000rpm									x			x																														FTS:ETLSA3HBG			260	
	DX SAS HD 450GB 10k 2.5"	ETERNUS DX 2.5" SAS HDD, 450GB 10,000rpm									x			x																														FTS:ETLSA4HBG			462	
	DX SAS HD 600GB 10k 2.5"	ETERNUS DX 2.5" SAS HDD, 600GB 10,000rpm									x			x																														FTS:ETLSA6HBG			381	
	DX Solid State Disk 100GB 2.5"	ETERNUS DX 2.5" SSD, 100GB												x																														FTS:ETLSS1HBG			5537	
	DX Solid State Disk 200GB 2.5"	ETERNUS DX 2.5" SSD, 200GB												x																														FTS:ETLSS2HBG			6945	
	DX4xx 300GB/15k disk drive x1 (single)	300GB/15Krpm (4GBps) disk drive (single)				x																																				FTS:ETMFC3HU-E			860	
	DX4xx 450GB/15k disk drive x1 (single)	450GB/15Krpm (4GBps) disk drive (single)				x																																				FTS:ETMFC4HU-E			1132	
	DX4xx 600GB/15k disk drive x1 (single)	600GB/15Krpm (4GBps) disk drive (single)				x																																				FTS:ETMFC6HU-E			1509	
	DX4xx 1TB/7.2k disk drive x1 (single)	1TB/7.2Krpm (SATA) disk drive (single)				x																																				FTS:ETMNT1HU-E			904	
	DX4xx 2TB/7.2k disk drive x1 (single)	2TB/7.2Krpm (SATA) disk drive (single)				x																																				FTS:ETMNT2HU-E			1921	
	DX4x0 S2 HD SAS 300G 10k 2.5 x1	, SAS disk drive (300GB/10krpm) x 1, 2.5"					x																																				FTS:ETND3HC			325	
	DX4x0 S2 HD SAS 300G 15k 3.5 x1	, SAS disk drive (300GB/15krpm) x 1, 3.5"						x																																			FTS:ETND3HD			264	
	DX4x0 S2 HD SAS 450G 10k 2.5 x1	, SAS disk drive (450GB/10krpm) x 1, 2.5"					x																																				FTS:ETND4HC			451	
	DX4x0 S2 HD SAS 450G 15k 3.5 x1	, SAS disk drive (450GB/15krpm) x 1, 3.5"						x																																			FTS:ETND4HD			352	
	DX4x0 S2 HD SAS 600G 10k 2.5 x1	, SAS disk drive (600GB/10krpm) x 1, 2.5"					x																																				FTS:ETND6HC			535	
	DX4x0 S2 HD SAS 600G 15k 3.5 x1	, SAS disk drive (600GB/15krpm) x 1, 3.5"						x																																			FTS:ETND6HD			421	
	DX4x0 S2 HD SAS 900G 10k 2.5 x1	, SAS disk drive (900GB/10krpm) x 1, 2.5"					x																																				FTS:ETND9HC			1140	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX4x0 S2 HD NLSAS 1TB 7.2 3.5 x1	, Nearline SAS disk drive (1TB/7.2krpm) x 1						x																																			FTS:ETNN1HD			321	
	DX4x0 S2 HD NLSAS 2TB 7.2 3.5 x1	, Nearline SAS disk drive (2TB/7.2krpm) x 1						x																																				FTS:ETNN2HD			553	
	DX4x0 S2 HD NLSAS 3TB 7.2 3.5 x1	, Nearline SAS disk drive (3TB/7.2krpm) x 1						x																																				FTS:ETNN3HD			921	Deliverable from: 01/10/2011,Orderable from: 01/11/2011
	DX4x0 S2 SSD SAS 100G 2.5 x1	, SSD (100GB, 2.5 inch) x 1					x																																				FTS:ETNS1HC			5537	
	DX4x0 S2 SSD SAS 100G 3.5 x1	, SSD (100GB, 3.5 inch) x 1						x																																				FTS:ETNS1HD			5537	
	DX4x0 S2 SSD SAS 200G 2.5 x1	, SSD (200GB, 2.5 inch) x 1					x																																				FTS:ETNS2HC			6965	
	DX4x0 S2 SSD SAS 200G 3.5 x1	, SSD (200GB, 3.5 inch) x 1						x																																				FTS:ETNS2HD			6965	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																																	x									S26361-F3244-E530			412	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																																	x									S26361-F3244-E545			566	
	HD SAS 3GB/s 600GB 15k hot ol 3.5" SX40	15.000 rpm, fitting height 1"																																	x									S26361-F3244-E560			667	
	HD SATA 3GB/s 2TB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																																	x									S26361-F3245-E200			785	
	SX-HDD SAS 600GB 15.000rpm	FibreCAT SX SAS HDD, 600GB 15.000rpm																																		x				x	x			D:FCSX-SAS600			1070	
	SX-HDD SAS 450GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm																																		x				x	x			D:FCSX-SAS450			645	
	SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15.000rpm																																		x				x	x			D:FCSX-SAS300			504	
	SX-HDD SATA 2 TB 7.200rpm	FibreCAT SX80/SX80SX88 SATA HDD, 2 TB 7,200rpm																																		x		x	x	x				D:FCSX-SATA2TB			592	
	SX-HDD SATA 1 TB 7.200rpm	FibreCAT SX80/SX80SX88 SATA HDD, 1 TB 7,200rpm																																		x		x	x	x				D:FCSX-SATA1TB			487	
	JX40 SAS 6G Disk 600GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 600GB 10k 2.5"																								x																		FTS:ETJSA6MBG			583	
	DX SAS HD 600GB 15k	Eternus DX SAS HDD, 600GB 15,000rpm									x																																	FTS:ETLSA6HAG			415	
	JX40 SAS 6G Disk 450GB 2.5"	ETERNUS JX40 SAS Disk 6G 450GB 10k 2.5"																								x																		FTS:ETJSA4MBG			478	
	DX SAS HD 450GB 15k	Eternus DX SAS HDD, 450GB 15,000rpm									x																																	FTS:ETLSA4HAG			347	
	JX40 SAS 6G Disk 300GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 300GB 10k 2.5"																								x																		FTS:ETJSA3MBG			294	
	DX SAS HD 300GB 15k	Eternus DX SAS HDD, 300GB 15,000rpm									x																																	FTS:ETLSA3HAG			260	
	JX40 SAS 6G Disk 146GB 15k 2.5"	ETERNUS JX40 SAS Disk 6G 146GB 15k 2.5"																								x																		FTS:ETJSA1HBG			364	
	DX NL-SAS HD 2TB 7.2k	Eternus DX NL-SAS HDD, 2TB 7,200rpm									x																																	FTS:ETLNS2HAG			475	
	JX40 SAS 6G Disk 146GB 10k 2.5"	ETERNUS JX40 SAS Disk 6G 146GB 10k 2.5"																								x																		FTS:ETJSA1MBG			184	
	DX NL-SAS HD 1TB 7.2k	Eternus DX NL-SAS HDD, 1TB 7,200rpm									x																																	FTS:ETLNS1HAG			317	
	JX40 SAS 6G Disk 73GB 15k 2.5"	ETERNUS JX40 SAS Disk 6G 73GB 15k 2.5"																								x																		FTS:ETJSA0HBG			232	
	JX40 SATA Disk 1TB 3G 2.5"																								x																		FTS:ETJST4MBG			272	
	DX Solid State Disk 200GB 3.5"	ETERNUS DX 3.5" SSD, 200GB, Released only for ETERNUS DX80/DX90 Base Shelf and ETERNUS Expansion Shelf in conjunction with ETERNUS DX80/DX90 Base Shelf														x																											FTS:ETLSS2HAG			6969	
	JX40 SATA Disk 3G 500GB 2.5"	ETERNUS JX40 SATA Disk 3G 500GB 7.2K 2.5" BC																								x																		FTS:ETJST3MBG			202	
	DX Solid State Disk 100GB 3.5"	ETERNUS DX 3.5" SSD, 100GB														x																											FTS:ETLSS1HAG			5557	
	JX40 SSD SATA 3G 32GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 32GB SLC 2.5"																								x																		FTS:ETJSD0BG			575	
	JX40 SSD SATA 3G 64GB SLC 2.5"	ETERNUS JX40 SSD SATA 3G 64GB SLC 2.5"																								x																		FTS:ETJSD1BG			991	Phased out

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	MSK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																														
Hard Disks (Continued)																																														
SCSI/RAID/SAS controller																																														
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf																															x		x	x	x				D:FCSX-IO			474	
Rack-Infrastructure																																														
	Rackinstallation Tape Products	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.																								x	x	x												D:FCTX-INPSR			101	
	DX8xxx EU power cable (4x) for exp. rack	AC- Power cable with CEE plug., 4 cables for the Power Supply DACS module.																				x	x																		FTS:ETHCAEUEU			175	
	DX4xx EU power cable set expansion rack	AC- Power cable with CEE plug., 2 cables for the PDU modul.	x		x																																				FTS:ETMCAEUEU			88	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																															x				x				S26361-F1647-E302			55	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks																																			x				S26361-F2735-E8			25	Phased out
	RMK-S Vario Carrier w. L-shaped Brackets	with Vario carrier f. easy rack mounting for 19inch rack systems in PCRII racks max. load 50 kg																																			x				S26361-F2735-E150			39	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm																																			x				S26361-F2735-E101			47	Phased out
	Rackinstallation ETERNUS DX Products	Service for installation of a Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the ETERNUS System will be premounted in a Rack ex works.		x		x		x	x			x	x	x		x	x	x	x			x	x																	D:FCDX-INPSR			101	
	PRIMERGY Rackinstallation SX/DX ex works	Service for installation of a Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the ETERNUS System will be premounted in a 12/24/38U Rack ex works.	x		x			x	x	x	x				x									x									x		x	x	x				D:FCSX-INPSR			101	Phased out
	Rackinstallation CX3/4-xx works ABG	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works., With ordering this service, the FibreCAT CX3 will be premounted in a 12/24/38U Rack ex works.																											x	x	x	x									D:FCX3-INSTALL-A			101	
PRIMERGY-Software																																													
	DI Blocks Entry/Standard upgr identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.						x	x										x	x																					S26361-DI009-E101			2	
Miscellaneous																																														
	Extension cable kit for DX410	Cable to connect extension DE, - 4x FC cable (Optical LC-LC 5m), - 2x DEI cable (3m), - 8x SFP module					x																																			FTS:ETMCAF1U-E			491	
	Extension cable kit for DX440	Cable to connect extension DE, - 8x FC cable (Optical LC-LC 5m), - 4x DEI cable (3m), - 16x SFP module					x																																			FTS:ETMCAF4U-E			667	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order																															x				x				S26361-F1647-E410			21	
	SAS IOM TXF	SAS I/O-Modul																																			x				S26361-F3872-E120			175	
	USB IOM TXF	USB I/O-Modul																																			x				S26361-F3872-E130			128	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90																																			x				S26361-F2735-E111			4	
Cables																																													
	FC CX3_xx CABLE HSSDC to HSSDC2 (5 m)-	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC -HSSDC2 5M																											x												D:FC1-HSSDC-5M			172	
	FC CX3_xx CABLE HSSDC2 to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC2 -HSSDC2 5M																											x	x	x										D:FC2-HSSDC-5M			188	
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m																															x		x	x	x				D:FCSX-IO-CAB			61	
	SAS CABLE KIT P2P SAS-SAS	internal SAS-cable for connection of a SAS LTO3/4/5 tape drive with SFF8482 connector with TXF SAS IOM																																			x				S26361-F3872-E121			18	
	P2P-SAS-SATA Cable-KIT	internal SAS-cable for connection of a SAS-backup drive with SATA Interface																																			x				S26361-F3872-E122			18	
	USB CABLE KIT P2P A-B	internal USB cable for connection of an USB backup drive; interface USB A-B																																			x				S26361-F3872-E131			18	
Tape Drive																																														
	SCI2K LTO-3 IBM TapeDrive FC 4GB	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																																					x		D:SCI2K-FTDG-L3BA			10781	
	SCI2K LTO-3 IBM TapeDrive FC-Netwk 4GB	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																					x		D:SCI2K-FTDT-L3BA			12937	
	SCI2K LTO-4 IBM TapeDrv QEKM FC Nwk 4GB	Quantum Scalar i2000 4GB IBM LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Q-EKM, but not with SKM. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																					x		D:SCI2K-FTDT-L4BE			16640	
	SCI500 LTO-4 FC IBM Drive , native	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																					x		D:SCI500-DU4F			10481	
	SCI500 LTO-4 drive NW	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade. This tape drive is compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																					x		D:SCI500-DU4N			11902	
	SCI500 Drive IBM LTO-3FC native,4GB(BS2)	Quantum Scalar i500 LTO-3 Tape Drive Module, 4GB native Fibre Channel, BS2 version. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																					x		M:LSC5H-UTDG-L3BA			9283	
	SCI500 Drive IBM LTO-4FC native,4GB(BS2)	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, 4GB native Fibre Channel, BS2 version. This tape drive is compatible with Quantum Encryption Key Manager. Valid only when ordering add-on drives for an installed library already configured with IBM LTO-4 tape drives. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately."																																					x		M:LSC5H-UTDG-L4BA			10481	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Tape Drive (Continued)																																															
	SCi500 Drive IBM LTO-5FC native,8GB(BS2)	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, BS2 version, Valid only when ordering add-on drives for an installed library already configured with IBM LTO tape drives. This tape drive is compatible with Quantum Encryption Key Manager, but not with Scalar Key Manager.																																						x	M-LSC5H-UTDJ-L5BA			12053	
	SCi6000 IBM LTO-5FC Drive, 4GB NW (BS2)	Scalar i6000 IBM LTO-5 Drive, 4GB Storage Networking, BS2 version , Includes 4GB Fibre Channel I/O Blade when required (every fourth tape drive added). Only valid when ordering add-on drives for an installed library already configured with IBM LTO tape drives. Not compatible with Scalar Key Manager.																																						x	M-LSC6K-UTDT-L5BA			17073	
	SCi2000 1xSDLT 600 FC Drive	Quantum Scalar i2000 SDLT 600 Tape Drive Module, 2GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																																			x			Q-LSC2K-FTDF-S3QA			9060	
	SCi2000 1xIBM LTO-3FC Drive	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																																			x			Q-LSC2K-FTDG-L3BA			10781	
	SCi2000 1xHP LTO-3FC Drive	Quantum Scalar i2000 HP LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																																			x			Q-LSC2K-FTDG-L3HA			10781	
	SCi2000 1xHP LTO-4FC Drive	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																																			x			Q-LSC2K-FTDG-L4HA			12683	
	SCi2000 1xHP LTO-4FC Drive, SKM	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																																			x			Q-LSC2K-FTDG-L4HQ			14104	
	SCi2000 1xDLT-4S FC Drive	Quantum Scalar i2000 DLT-S4 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager.																																			x			Q-LSC2K-FTDG-S4QA			12683	
	SCi2000 1xIBM LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																			x			Q-LSC2K-FTDT-L3BA			12937	
	SCi2000 1xHP LTO-3FC Dr, Q-EKM, NW	Quantum Scalar i2000 4GB HP LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																			x			Q-LSC2K-FTDT-L3HB			12937	
	SCi2000 1xHP LTO-4FC Dr, NW	Quantum Scalar i2000 4GB HP LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																			x			Q-LSC2K-FTDT-L4HA			15219	
	SCi2000 1xHP LTO-4FC Dr, SKM, NW	Quantum Scalar i2000 HP LTO-4 Tape Drive Module, Scalar Key Manager-Enabled, 4GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																																			x			Q-LSC2K-FTDT-L4HQ			16640	
	SCi2000 1xDLT-4S Dr, Q-EKM, NW	Quantum Scalar i2000 4GB DLT-S4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																			x			Q-LSC2K-FTDT-S4QA			15219	
	SCi500 1xHP LTO-5FC Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																																				x			Q-LSC5H-UTDJ-L5HA			12053	
	SCi500 1xHP LTO-5FC Drive,SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																																				x			Q-LSC5H-UTDJ-L5HQ			13118	
	SCi500 1xHP LTO-5SAS Drive, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, SAS, field upgrade, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																																				x			Q-LSC5H-UTDM-L5HA			9785	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT TOF	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Tape Drive (Continued)																																															
	SCi500 1xHP LTO-5SAS Drive, SKM, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, SAS, field upgrade, Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warrantyfs-service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																																							x		Q-LSC5H-UTDM-L5HQ			10851	
	SCi500 1xHP LTO-5FC Dr, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 4GB Fibre Channel I/O Blade when required (every fourth tape drive added). This tape drive is compatible with Scalar Key Manager, but not with Quantum Encrgption Key Manager. Valid only with order for Scalar i500 14U or larger system.																																							x		Q-LSC5H-UTDT-L5HA			13687	
	SCi500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 4GB Storage Networking, field upgrade, For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Includes Scalar Key Manager license key for use with HP drives only. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warrantyfs-service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																																							x		Q-LSC5H-UTDT-L5HQ			14753	
	SCi500 1xHP LTO-5FC Drive, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key. This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																																							x		Q-LSC5H-UTDU-L5HA			13118	
	SCi500 1xHP LTO-5FC Dr, SKM, NW, UPG	Quantum Scalar i500 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Storage Networking, field upgrade, Includes 8GB Storage Networking license key and Scalar Key Manager license key. Scalar Key Manager Appliance must be ordered if customer does not already have the appliance in their environment. Not for use with IBM drives and Q-EKM license keys. Warrantyfs-service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																																							x		Q-LSC5H-UTDU-L5HQ			14184	
	QTMi6k LTO-4 EDLM Scan.Dri, no EDLM Lic	Quantum Scalar i6000 LTO-4 EDLM Scanning Tape Drive, EDLM License Not Included , Includes one LTO-4 EDLM scanning tape drive for use with the Scalar i6000 EDLM iLayer feature. This drive supports EDLM scanning of LTO-2, LTO3 and LTO-4 media. Required I/O blades automatically ship with this drive as needed. The EDLM license is sold separately and is required to use this drive. This drive can be mixed with LTO-5 EDLM scanning tape drives. Each EDLM drive counts as a tape drive when ordering the library Installation and Configuration service (SLBBN-NSYN-Px0x) for initial system installation. Must order Tape Drive Installation and Configuration (SSCBB-NTDF-012x) to install EDLM (and standard tape drives) after initial system installation. A Bronze, Silver or Gold Support Plan (SLBBN-xTDX-xx1x) must also be added at the same service level as the library for each EDLM drive."																																							x		Q-LSC6K-AEDL-L4AA			2760	
	QTMi6k LTO-5 EDLM Scan.Dri, no EDLM Lic	"Quantum Scalar i6000 LTO-5 EDLM Scanning Tape Drive, EDLM License Not Included, Includes one LTO-5 EDLM scanning tape drive for use with the Scalar i6000 EDLM iLayer feature. This drive supports EDLM scanning of LTO3, LTO-4 and LTO-5 media. Required I/O blades automatically ship with this drive as needed. The EDLM license is sold separately and is required to use this drive. This drive can be mixed with LTO-4 EDLM scanning tape drives. Each EDLM drive counts as a tape drive when ordering the library Installation and Configuration service (SLBBN-NSYN-Px0x) for initial system installation. Must order Tape Drive Installation and Configuration (SSCBB-NTDF-012x) to install EDLM (and standard tape drives) after initial system installation. A Bronze, Silver or Gold Support Plan (SLBBN-xTDX-xx1x) must also be added at the same service level as the library for each EDLM drive."																																							x		Q-LSC6K-AEDL-L5AA			2760	
	SCi6000 1xHP LTO-5FC Drive	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB native Fibre Channel, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager.																																							x		Q-LSC6K-FTDJ-L5HA			14586	
	SCi6000 1xHP LTO-5FC Drive, SKM	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-*PAR-001A*) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warrantyfs-service level of key-enabled drives must match the service length and level of the library.																																							x		Q-LSC6K-FTDJ-L5HQ			16007	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 2.5	ETERNUS DX60 S3 3.5	ETERNUS DX60 S3 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8900 S3 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Tape Drive (Continued)																																																	
	SCi6000 1xHP LTO-5FC Dr, NW	Quantum Scalar i6000 8GB HP LTO-5 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Scalar Key Manager, but not with Quantum Encryption Key Manager. Includes Scalar i6000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																						x				Q-LSC6K-FTDT-L5HA			17073	
	SCi6000 1xHP LTO-5FC Dr, SKM, NW	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Scalar Key Manager-Enabled, 8GB native Fibre Channel, factory-installed, Includes Scalar Key Manager license key for use with HP LTO-5 drives only. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																																						x				Q-LSC6K-FTDT-L5HQ			18494	
	SCi6000 1xHP LTO-5FC Dr. NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, 8GB Native Storage Networking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade.																																						x				Q-LSC6K-FTDU-L5HA			16362	
	SCi6000 1xHP LTO-5FC Dr, SKM,NW,Failover	Quantum Scalar i6000 HP LTO-5 Tape Drive Module, Key-Enabled, 8GB Native Storage Networking, factory installed. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping. Does not include 4GB Fibre Channel I/O Blade. Also includes Scalar Key Manager license key for use with HP LTO-4 and HP LTO-5 drives. Scalar Key Manager Appliance must be ordered separately if customer does not already have it installed in their environment. Scalar i2000/Scalar i6000 Partitioning Option (LSC2K-APAR-001A) is required and key-enabled drives must be in a separate partition from non-key-enabled drives. Not for use with IBM LTO drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Warranty/service level of key-enabled drives must match the service length and level of the library.																																						x				Q-LSC6K-FTDU-L5HQ			17783	
	SCi500 LTO-3 FC IBM Drive, native	LTO Ultrium 3 FC drive for Scalar i500, Data transfer rate: 80 MB/s (native)., Data medium capacity: 400 GB (native).																																								x	D-SCI500-DU3F			9283	
	SCi6000 Drive IBM LTO-3 FC, 4GB (BS2)	Quantum Scalar i2000 IBM LTO-3 Tape Drive Module, 4GB native Fibre Channel, factory installed, This tape drive is not compatible with Scalar Key Manager or with Quantum Encryption Key Manager.																																							x	M-SCI2K-FTDG-L3BA			10781	
	SCi500 1xHP LTO-4FC Drive,SKM, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB native Fibre Channel, field upgrade.Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																						x				Q-LSC5H-UTDG-L4HQ			11546	
	SCi6000 Drive IBM LTO-3FC-Netwk,4GB(BS2)	Quantum Scalar i2000 4GB IBM LTO-3 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is not compatible with Scalar Key Manager nor with Quantum Encryption Key Manager. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																							x	M-SCI2K-FTDT-L3BA			12937	
	SCi500 1xHP LTO-4FC Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB native Fibre Channel, field upgrade. , This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately."																																						x				Q-LSC5H-UTDG-L4HA			10481	
	SCi6000 Drive IBM LTO-4 QEKM FC,4GB(BS2)	Quantum Scalar i6000 IBM LTO-4 Tape Drive Module, Q-EKM-Enabled, 4GB native Fibre Channel, field-upgrade, Includes Q-EKM software and license key. Q-EKM drives must be in a separate partition from non-Q-EKM drives. Q-EKM Integration Service is also required to install and configure the Q-EKM application. Warranty/service level of Q-EKM must match the service length and level of the library. Not compatible with Scalar Key Manager.																																							x	M-SCI2K-UTDG-L4BE			14104	
	SCi6000Dri IBM LTO-4 QEKM FCNwk,4GB(BS2)	Quantum Scalar i6000 4GB IBM LTO-4 Tape Drive Module, 4GB Storage Networking, factory installed, This tape drive is compatible with Q-EKM, but not with SKM. Includes Scalar i2000 Fibre Channel I/O Blade when required (every fourth tape drive added).																																							x	M-SCI2K-FTDT-L4BE			16640	
	SCi500 1xHP LTO-4FC Dr,SKM,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, 4GB Storage Networking, field upgrade. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of Scalar Key Manager drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x				Q-LSC5H-UTDT-L4HQ			12968	
	SCi500 1xHP LTO-4FC Drive,NW, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, 4GB Storage Networking, field upgrade, This tape drive is not compatible with Quantum Encryption Key Manager. For Scalar i500 14U or larger systems only. Includes Scalar i500 Fibre Channel I/O Blade when required (every fourth tape drive added). Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																							x				Q-LSC5H-UTDT-L4HA			11902	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8000 S2 2.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Tape Drive (Continued)																																															
	SCi500 1xHP LTO-4SAS Drive, UPG	"Quantum Scalar i500 HP LTO-4 Tape Drive Module, SAS, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																																				x			Q-LSC5H-UTDM-L4HA			8509	
	SCi500 1xHP LTO-4SAS Drive,SKM, UPG	Quantum Scalar i500 HP LTO-4 Tape Drive Module, Key-Enabled, SAS, field upgrade, Includes Scalar Key Manager license key for use with HP LTO-4 drives only. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives.																																				x			Q-LSC5H-UTDM-L4HQ			9575	
	SCi500 1xIBM LTO-4SCSI,UPG	Quantum Scalar i500 IBM LTO-4 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately."																																				x			Q-LSC5H-UTDL-L4BA			8154	
	SCi500 1xIBM LTO-3SCSI Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, LVD SCSI, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDL-012x), covering up to 12 drives, must be ordered separately.																																				x			Q-LSC5H-UTDL-L3BA			6679	
	SCi500 1xIBM LTO-3FC Drive, UPG	Quantum Scalar i500 LTO-3 Tape Drive Module, 4GB native Fibre Channel, field upgrade. This tape drive is not compatible with Quantum Encryption Key Manager. Tape drive installation and configuration (SSCBB-NTDF-012x), covering up to 12 drives, must be ordered separately.																																				x			Q-LSC5H-UTDG-L3BA			9283	
	ET LT S2 drive FC LTO-4 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface																											x	x												FTS:LTS2Z124E			3167	
	ET LT S2 drive FC LTO-5 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface																											x	x												FTS:LTS2Z125E			3741	
	ET LT S2 drive SAS LTO-4 FH	ETERNUS LT S2 , drive LTO5Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS SFF8088 interface																											x	x												FTS:LTS2Z134E			2978	
	ET LT S2 drive SAS LTO-5 FH	ETERNUS LT S2, drive LTO5 Full-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS SFF8088 interface																											x	x												FTS:LTS2Z135E			3551	
	ET LT S2 drive SAS LTO-3 HH	ETERNUS LT S2 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., SAS 4 GB/s, SFF8088 interface																										x	x	x												FTS:LTS2Z233E			1723	
	ET LT S2 drive FC LTO-4 HH	ETERNUS LT S2 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB/s interface																										x	x	x												FTS:LTS2Z224E			2367	
	ET LT S2 drive FC LTO-5 HH	ETERNUS LT S2 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Fibre Channel 8 GB interface																										x	x	x												FTS:LTS2Z225E			2900	
	ET LT S2 drive SAS LTO-4 HH	ETERNUS LT S2 , drive LTO4 Half-Hight, LTO5 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., SAS 4GB/s interface, SFF8088 connect																										x	x	x												FTS:LTS2Z234E			2070	
	ET LT S2 drive SAS LTO-5 HH	ETERNUS LT S2 , drive LTO5 Half-Hight, LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., SAS 6GB/s interface, SFF8088 connect																										x	x	x												FTS:LTS2Z235E			2768	
Installation licences																																															
	Scalar i2000 to Scalar i6000 Upgrade Kit	Quantum Scalar i2000 to Scalar i6000 Upgrade Kit, Includes the necessary hardware and software to upgrade a Scalar i2000 to a Scalar i6000 library. This upgrade enables enhanced functionality not available in a Scalar i2000, including iLayer features like Extended I/E, a streamlined firmware download process, and other software updates. In addition, Scalar i2000 systems must be upgraded to a Scalar i6000 with this kit to take advantage of the additional 'i6000-unique' upgrade options like LTO-5 tape drives and the iLayer MeDIA feature.																																				x		x	Q-LSC2K-UU6K-0001			7105	
	SCi500 SKM Lic. Key, LTO-5, 2-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, Two-Drive, field upgrade, Includes license key to enable Storage Networking features on up to two (2) HP LTO-5 drives in a Scalar i500.																																				x		x	Q-LSC5H-USN2-L5HA			2132	
	SCi500 SKM Lic. Key, LTO-5, 4-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, four-Drive, field upgrade, Includes license key to enable Storage Networking features on up to four (4) HP LTO-5 drives in a Scalar i500.																																				x		x	Q-LSC5H-USN4-L5HA			4263	
	SCi500 SKM Lic. Key, LTO-5, 6-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, six-Drive, field upgrade, Includes license key to enable Storage Networking features on up to six (6) HP LTO-5 drives in a Scalar i500.																																				x		x	Q-LSC5H-USN6-L5HA			6395	
	SCi500 SKM Lic. Key, LTO-5, 10-Dr,UPG	Quantum Scalar i500 8GB native Storage Networking License Key, ten-Drive, field upgrade, Includes license key to enable Storage Networking features on up to ten (10) HP LTO-5 drives in a Scalar i500.																																				x		x	Q-LSC5H-USNA-L5HA			10658	
	SCi6000 Aisle Light Kit, Per Module	Quantum Scalar i6000 Aisle Light Kit, Per Module, Includes all necessary hardware to install an internal blue aisle light at the top of a Scalar i6000 Control Module or Expansion Module. Order quantity one per Control Module and Expansion Module."																																				x		x	Q-LSC6K-AALK-0001			533	
	QTM i6k iLayer EDLM Lic,no Scanning Dri.	Quantum Scalar i6000 iLayer EDLM License, Scanning Drives Not Included , License key to enable EDLM functionality within the Scalar i6000 iLayer software, version i8.2.1 and later. Provides the ability to create and configure a library-managed partition. Includes Partition license if not already installed. Maximum one EDLM license per system. Library-managed partition storage slots count toward licensed COD slots. EDLM scanning drives are sold separately, a minimum of one EDLM scanning tape drive is required to use this feature. A mix of EDLM LTO-4 and LTO-5 scanning drives can be used with this feature. Installation and Service is not required for the EDLM license."																																				x		x	Q-LSC6K-AEDL-000A			4554	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 3.5	ETERNUS DX60 S3 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8900 S3 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Installation licences (Continued)																																																
	SCi6000 72Slot LTO I/E-Station for Expan	Quantum Scalar i6000 72-Slot LTO Import/Export (I/E) Station for Expansion Module. One 72-slot or 24-slot I/E Station can be added to each of the first seven Expansion Modules. This 72-slot I/E station includes 72 LTO import/export slots. Reduces EM capacity by 168 LTO slots.																																						x		x	Q:LSC6K-AIES-072A			5684	
	SCi6k iLayer MeDIA Kit f.Sca.LTO2 - LTO4	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-2 Through LTO-4 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																																						x		x	Q:LSC6K-AMEH-LT2A			22737	
	SCi6k iLayer MeDIA Kit f.Sca.LTO3 - LTO5	Quantum Scalar i6000 iLayer MeDIA Kit, High Performance, For Scanning LTO-3 Through LTO-5 Media Includes license key to enable full MeDIA functionality within the Scalar i6000 iLayer software. Provides ability to create and configure a library-managed partition, as well as to setup and configure the type of MeDIA scanning to perform. 'High Performance' MeDIA kit includes four MeDIA tape drives and one MeDIA I/O Blade for use with the MeDIA feature only. Maximum one MeDIA Kit per system. Library-managed partition storage slots count toward licensed COD slots, and MeDIA tape drives count toward maximum system drive count. Requires Scalar i6000 Partitioning Option (LSC2K-APAR-001A).																																						x		x	Q:LSC6K-AMEH-LT3A			22737	
	SCi6,SKM Lic.Key, LTO5,2xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, Two-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																																						x		x	Q:LSC6K-USK2-L5HA			3553	
	SCi6,SKM Lic.Key, LTO5,4xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, four-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																																						x		x	Q:LSC6K-USK4-L5HA			7105	
	SCi6,SKM Lic.Key,LTO5,12xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key,12-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																																						x		x	Q:LSC6K-USKC-L5HA			21316	
	SCi6,SKM Lic.Key,LTO5,24xDr,UPG,Failover	Quantum Scalar i6000 HP LTO-5 8GB native Storage Networking License Key, 24-Drive, field upgrade For use with HP LTO-5 drives only. Includes license key to enable Control Path Failover, Data Path Failover, and LUN Mapping on up to two HP LTO-5 drives.																																						x		x	Q:LSC6K-USKF-L5HA			42632	
	SC Key Manager HA Virtual Machine Pair	"Scalar Key Manager High-Availability Virtual Machine Pair. For use with HP LTO-4 and HP LTO-5 drives in both the Scalar i500 and Scalar i2000/i6000. Includes two Scalar Key Manager Appliances (one primary, one secondary). Scalar Key Manager drive licenses must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																						x	x	x	x	Q:LSCBB-AKMV-001A			2842	
	QTM Vis4.0.2Ser w.1xQTM Sy Lic&Media,UPG	Quantum Vision 4.0 Server with One Quantum System License and Media Kit, initial order, Includes media kit and license for one supported Quantum Disk or Tape System. Compatible with Scalar i500 and Scalar i2000/i6000. Requires Server with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes support when used with supported Quantum Disk or Tape System under a current support contract.																																						x	x	x	x	Q:WSVLA-FQDA-040A			3908	
	Quantum Vision 4.0.3 SWMedia Kit with 1L	Quantum Vision 4.0.3 Software Media Kit with One Device License - New Install Only, Includes media kit and license certificate for one supported Quantum Disk or Tape System. Order this part for new Vision server installations only. Do not use this model number to purchase additional licenses for a supported Quantum disk or tape system. Compatible with DX2500-D, DX3500, DX4500, DXi5500, DX6500, DX6700, DX7500, DXi8500, Scalar i40/i80, Scalar i500 and Scalar i2000/i6000. Requires Server with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes support when used with supported Quantum Disk or Tape System under a current support contract.																																						x	x	x	x	Q:WSVLA-FQDA-040C			3908	
	QTM Vision 4.x SW Media Kit,initial only	Quantum Vision 4.x Software Media Kit with One Device License - New Install Only, Includes media kit and license certificate for one supported Quantum disk or tape system. Order this part for new Vision server installations only. Do not use this model number to purchase additional licenses for a supported Quantum disk or tape system. Compatible with Scalar i500 and Scalar i2000/i6000. Requires Server or Virtual Machine with Windows 2003/2008 or RHEL 5.0, 4GB memory and 200GB free disk space. Includes three-year 5x9 software telephone technical support.																																						x	x	x	x	Q:WSVLA-FQDA-040W			2952	
	QTM Vision 4.x One Device Add-On License	Quantum Vision 4.x One Device Add-On License , Valid only after the initial purchase and installation of Quantum Vision 4.0 or 4.0.x software. Includes license for one supported Quantum disk or tape system. Compatible with Scalar i500 and Scalar i2000/i6000."																																						x	x	x	x	Q:WSVLA-UQDA-040W			1462	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 3.5	ETERNUS DX60 S3 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8000 S2 2.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8000 S3 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Installation licences (Continued)																																																
	SCi500>SCi6k FTS Installations & Service	Optional position for decision between Quantum and FTS Service., Installation FTS Service and FTS Maintenance for Scalar i500. , This position is to be ordered if FTS is the preffered provider for the FTS Installation Service and FTS Maintenance Service., This is only an optional position (place holder) not the number for the Installation and Maintenance Service itself, An offer for the FTS Installation Service and for FTS Maintenance Service Products is separated to catch up with SBO (Sales Backup Office).																																						x	x	x	x	FTS:SCI500-INST			2	
	SCi2000 Partitioning Option License Key	Quantum Scalar i2000 Partitioning Option License Key, Enables partitioning functionality, up to 16 partitions. Required for multi-media systems. Also required for systems connected to a key manager if the system has more than one partition.																																						x		x		Q:LSC2K-APAR-001A			5684	
	SCi500 Q-EKM License Key, 2-Drive	"Quantum Scalar i500 Q-EKM License Key, Two-Drive, field upgrade. Includes license key to enable Q-EKM on up to two (2) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																																							x		x	Q:LSC5H-UEK2-L4BA			2132	
	SCi500 Q-EKM License Key, 4-Drive	"Quantum Scalar i500 Q-EKM License Key, four-Drive, field upgrade. Includes license key to enable Q-EKM on up to four (4) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																																							x		x	Q:LSC5H-UEK4-L4BA			4263	
	SCi500 Q-EKM License Key, 6-Drive	"Quantum Scalar i500 Q-EKM License Key, six-Drive, field upgrade. Includes license key to enable Q-EKM on up to six (6) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																																							x			Q:LSC5H-UEK6-L4BA			6395	
	SCi500 Q-EKM License Key, 10-Drive	"Quantum Scalar i500 Q-EKM License Key, ten-Drive, field upgrade. Includes license key to enable Q-EKM on up to ten (10) IBM LTO-4 drives in a Scalar i500. Not for use with HP LTO-4 drives and the Scalar Key Manager. Q-EKM Installation and Configuration services are required and must be ordered separately. Warranty / Service level of the Q-EKM drives must match the service length and level of the library. Q-EKM drives must be in a separate partition from non-Q-EKM drives."																																							x		x	Q:LSC5H-UEKA-L4BA			10658	
	SCi500SCALAR Key Manager Lic. Key,2-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, Two-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to two (2) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x		x	Q:LSC5H-UQK2-L4BA			2132	
	SCi500SCALAR Key Manager Lic. Key,4-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, four-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to four (4) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x		x	Q:LSC5H-UQK4-L4BA			4263	
	SCi500SCALAR Key Manager Lic. Key,6-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, six-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to six (6) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x			Q:LSC5H-UQK6-L4BA			6395	
	SCi500SCALAR Key Manager Lic. Key,10-Dr.	Quantum Scalar i500 Scalar Key Manager License Key, ten-Drive, field upgrade. Includes license key to enable the Scalar Key Manager on up to ten (10) HP LTO-4 drives in a Scalar i500. Scalar Key Manager Appliance must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Warranty/service level of key-enabled drives must match the service length and level of the library. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x		x	Q:LSC5H-UQKA-L4BA			10658	
	SKM High-Availability Appliance Pair	"Scalar Key Manager High-Availability Appliance Pair. For use with HP LTO-4 drives in both the Scalar i500 and Scalar i2000. Includes two Scalar Key Manager Appliances (one primary, one secondary). Scalar Key Manager drive licenses must be ordered separately. Not for use with IBM LTO-4 drives and Q-EKM license keys. Encryption Key Management Solution Installation and Configuration services are optional. Key-enabled drives must be in a separate partition from non-key-enabled drives."																																							x	x	x	x	Q:LSCBB-AKMA-001A			10658	
Inst. licences zone 1																																																

Options matrix

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX60	ETERNUS DX60 2. 5	ETERNUS DX60 S2 2. 5	ETERNUS DX60 S2 3. 5	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2. 5	ETERNUS DX80 S2 3. 5	ETERNUS DX8000 S2 2. 5 Expa	ETERNUS DX8000 S2 3. 5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5	ETERNUS DX90 S2 3. 5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Inst. licences zone 1 (Continued)																																														
	QuantumSched.AfterHoursSup.Charge,ann,Z1	Quantum Scheduled After Hours Support Charge, annual, zone 1, Add this surcharge as another line item for customers who require scheduled maintenance support to be performed after regular business hours. An active Service Contract is required to add this item.																																						x	Q:SLBBB-AAHS-0001			31974	
	Quantum Dark Site Sup.Charge, annual ,Z1	Quantum Dark Site Support Charge, annual, zone 1, Add this surcharge as another line item for customers who have unattended "dark" sites that require additional non-mission critical support visits. Service Contracts is required to add this item.																																						x	Q:SLBBB-ADSS-0001			3553	
	SCi500 Non-Return. Dri.Charge, annual,Z1	Quantum Scalar i500 Non-Returnable Tape Drive Charge, annual, zone 1, Add this surcharge as another line item with each Scalar i500 sold to a secure site. This line item should be added to the product with or without an uplift contract.																																						x	Q:SSC5H-RTSA-NR11			853	
	SCi6000 Non-Return.DriveCharge, annualZ1	Quantum Scalar i6000 Non-Returnable Tape Drive Charge, annual, zone 1, Add this surcharge as another line item with each Scalar i6000 sold to a secure site. This line item should be added to the product with or without an uplift contract.																																						x	Q:SSC6K-RTSA-NR11			3624	
	SCi500 5U, Installation, Z1	Quantum Scalar i500 5U, Installation, zone 1., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																																						x	Q:SLBBM-NSYS-0001			639	
	SCi2000, Inst & Config, Basic, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																																			x		x		Q:SLBBN-NSYN-PB01			4512	
	SCi500 5U & 14U, Installation, Z1, UPG	Quantum SuperLoader 3, Scalar 24, Scalar 50/50e, Scalar i500 5U and Scalar i500 14U, Configuration, zone 1., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																																					x		x	Q:SLBBL-NSYC-0001			2736	
	SCi2000, Inst & Config, small, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																																					x		x	Q:SLBBN-NSYN-PE01			5773	
	SCi2000, Inst & Config, medium, PX720,Z1	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 1, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																																					x		x	Q:SLBBN-NSYN-PH01			8438	
	SCi500 14U, Installation, Z1	Quantum Scalar i500 14U, Installation, zone 1 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																																						x		x	Q:SSC53-NSYS-0001			782	
	SCi2000, Inst & Config, large, PX720, Z1	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 1, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																																						x		x	Q:SLBBN-NSYN-PL01			12878	
	SCi500 23U, Installation, Z1	Quantum Scalar i500 23U, Installation and Configuration, zone 1. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																																						x			Q:SSC55-NSYN-0001			5418	
	SCi500 9U, Installation, Z1	Quantum Scalar i500 9U Expansion Module, Installation, zone 1, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																																						x		x	Q:SSC5H-NEXM-0001			639	
	SCi500+SCi2k FC Drive Install. Up to122I	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 1., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																																						x	x	x	x	Q:SSCBB-NTDF-0121			3109	
	SCi500+SCi2k SAS / SCSI Drive Install.Z1	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 1., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																																						x	x	x	x	Q:SSCBB-NTDL-0121			889	

Options matrix

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX60	ETERNUS DX60 2. 5	ETERNUS DX60 S2 2. 5	ETERNUS DX60 S2 3. 5	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2. 5	ETERNUS DX80 S2 3. 5	ETERNUS DX8900 S2 2. 5 Expa	ETERNUS DX8900 S2 3. 5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5	ETERNUS DX90 S2 3. 5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8G2	MTC Scalar i500 for 8G2	Product Code			End User Price (RRP)	Comments
Inst. licences zone 1 (Continued)																																															
	SCi500+SC2k Q-EKM Install. Single SerZ1	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 1., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																																					x	x	x	x	Q:SLBBB-NEK1-0001			1776	
	SCi500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																					x	x	x	x	Q:SLBBB-NEK2-0001			1066	
	SCi500+SC2k Q-EKM Add. Server Z1	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 1, Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																					x	x	x	x	Q:SLBBB-NEK3-0001			1776	
Inst. licences zone 2																																															
	SCi500+SC2k Q-EKM Install. Single SerZ2	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																																					x	x	x	x	Q:SLBBB-NEK1-0002			2043	
	SCi500+SC2k Q-EKM Install. Add. Ser Z2	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 2, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																					x	x	x	x	Q:SLBBB-NEK2-0002			1225	
	SCi500+SC2k Q-EKM Add. Server Z2	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 2., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																					x	x	x	x	Q:SLBBB-NEK3-0002			2043	
	SCi500 5U & 14U, Installation, Z2, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 2., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																																						x		x	Q:SLBBL-NSYC-0002			3146	
	SCi500 5U, Installation, Z2	Quantum Scalar i500 5U, Installation, zone 2., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																																								x	Q:SLBBM-NSYS-0002			735	
	SCi2000, Inst & Config, Basic, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																																					x		x	Q:SLBBN-NSYN-PB02			5189	
	SCi2000, Inst & Config, small, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																																					x		x	Q:SLBBN-NSYN-PE02			6639	
	SCi2000, Inst & Config, medium, PX720,Z2	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 2, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																																					x		x	Q:SLBBN-NSYN-PH02			9703	
	SCi2000, Inst & Config, large, PX720, Z2	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 2, Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																																					x		x	Q:SLBBN-NSYN-PL02			14811	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Inst. licences zone 2 (Continued)																																																
	SCi500 14U, Installation, Z2	Quantum Scalar i500 14U, Installation, zone 2 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																																						x		x	Q-SSC53-NSYS-0002			899	
	SCi500 23U, Installation, Z2	Quantum Scalar i500 23U, Installation and Configuration, zone 2 , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																																					x			Q-SSC55-NSYN-0002			6231	
	SCi500 9U, Installation, Z2	Quantum Scalar i500 9U Expansion Module, Installation, zone 2, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																																					x		x	Q-SSC5H-NEXM-0002			735	
	SCi500+SCi2k FC Drive Install. Up to12Z2	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 2., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																																					x	x	x	Q-SSCBB-NTDF-0122			3575	
	SCi500+SCi2k SAS / SCSI Drive Install.Z2	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 2., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																																					x	x	x	Q-SSCBB-NTDL-0122			1022	
Inst. licences zone 3																																																
	SCi500+SC2k Q-EKM Install. Single SerZ3	Quantum Encryption Key Management Solution, Single Server/Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on a single server at a single site. If this item is ordered, the installation and configuration of the secondary server is also required and must be ordered separately. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to the primary SKM or Q-EKM. If the key management installation and configuration service is related to a new system installation, system installation service must also be ordered. For configurations outside this scope, refer to the Customized System Integration Service.																																						x	x	x	Q-SLBBB-NEK1-0003			3109	
	SCi500+SC2k Q-EKM Install. Add. Ser Z3	Quantum Encryption Key Management Solution, Additional Server/Same Site/Same Trip System Installation and Configuration, zone 3, Includes installation and configuration of SKM or Q-EKM on an additional server at the same site during the same trip. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																						x	x	x	Q-SLBBB-NEK2-0003			1865	
	SCi500+SC2k Q-EKM Add. Server Z3	Quantum Encryption Key Management Solution, Additional Server/Different Site System Installation and Configuration, zone 3., Includes installation and configuration of SKM or Q-EKM on an additional server at a different site. This service is optional for the SKM Appliance, but is required when purchasing Q-EKM. Also includes library configuration steps necessary to connect to SKM or Q-EKM. Must purchase Key Management Single Server/Site Integration Service (SLBBB-NEK1-000x) as a prerequisite.																																						x	x	x	Q-SLBBB-NEK3-0003			3109	
	SCi500 5U & 14U, Installation, Z3, UPG	Quantum Scalar i500 5U and Scalar i500 14U, Configuration, zone 3., Installation service is required if a system configuration package is ordered in conjunction with a new system installation.																																						x		x	Q-SLBBL-NSYC-0003			4788	
	SCi500 5U, Installation, Z3	Quantum Scalar i500 5U, Installation, zone 3., The Scalar i500 5U libraries are customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required for the i500 5U if ordering Quantum Encryption Key Manager at initial purchase."																																								x	Q-SLBBM-NSYS-0003			1119	
	SCi2000, Inst & Config, Basic, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Basic Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Basic Package is applicable for up to four tape drives.																																					x		x	Q-SLBBN-NSYN-PB03			7896	
	SCi2000, Inst & Config, small, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Small Package, zone 3, Installation and configuration are required for Scalar i2000 libraries The Small Package is applicable for up to eight tape drives.																																					x		x	Q-SLBBN-NSYN-PE03			10103	
	SCi2000, Inst & Config, medium, PX720,Z3	Quantum Scalar i2000, Installation and Configuration, Medium Package, zone 3, Installation and configuration are required for PX720 and Scalar i2000 libraries The Medium Package is applicable for up to 12 tape drives.																																					x		x	Q-SLBBN-NSYN-PH03			14766	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8000 S2 2.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TXF	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Inst. licences zone 3 (Continued)																																																	
	SCi2000, Inst & Config, large, PX720, Z3	Quantum Scalar i2000, Installation and Configuration, Large Package, zone 3., Installation and configuration are required for Scalar i2000 libraries The Large Package is applicable for up to 24 tape drives. Order Tape Drive Module native Fibre Channel or Storage Networking (SNW) Installation and Configuration (model SSCBB-NTDF-000x) for each set of 12 or fewer drives in excess of 24.																																						x		x		Q:SLBBN-NSYN-PL03			22537	
	SCi500 14U, Installation, Z3	Quantum Scalar i500 14U, Installation, zone 3 The Scalar i500 14U library is customer installable. However, library installation service is recommended for all configurations and system configuration services are recommended for all Fibre Channel installations. The Library Installation charge includes installation of the library and all optional items initially ordered with the library. Installation service is required if a system configuration package is ordered in conjunction with a new system installation. Installation is required if ordering Quantum Encryption Key Manager at initial purchase."																																							x		x	Q:SSC53-NSYS-0003			1368	
	SCi500 23U, Installation, Z3	Quantum Scalar i500 23U, Installation and Configuration, zone 3. , Installation and configuration are required for Scalar i500 23U libraries The Library Installation charge includes installation of the library and all optional items initially ordered with the library.																																							x			Q:SSC55-NSYN-0003			9482	
	SCi500 9U, Installation, Z3	Quantum Scalar i500 9U Expansion Module, Installation, zone 3, Required when adding a 9U Expansion Module to an existing system. Not required for 9U Expansion Modules ordered with an initial system order.																																							x		x	Q:SSC5H-NEXM-0003			1119	
	SCi500+SCi2k FC Drive Install. Up to12Z3	Quantum Library, Tape Drive Module, native Fibre Channel or Storage Networking (SNW), Installation and Configuration, up to 12, zone 3., Must be ordered when adding Fibre Channel and/or Storage Networking (SNW) tape drive(s) as add-ons/upgrades to an existing library. Must also be ordered when the number of Fibre Channel or SNW tape drives in an initial PX720 or Scalar i2000 library order exceeds the number of drives included in the PX720 and Scalar i2000 Installation and Configuration Large Package (i.e., initial order includes more than 24 Fibre Channel and/or SNW tape drives)."																																							x	x	x	x	Q:SSCBB-NTDF-0123			5439	
	SCi500+SCi2k SAS / SCSI Drive Install.Z3	Quantum Library, Tape Drive Module, SAS or SCSI, Installation and Configuration, up to 12, zone 3., Must be ordered when adding SAS or SCSI tape drive(s) as add-ons/upgrades to an existing library."																																							x	x	x	x	Q:SSCBB-NTDL-0123			1554	
Slot Upgrade																																																	
	ET LT60 S2 License Slot 25 to 36	ETERNUS LT60 S2 license 25 - 36 Slot, Activation of the slots 25 to 36 at the factory for ETERNUS Model LT60 S2																													x																FTS:LT60S22D3E			699	
	ET LT60 S2 License Slot 37 to 48	ETERNUS LT60 S2 license 37 - 48 Slot, Activation of the slots 37 to 48 at the factory for ETERNUS Model LT60 S2																													x																FTS:LT60S22D4E			699	
	ET LT60 S2 License Partitioning	ETERNUS LT60 S2 license for Partitioning factory mount, , This license can be used only if at least two tapes Drives are inserted in the Library and all 48 Slots are activated!																													x																FTS:LT60S22D5E			876	
	SCi2000 100-slot License Key	Quantum Scalar i2000 100-slot License Key, Quantum Scalar i2000 100-slot License Key , Depending on a further expansion of the base library expansion module slot may be needed (one or more). , It may therefore incur extra costs for field upgrades. It should first be examined whether required by this license, a slot expansion module. , In this case, fill out a Work Order Sheet with relevant organizations and to state the quantum-based library serial number. Quantum will provide in accordance with the Work Order Sheet hardware you need.																																							x		x	Q:LSC2K-ALSL-100A			8882	
	SCi500 46slot License Key, factory inst.	Quantum Scalar i500 46-slot License Key, factory installed (EMEA). , Valid only with order for Scalar i500. Order one or two with initial 14U base system to configure library with 87 or 133 activated slots. Order one, two, three or four with initial 23U base system to configure library with 87, 133, 179 or 225 activated slots.																																							x		x	Q:LSC5H-FLSL-046E			3908	
	ET LT40 S2 License Partitioning	ETERNUS LT40 S2 license for Partitioning factory mount, , This license can be used only if at least two tapes Drives are inserted in the Library and all 24 Slots are activated!																												x																FTS:LT40S22D4E			876	
	ET LT40 S2 License for Slot 13 to 24	ETERNUS LT40 S2 license 13 - 24 Slot, Activation of the slots 13 to 24 at the factory for ETERNUS Model LT40 S2																												x																FTS:LT40S22D3E			874	
Tape Accessories																																																	
	ET LT60 S2 power supply	With this component you can upgrade the ETERNUS LT60 S2 with a redundante power supply at the factory																													x																FTS:LT60S22D6E			366	
Storage FibreCAT																																																	
	Single Disk CX3/4-xx 450GB/15K 4GBit	Single Disk 450GB/15K for CX3-xx Model., Interface: FC with 4 GBit/s.																																		x	x										D:FCX4D1-45015-E			1575	
	Single Disk CX4-xx 600GB/15K 4GBit	Single Disk 600GB/15K for CX4-xx Model., Interface: FC with 4 GBit/s.																																		x	x										D:FCX4D1-60015-E			2123	
	Single Disk SATA II 1TB/7k2 FC CX3/4	Single Disk 1TB/7200 rpm for CX3/4-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)																																		x	x										D:FCXAD1-1T72N-E			1048	
	Single Disk SATA II 2TB/7k2 FC CX4	Single Disk 2TB/7200 rpm for CX3/4-xx Model., SATA II Harddisk with converter to FC interface., (Adapter: Northstar)																																		x	x										D:FCXAD1-2T72N-E			1667	
	Single Disk CX3/4-xx 146GB/15K 4GBit	Single Disk 146GB/15K for CX3/4 Model., Interface: FC with 4 GBit/s.																																		x	x										D:FCX4D1-14615-E			833	
	Single Disk CX3-xx 30GB/10K 4GBit	Single Disk 300GB/10K for CX3/4-xx Model., Interface: FC with 4 GBit/s.																																		x											D:FCX4D1-30010-E			868	Phased out
	Single Disk CX3/4-xx 300GB/15K 4GBit	Single Disk 300GB/15K for CX3/4-xx Model., Interface: FC with 4 GBit/s.																																		x	x										D:FCX4D1-30015-E			1202	
	Single Disk CX3/4-xx 400GB/10K 4GBit	Single Disk 400GB/10K for CX3-xx Model., Interface: FC with 4 GBit/s.																																		x	x										D:FCX4D1-40010-E			1158	Phased out
	Single Disk FC 146GB/15k f FibreCAT CX	Single Disk 146GB/15K for FibreCAT CX3/5/7 and CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)																																	x											D:FCXD1-14615D			1211	Phased out
Services																																																	
	SCi2000 Product Trade-In Discount	Quantum SCi2000 Trade-In Discount, 30% of Annual Renewal, if expired less than six months, all zones, CALL FOR QUOTE																																							x	x	x	x	Q:LSC2K-FTPD-001A			779726	
	SCi500 Product Trade-In Discount	Quantum SCi500 Trade-In Discount, 30% of Annual Renewal, if expired less than six months, all zones, CALL FOR QUOTE																																							x	x	x	x	Q:LSC5H-FTPD-001A			779726	
	QTM Phone Sup - HW.No contract,2hr,all Z	Quantum Phone Support - Hardware Products. No contract, 2hr, all zones																																							x		x	x	Q:SAABB-ATSH-NL20			533	
	QTM Reinstatement Fee,all Z,CALL F.QUOTE	Quantum Contract Reinstatement Fee, all zones, CALL FOR QUOTE, Call for quot																																							x	x	x	x	Q:SAABB-NCRF-0000			779726	
	Quantum Customized Sup Contract, all Z	Quantum Customized Sup Contract, all zones																																							x		x	x	Q:SAABB-RCCC-0000			779726	
	SCi500 5U, 15% of Annual Renewal, all Zo	Quantum Reactivation Fee, 15% of Annual Renewal, if expired less than six months, all zones, CALL FOR QUOTE																																							x	x	x	x	Q:SAABB-NRA1-0000			779726	
	Quantum Reactivation Fee, 40%	Quantum Reactivation Fee, 40% of Annual Renewal, if expired six months or more, all zones, CALL FOR QUOTE																																							x	x	x	x	Q:SAABB-NRA6-0000			779726	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Options matrix

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8700	ETERNUS DX8700 S2 2.5	ETERNUS DX900 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Services (Continued)																																															
	SCi2000 Advanced Reporting Opt. Lic.Key	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																																					x		x		Q-LSC2K-AADR-001A			2096	
	SCi2000 Management Control Blade	Quantum Scalar i2000 Management Control Blade, Order as a spare or replacement.																																					x		x		Q-LSC2K-AMCB-001A			10125	
	SCi2000 Extn. SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																					x		x		Q-SSC2K-LEKM-BL10			81	
	SCi2000 Extn. SUP SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																					x		x		Q-SSC2K-LEKM-GL10			98	
	SCi500 Q-EKM Extn. Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																						x		x	Q-SSC5H-LEKM-BL10			139	
	SCi2000 UPG SUP Q-EKM Br./Silver all Z	Quantum Scalar i2000 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Renewal, annual, all zones, Provides one year of 5x9 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																					x		x		Q-SSC2K-REKM-BL10			104	
	SCi500 Q-EKM Gold all Zone	"Quantum Scalar i500 Encryption Key Manager Solution, Gold Software Support Plan (7x24 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5."																																						x		x	Q-SSC5H-LEKM-GL10			169	
	SCi2000 UPG SUP SKM/ Q-EKM Gold all Z	Quantum Scalar i2000 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Renewal, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i2000 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																					x		x		Q-SSC2K-REKM-GL10			127	
	SCi500 Q-EKM SUP Bronze/Silver all Z	Quantum Scalar i500 Encryption Key Management Solution, Bronze/Silver Software Support Plan (5x9 telephone), Per Drive Uplift, annual, all zones, , Provides one year of 5X9 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5.																																						x		x	Q-SSC5H-REKM-BL10			180	
	SCi500 Q-EKM Gold all Zone	Quantum Scalar i500 Encryption Key Management Solution, Gold Software Support Plan (7x24 telephone), Per Drive Renewal, annual, all zones, Provides one year of 7x24 telephone support for one Scalar i500 SKM- or Q-EKM-Enabled drive. Encrypton key management solution service contracts are sold on a per drive basis, and the contract length and level must match the service contract length and level of the associated library. This uplift must be purchased within 60 days of point of sale or renewal pricing must be used. This service may be purchased for years 1-5."																																						x		x	Q-SSC5H-REKM-GL10			219	
Services zone 1																																															
	Daily De-Inst.Rate,Pack. Not Required,Z1	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 1																																					x	x	x	x	Q-SAABB-NDPN-0001			1066	
	Daily De-Inst.Rate,Packaging Required,Z1	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 1																																					x	x	x	x	Q-SAABB-NDPR-0001			1421	
	QTM On-site Time&Mat Charge, per day, Z1	QTM On-site Time&Mat Charge, per day, zone 1																																					x		x	x	Q-SAABB-NTAM-0001			1776	
	Quantum Out of Area Travel Charge, Z1	Quantum Out of Area Travel Charge, Zone 1																																					x		x	x	Q-SAABB-NTRC-0001			1421	
	QTM EP EOL Dri.BR(5x9xNBDon-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																						x		x	Q-SLBBL-RTEZ-BL11			805	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 3.5	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8000 S2 2.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8000 S3 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 &i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Services zone 1 (Continued)																																															
	QTM EP EOL Dri,GL(7x24x4 on-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																					x		x	Q-SLBBL-RTEZ-GL11			1204	
	QTM EP EOL Dri,SL(5x9x4on-site),1Y,Z1	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renewal, annual, Zone 1, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																					x		x	Q-SLBBL-RTEZ-SL11			1083	
	SCi500 Bronze SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-BL11			515	
	SCi500 5U,Dri, BR(5x9xNBD on-site),3Y,Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-BL31			1314	
	SCi500 Gold SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-GL11			906	
	SCi500 5U,Dri, GL(7x24x4 on-site),3Y,Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-GL31			2310	
	SCi500Silver SUP Tape Drive, Extn. Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1. Price is per tape drive."																																					x		x	Q-SLBBM-LTDX-SL11			816	
	SCi500 Bronze SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-BL11			670	
	SCi500 Gold SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-GL11			1178	
	SCi500 Silber SUP Tape Drive, UPG Z1	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-SL11			1061	
	QTM EP EOL Dri,BR(5x9xNBDon-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																					x		x	Q-SLBBN-RTEZ-BL11			853	
	QTM EP EOL Dri,GL(7x24x4 on-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																					x		x	Q-SLBBN-RTEZ-GL11			1519	
	QTM EP EOL Dri,SL(5x9x4on-site),UPG,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, Zone 1, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																					x		x	Q-SLBBN-RTEZ-SL11			1368	
	SCi500 5U,No Dri,BR(5x9xNBDon-site)3Y,Z1	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, three years, Zone 1																																					x		x	Q-SSC51-LS00-BL31			906	
	SCi500 5U,No Dri,GL(7x24x4on-site),3Y,Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																																							x	Q-SSC51-LS00-GL31			1812	
	SCi500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																																					x		x	Q-SSC53-LS00-BL31			1812	
	SCi500 14U,0xDri,GL(7x24x4 on-site)3Y,Z1	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																																					x		x	Q-SSC53-LS00-GL31			2718	
	SCi500 23U,0xDr,BR(5x9xNBDon-site),3Y,Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																																					x			Q-SSC55-LS00-BL31			3080	
	SCi500 23U,0xDri,GL(7x24x4on-site),3Y,Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																																					x			Q-SSC55-LS00-GL31			5436	
	SCi500 9U,BR Sup(5x9xNBD on-site),3Y,Z1	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																																					x		x	Q-SSC5H-LEXM-BL31			906	
	SCi500 9U,GL Sup(7x24x4 on-site),3Y, Z1	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 1																																					x		x	Q-SSC5H-LEXM-GL31			1812	
	SCi2000 Extn. SUP Tape Drives Bronze, Z1	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1,Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																																					x		x	Q-SLBBN-ETDX-BL11			544	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																																					x		x	Q-SSC51-LS00-BL11			355	
	SCi2000 Extn. SUP Tape Drives Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x	Q-SLBBN-LTDX-SL11			956	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																																					x		x	Q-SSC51-LS00-SL11			639	
	SCi2000 Extn. SUP Tape Drives Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 1, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x	Q-SLBBN-LTDX-GL11			1062	
	SCi500 5U Extn.SUP Library 0 Dr, Gold,Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																																					x		x	Q-SSC51-LS00-GL11			711	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																																					x		x	Q-SSC2K-ES01-BL11			1506	
	SCi500 14U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																																					x		x	Q-SSC53-LS00-BL11			711	

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX60	ETERNUS DX60 2. 5	ETERNUS DX60 S2 2. 5	ETERNUS DX60 S2 3. 5	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX80 Expansion	ETERNUS DX80 S2 2. 5	ETERNUS DX80 S2 3. 5	ETERNUS DX8900 S2 2. 5 Expa	ETERNUS DX8900 S2 3. 5 Expa	ETERNUS DX8900 S2 3. 5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5	ETERNUS DX90 S2 3. 5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT 70F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																	
Services zone 1 (Continued)																																																	
	SCi2000 Extn.SUP 100Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x		Q-SSC2K-LS01-SL11			2929	
	SCi500 14U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																																						x		x	Q-SSC53-LS00-SL11			960	
	SCi2000 Extn.SUP 100Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x		Q-SSC2K-LS01-GL11			3254	
	SCi500 14U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																																						x		x	Q-SSC53-LS00-GL11			1066	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 1																																						x		x		Q-SSC2K-ES07-BL11			1883	
	SCi500 23U Extn.SUPLibrary0 Dr,Bronze,Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																																						x				Q-SSC55-LS00-BL11			1208	
	SCi2000 Extn.SUP 700Slot,0Dri, silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x		Q-SSC2K-LS07-SL11			3661	
	SCi500 23U Extn.SUPLibrary0 Dr,Silver,Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																																						x				Q-SSC55-LS00-SL11			1918	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 1, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x		Q-SSC2K-LS07-GL11			4068	
	SCi500 23U Extn.SUPLibrary0 Dr,Gold,Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																																						x				Q-SSC55-LS00-GL11			2132	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z1	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																																									x	Q-SSC51-RS00-BL11			462	
	SCi500 5U UPG SUP Library, Silver Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																																									x	Q-SSC51-RS00-SL11			832	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 1																																						x		x		Q-SSCBB-ES01-BL11			646	
	SCi500 5U UPG SUP Library, Gold, Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																																									x	Q-SSC51-RS00-GL11			924	
	SCi2000 Extn. per 100Slots,Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																																						x		x		Q-SSCBB-LS01-SL11			880	
	SCi500 14U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																																							x		x	Q-SSC53-RS00-BL11			924	
	SCi2000 Extn. per 100Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																																						x		x		Q-SSCBB-LS01-GL11			977	
	SCi2000 UPG SUP Tape Drives Bronze, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1, Price is per tape drive.																																						x		x		Q-SLBBN-RTDX-BL11			707	
	SCi500 14U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																																									x	Q-SSC53-RS00-SL11			1247	
	SCi2000 UPG SUP Tape Drive, Silver, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																																						x		x		Q-SLBBN-RTDX-SL11			1244	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z1	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																																									x	Q-SSC53-RS00-GL11			1386	
	SCi2000 UPG SUP Tape Drive, Gold, Z1	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1, Price is per tape drive.																																						x		x		Q-SLBBN-RTDX-GL11			1382	
	SCi500 23U UPG SUPLibrary0 Dr,Bronze, Z1	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																																							x				Q-SSC55-RS00-BL11			1570	
	SCi2000 UPG SUP 100Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 1																																						x		x		Q-SSC2K-RS01-BL11			1762	
	SCi500 23U UPG SUPLibrary0 Dr,Silver, Z1	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																																							x				Q-SSC55-RS00-SL11			2494	
	SCi2000 UPG SUP 100Slots,0Dri, silver,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 1																																						x		x		Q-SSC2K-RS01-SL11			3427	
	SCi500 23U UPG SUPLibrary0 Dr,Gold Z1	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																																							x				Q-SSC55-RS00-GL11			2771	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																																						x		x		Q-SSC2K-RS01-GL11			3808	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z1	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 1																																							x		x	Q-SSC5H-LEXM-BL11			355	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 1																																						x		x		Q-SSC2K-RS07-BL11			2447	
	SCi500 9U Extn.SUP Library0 Dr,Silver,Z1	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 1																																							x		x	Q-SSC5H-LEXM-SL11			639	
	SCi2000 UPG SUP 700Slots,0Dri, Silver,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 1																																						x		x		Q-SSC2K-RS07-SL11			4760	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z1	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 1																																							x		x	Q-SSC5H-LEXM-GL11			711	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z1	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 1																																						x		x		Q-SSC2K-RS07-GL11			5289	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	FibreCAT TX/F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Services zone 1 (Continued)																																															
	SCi2000 UPG per 100 Slots, Bronze Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																																					x		x		Q-SSCBB-RS01-BL11			840	
	SCi2000 UPG per 100 Slots, Silber Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																																					x		x		Q-SSCBB-RS01-SL11			1143	
	SCi2000 UPG per 100 Slots, Gold Sup Z1	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																																					x		x		Q-SSCBB-RS01-GL11			1270	
	SCi500 9U Bronze SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 1																																						x		x	Q-SSC5H-REXM-BL11			462	
	SCi500 9U Silver SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 1																																						x		x	Q-SSC5H-REXM-SL11			832	
	SCi500 9U Gold SUP Z1, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 1																																						x		x	Q-SSC5H-REXM-GL11			924	
Services zone 2																																															
	Daily De-Inst.Rate,Pack. Not Required,Z2	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 2																																					x	x	x	x	Q-SAABB-NDPN-0002			1225	
	Daily De-Inst.Rate,Packaging Required,Z2	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 2																																					x	x	x	x	Q-SAABB-NDPR-0002			1634	
	QTM On-site Time&Mat Charge, per day, Z2	QTM On-site Time&Mat Charge, per day, zone 2																																					x		x	x	Q-SAABB-NTAM-0002			2043	
	Quantum Out of Area Travel Charge, Z2	Quantum Out of Area Travel Charge, Zone 2																																					x		x	x	Q-SAABB-NTRC-0002			1634	
	QTM EP EOL Dri,BR(5x9xNBDon-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 2, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																						x		x	Q-SLBBL-RTEZ-BL12			925	
	QTM EP EOL Dri,GL(7x24x4 on-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 2, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																						x		x	Q-SLBBL-RTEZ-GL12			1384	
	QTM EP EOL Dri,SL(5x9x4on-site),1Y,Z2	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renewal, annual, Zone 2, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																						x		x	Q-SLBBL-RTEZ-SL12			1246	
	SCi500 Bronze SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-LTDX-BL12			593	
	SCi500 5U,Dri, BR(5x9xNBD on-site),3Y,Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-LTDX-BL32			1511	
	SCi500 Gold SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-LTDX-GL12			1041	
	SCi500 5U,Dri, GL(7x24x4 on-site),3Y,Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-LTDX-GL32			2657	
	SCi500 Silber SUP Tape Drive, Extn. Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2., Price is per tape drive.																																						x		x	Q-SLBBM-LTDX-SL12			937	
	SCi500 Bronze SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-RTDX-BL12			770	
	SCi500 Gold SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-RTDX-GL12			1354	
	SCi500 Silber SUP Tape Drive, UPG Z2	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBM-RTDX-SL12			1218	
	SCi2000 Extn. SUP Tape Drives Bronze, Z2	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2,Price is per tape drive. , , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price)																																						x		x	Q-SLBBN-ETDX-BL12			625	
	SCi2000 Extn. SUP Tape Drives Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 2, Price is per tape drive. , , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SLBBN-LTDX-GL12			1221	
	SCi2000 Extn. SUP Tape Drives Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SLBBN-LTDX-SL12			1099	
	SCi2000 UPG SUP Tape Drives Bronze, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBN-RTDX-BL12			813	
	SCi2000 UPG SUP Tape Drive, Gold, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2. Price is per tape drive.																																						x		x	Q-SLBBN-RTDX-GL12			1588	
	SCi2000 UPG SUP Tape Drive, Silber, Z2	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2, Price is per tape drive.																																						x		x	Q-SLBBN-RTDX-SL12			1430	
	QTM EP EOL Dri,BR(5x9xNBDon-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-BL12			981	
	QTM EP EOL Dri,GL(7x24x4 on-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-GL12			1747	
	QTM EP EOL Dri,SL(5x9x4on-site),UPG,Z2	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, Zone 2, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-SL12			1573	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT 70F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
Services zone 2 (Continued)																																																
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																																						x		x		Q-SSC2K-ES01-BL12			1732	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 2																																					x		x		Q-SSC2K-ES07-BL12			2166	
	SCi2000 Extn.SUP 100Slot,0 Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SSC2K-LS01-GL12			3742	
	SCi2000 Extn.SUP 100Slot,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 2, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SSC2K-LS01-SL12			3368	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SSC2K-LS07-GL12			4678	
	SCi2000 Extn.SUP 700Slot,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 2, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SSC2K-LS07-SL12			4211	
	SCi2i6 UPG SUP 100Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																																					x		x		Q-SSC2K-RS01-BL12			2026	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																																					x		x		Q-SSC2K-RS01-GL12			4378	
	SCi2000 UPG SUP 100Slots,0Dri, silber,Z2	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																																					x		x		Q-SSC2K-RS01-SL12			3940	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 2																																					x		x		Q-SSC2K-RS07-BL12			2815	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 2																																					x		x		Q-SSC2K-RS07-GL12			6082	
	SCi2000 UPG SUP 700Slots,0Dri, Silber,Z2	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 2																																					x		x		Q-SSC2K-RS07-SL12			5473	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																																								x		Q-SSC51-LS00-BL12			409	
	SCi500 5U,No Dri,BR(5x9xNBDon-site)3Y,Z2	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, 3 years, zone 2																																								x		Q-SSC51-LS00-BL32			1041	
	SCi500 5U Extn.SUP Library0 Dr, Gold,Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																																								x		Q-SSC51-LS00-GL12			818	
	SCi500 5U,No Dri,GL(7x24x4on-site),3Y,Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																																								x		Q-SSC51-LS00-GL32			2084	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																																								x		Q-SSC51-LS00-SL12			735	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z2	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																																								x		Q-SSC51-RS00-BL12			532	
	SCi500 5U UPG SUP Library, Gold, Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																																								x		Q-SSC51-RS00-GL12			1062	
	SCi500 5U UPG SUP Library, Silber Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																																								x		Q-SSC51-RS00-SL12			956	
	SCi500 14U Extn.SUPLibary0 Dr,Bronze,Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																																							x		x		Q-SSC53-LS00-BL12			818	
	SCi500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2																																							x		x		Q-SSC53-LS00-BL32			2084	
	SCi500 14U Extn.SUPLibary0 Dr,Gold,Z2	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																																							x		x		Q-SSC53-LS00-GL12			1225	
	SCi500 14U,0xDri,GL(7x24x4 on-site)3Y,Z2	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																																							x		x		Q-SSC53-LS00-GL32			3125	
	SCi500 14U Extn.SUPLibary0 Dr,Silber,Z2	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																																							x		x		Q-SSC53-LS00-SL12			1104	
	SCi500 14U UPG SUPLibary0 Dr,Bronze, Z2	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																																							x		x		Q-SSC53-RS00-BL12			1062	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z2	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																																							x		x		Q-SSC53-RS00-GL12			1594	
	SCi500 14U UPG SUPLibary0 Dr,Silber, Z2	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																																							x		x		Q-SSC53-RS00-SL12			1434	
	SCi500 23U Extn.SUPLibary0 Dr,Bronze,Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																																							x				Q-SSC55-LS00-BL12			1389	
	SCi500 23U,0xDr,BR(5x9xNBDon-site),3Y,Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 2																																							x				Q-SSC55-LS00-BL32			3542	
	SCi500 23U Extn.SUPLibary0 Dr,Gold,Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																																							x				Q-SSC55-LS00-GL12			2452	
	SCi500 23U,0xDri,GL(7x24x4on-site),3Y,Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																																							x				Q-SSC55-LS00-GL32			6251	
	SCi500 23U Extn.SUPLibary0 Dr,Silber,Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																																							x				Q-SSC55-LS00-SL12			2206	
	SCi500 23U UPG SUPLibary0 Dr,Bronze, Z2	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																																							x				Q-SSC55-RS00-BL12			1806	
	SCi500 23U UPG SUPLibary0 Dr,Gold Z2	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																																							x				Q-SSC55-RS00-GL12			3187	

Options matrix

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 3.5	ETERNUS DX60 S3 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8000 S2 2.5 Expa	ETERNUS DX8000 S2 3.5 Expa	ETERNUS DX8700	ETERNUS DX8700 S2 2.5	ETERNUS DX8700 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Services zone 2 (Continued)																																														
	SCi500 23U UPG SUPLibrary0 Dr,Silber, Z2	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																																					x			Q-SSC55-RS00-SL12			2868	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z2	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 2																																					x		x	Q-SSC5H-LEXM-BL12			409	
	SCi500 9U,BR Sup(5x9xNBD on-site),3Y,Z2	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 1																																					x		x	Q-SSC5H-LEXM-BL32			1041	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z2	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																																					x		x	Q-SSC5H-LEXM-GL12			818	
	SCi500 9U,GL Sup(7x24x4 on-site),3Y, Z2	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 2																																					x		x	Q-SSC5H-LEXM-GL32			2084	
	SCi500 9U Extn.SUP Library0 Dr,Silber,Z2	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																																					x		x	Q-SSC5H-LEXM-SL12			735	
	SCi500 9U Bronze SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																																					x		x	Q-SSC5H-REXM-BL12			532	
	SCi500 9U Gold SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																																					x		x	Q-SSC5H-REXM-GL12			1062	
	SCi500 9U Silver SUP Z2, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																																					x		x	Q-SSC5H-REXM-SL12			956	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 2																																				x		x		Q-SSCBB-ES01-BL12			744	
	SCi2000 Extn. pro 100Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 2																																				x		x		Q-SSCBB-LS01-GL12			1124	
	SCi2000 Extn. pro 100Slots,Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 2																																				x		x		Q-SSCBB-LS01-SL12			1011	
	SCi2000 UPG pro 100 Slots, Bronze Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 2																																				x		x		Q-SSCBB-RS01-BL12			967	
	SCi2000 UPG pro 100 Slots, Gold Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 2																																				x		x		Q-SSCBB-RS01-GL12			1461	
	SCi2000 UPG pro 100 Slots, Silber Sup Z2	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 2																																				x		x		Q-SSCBB-RS01-SL12			1315	
Services zone 3																																														
	Daily De-Inst.Rate,Pack. Not Required,Z3	Quantum Standard Daily De-Installation Rate, Packaging Not Required, zone 3																																				x	x	x	x	Q-SAABB-NDPN-0003			1865	
	Daily De-Inst.Rate,Packaging Required,Z3	Quantum Standard Daily De-Installation Rate, Packaging Required, zone 3																																				x	x	x	x	Q-SAABB-NDPR-0003			2487	
	QTM On-site Time&Mat Charge, per day, Z3	QTM On-site Time&Mat Charge, per day, zone 3																																				x		x	x	Q-SAABB-NTAM-0003			3109	
	Quantum Out of Area Travel Charge, Z3	Quantum Out of Area Travel Charge, Zone 3																																				x		x	x	Q-SAABB-NTRC-0003			2487	
	QTM EP EOL Dri,BR(5x9xNBDon-site),1Y,Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																					x		x	Q-SLBBL-RTEZ-BL13			1409	
	QTM EP EOL Dri,GL(7x24x4 on-site),1Y,Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																					x		x	Q-SLBBL-RTEZ-GL13			2107	
	QTM EP EOL Dri,SL(5x9x4on-site),1Y,Z3	Quantum Non-Enterprise End-of-Life Tape Drive Module, Gold Support Plan (5x9x4on-site), Renewal, annual, Zone 3, , For all DLT, LTO-1, LTO-2 and AIT tape drives in L-Series, M-Series, PX500-Series, Scalar 100 and Scalar i500 libraries. Price is per tape drive.																																					x		x	Q-SLBBL-RTEZ-SL13			1896	
	SCi500 Bronze SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-BL13			902	
	SCi500 5U,Dri, BR(5x9xNBD on-site),3Y,Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-BL33			2299	
	SCi500 Gold SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-GL13			1585	
	SCi500 5U,Dri, GL(7x24x4 on-site),3Y,Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Uplift, 3 years, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-GL33			4042	
	SCi500 Silber SUP Tape Drive, Extn. Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3., Price is per tape drive.																																					x		x	Q-SLBBM-LTDX-SL13			1426	
	SCi500 Bronze SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-BL13			1172	
	SCi500 Gold SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-GL13			2061	
	SCi500 Silber SUP Tape Drive, UPG Z3	Quantum Scalar i500 Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBM-RTDX-SL13			1855	
	SCi2000 Extn. SUP Tape Drives Bronze, Z3	Quantum PX720, Scalar i2000 and Scalar 10K Library, , Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 3.Price is per tape drive., , For initial order of an upgrade drive: Expansion of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price)																																					x		x		Q-SLBBN-ETDX-BL13			952	
	SCi2000 Extn. SUP Tape Drives Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan , Uplift, annual, zone 3, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 2 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SLBBN-LTDX-GL13			1859	
	SCi2000 Extn. SUP Tape Drives Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, , Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3, Price is per tape drive., , For initial order of an upgrade drive: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Bronze level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																					x		x		Q-SLBBN-LTDX-SL13			1673	
	SCi2000 UPG SUP Tape Drives Bronze, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3, Price is per tape drive.																																					x		x		Q-SLBBN-RTDX-BL13			1236	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S3 3.5	ETERNUS DX60 S3 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S3 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT 70F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Services zone 3 (Continued)																																														
	SCi2000 UPG SUP Tape Drive, Gold, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3. Price is per tape drive.																																					x		x	Q-SLBBN-RTDX-GL13			2417	
	SCi2000 UPG SUP Tape Drive, Silber, Z3	Quantum Scalar i2000 and Scalar 10K Library, Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3, Price is per tape drive.																																					x		x	Q-SLBBN-RTDX-SL13			2175	
	QTM EP EOL Dri,BR(5x9xNBDon-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-BL13			1492	
	QTM EP EOL Dri,GL(7x24x4 on-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-GL13			2659	
	QTM EP EOL Dri,SL(5x9x4on-site),UPG,Z3	Quantum Enterprise End-of-Life Tape Drive Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, Zone 3, For all DLT, LTO-1, LTO-2 and AIT tape drives in P-Series, PX720, Scalar 1000, Scalar i2000 and Scalar 10K libraries. Price is per tape drive.																																						x		x	Q-SLBBN-RTEZ-SL13			2394	
	SCi2000 Extn.SUP 100Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Extension, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price)																																						x		x	Q-SSC2K-ES01-BL13			2636	
	SCi2000 Extn.SUP 700Slot,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), Extension, annual, Zone 3																																						x		x	Q-SSC2K-ES07-BL13			3296	
	SCi2000 Extn.SUP 100Slot,0 Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SSC2K-LS01-GL13			5695	
	SCi2000 Extn.SUP 100Slot,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Uplift, annual, zone 3, For initial order of a Library with 100 to 700 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 1 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SSC2K-LS01-SL13			5125	
	SCi2000 Extn.SUP 700Slot,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (7x24x4 on-site), , Extension, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Gold level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SSC2K-LS07-GL13			7118	
	SCi2000 Extn.SUP 700Slot,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9x4 on-site), , Renewal, annual, zone 3, For initial order of a Library with 700 to 3000 Slot: Expansion and/or upgrade of initial Bronze level for a further year , zone 3 (only valid for new configurations, best price), If the initial Silver level shall be upgraded, it is mandatory to order the upgrade also for the first year.																																						x		x	Q-SSC2K-LS07-SL13			6407	
	SCi2000 UPG SUP 100Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 100 to 700 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																																						x		x	Q-SSC2K-RS01-BL13			3084	
	SCi2000 UPG SUP 100Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																																						x		x	Q-SSC2K-RS01-GL13			6663	
	SCi2000 UPG SUP 100Slots,0Dri, silber,Z3	Quantum Scalar i2000 Library with 100 bis 700 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																																						x		x	Q-SSC2K-RS01-SL13			5996	
	SCi2000 UPG SUP 700Slots,0Dri, Bronze,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Bronze Support Plan (5x9xNBD on-site), , Renewal, annual, zone 3																																						x		x	Q-SSC2K-RS07-BL13			4283	
	SCi2000 UPG SUP 700Slots,0Dri, Gold,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Gold Support Plan (7x24x4 on-site), , Uplift, annual, zone 3																																						x		x	Q-SSC2K-RS07-GL13			9254	
	SCi2000 UPG SUP 700Slots,0Dri, Silber,Z3	Quantum Scalar i2000 Library with 700 to 3000 Slots, , No Drives, Silver Support Plan (5x9x4 on-site), , Renewal, annual, zone 3																																						x		x	Q-SSC2K-RS07-SL13			8329	
	SCi500 5U Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																																								x	Q-SSC51-LS00-BL13			622	
	SCi500 5U,No Dri,BR(5x9xNBDon-site)3Y,Z3	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, 3 years , zone 3																																								x	Q-SSC51-LS00-BL33			1585	
	SCi500 5U Extn.SUP Library0 Dr, Gold,Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																																								x	Q-SSC51-LS00-GL13			1244	
	SCi500 5U,No Dri,GL(7x24x4on-site),3Y,Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																																								x	Q-SSC51-LS00-GL33			3171	
	SCi500 5U Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																																								x	Q-SSC51-LS00-SL13			1119	
	SCi500 5U UPG SUP Library0 Dr,Bronze, Z3	Quantum Scalar i500 5U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																																								x	Q-SSC51-RS00-BL13			809	
	SCi500 5U UPG SUP Library, Gold, Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																																								x	Q-SSC51-RS00-GL13			1617	
	SCi500 5U UPG SUP Library, Silber Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																																								x	Q-SSC51-RS00-SL13			1455	
	SCi500 14U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																																						x		x	Q-SSC53-LS00-BL13			1244	
	SCi500 14U,0xDri,BR(5x9xNBDon-site)3Y,Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																																						x		x	Q-SSC53-LS00-BL33			3171	
	SCi500 14U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																																						x		x	Q-SSC53-LS00-GL13			1865	
	SCi500 14U,0xDri,GL(7x24x4 on-site)3Y,Z3	Quantum Scalar i500 14U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																																						x		x	Q-SSC53-LS00-GL33			4756	
	SCi500 14U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 14U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																																						x		x	Q-SSC53-LS00-SL13			1679	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT TX7F	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
Services zone 3 (Continued)																																														
	SCi500 14U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 14U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																																					x		x	Q-SSC53-RS00-BL13			1617	
	SCi500 14U UPG SUP Library0 Dr,Gold, Z3	Quantum Scalar i500 5U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSC53-RS00-GL13			2425	
	SCi500 14U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 5U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSC53-RS00-SL13			2182	
	SCi500 23U Extn.SUPLibrary0 Dr,Bronze,Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																																					x			Q-SSC55-LS00-BL13			2114	
	SCi500 23U,0xDr,BR(5x9xNBDon-site),3Y,Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																																					x			Q-SSC55-LS00-BL33			5390	
	SCi500 23U Extn.SUPLibrary0 Dr,Gold,Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																																					x			Q-SSC55-LS00-GL13			3731	
	SCi500 23U,0xDri,GL(7x24x4on-site),3Y,Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																																					x			Q-SSC55-LS00-GL33			9512	
	SCi500 23U Extn.SUPLibrary0 Dr,Silber,Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																																					x			Q-SSC55-LS00-SL13			3357	
	SCi500 23U UPG SUPLibrary0 Dr,Bronze, Z3	Quantum Scalar i500 23U Library, No Drives, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																																					x			Q-SSC55-RS00-BL13			2748	
	SCi500 23U UPG SUPLibrary0 Dr,Gold Z3	Quantum Scalar i500 23U Library, No Drives, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																																					x			Q-SSC55-RS00-GL13			4849	
	SCi500 23U UPG SUPLibrary0 Dr,Silber, Z3	Quantum Scalar i500 23U Library, No Drives, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																																					x			Q-SSC55-RS00-SL13			4365	
	SCi500 9U Extn.SUP Library0 Dr,Bronze,Z3	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, annual, zone 3																																					x		x	Q-SSC5H-LEXM-BL13			622	
	SCi500 9U,BR Sup(5x9xNBD on-site),3Y,Z3	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Uplift, three years, zone 3																																					x		x	Q-SSC5H-LEXM-BL33			1585	
	SCi500 9U Extn.SUP Library0 Dr,Gold,Z3	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																																					x		x	Q-SSC5H-LEXM-GL13			1244	
	SCi500 9U,GL Sup(7x24x4 on-site),3Y, Z3	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Uplift, three years, zone 3																																					x		x	Q-SSC5H-LEXM-GL33			3171	
	SCi500 9U Extn.SUP Library0 Dr,Silber,Z3	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																																					x		x	Q-SSC5H-LEXM-SL13			1119	
	SCi500 9U Bronze SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																																					x		x	Q-SSC5H-REXM-BL13			809	
	SCi500 9U Gold SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSC5H-REXM-GL13			1617	
	SCi500 9U Silver SUP Z3, UPG	Quantum Scalar i500 9U Expansion Module, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSC5H-REXM-SL13			1455	
	SCi2000 Extn. pro 100Slots,Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Extension, annual, zone 3																																					x		x	Q-SSCBB-ES01-BL13			1132	
	SCi2000 Extn. pro 100Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Uplift, annual, zone 3																																					x		x	Q-SSCBB-LS01-GL13			1710	
	SCi2000 Extn. pro 100Slots,Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Uplift, annual, zone 3																																					x		x	Q-SSCBB-LS01-SL13			1539	
	SCi2000 UPG pro 100 Slots, Bronze Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Bronze Support Plan (5x9xNBD on-site), Renewal, annual, zone 3																																					x		x	Q-SSCBB-RS01-BL13			1471	
	SCi2000 UPG pro 100 Slots, Gold Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Gold Support Plan (7x24x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSCBB-RS01-GL13			2223	
	SCi2000 UPG pro 100 Slots, Silber Sup Z3	Quantum Scalar i2000 and 10K Library, Price Per 100 Slots, Silver Support Plan (5x9x4 on-site), Renewal, annual, zone 3																																					x		x	Q-SSCBB-RS01-SL13			2000	
Upgrades																																														
	SCi2000 IPv6 Compact Flash Upgrade Kit	Quantum Scalar i2000 IPv6 Compact Flash Upgrade Kit, This kit is only needed for those few customers that are connecting a Scalar i2000 to an IPv6 network. This kit includes a standard Scalar i2000 Compact Flash card with special code that allows a Scalar i2000 to connect to an IPv6 network. Flash must be installed at point of sale in the factory or by Quantum personnel as a post-sale upgrade. If customers want to upgrade firmware, they should open a Service Request and the upgrade will be scheduled with Quantum's field service group. Installation charges may apply.																																					x		x	Q-LSC2K-ACFU-006A			2	
	SCi2000 FC I/O Blade, 4GB UPG	Quantum Scalar i2000 Fibre Channel I/O Blade, 4GB, Includes two host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all with LC connectors. Order to convert one to four native Fibre Channel drives to Storage Networking. If the Control Module (CM) or Expansion Module (EM) containing the drives being converted does not already include other Storage Networking drives (i.e., the conversion is the first time the cabinet will be configured with Storage Networking), then the Scalar i20000 Native Fibre Channel to Storage Networking Upgrade Kit (LSC2K-USNC-001A) is also required.																																					x		x	Q-LSC2K-AFCC-001A			10146	
	SCi2000 (I/E) Station Expansion Module	Quantum Scalar i2000 Import/Export (I/E) Station for Expansion Module, One I/E Station can be added to each Expansion Module. Includes 24 LTO or 20 DLT import/export slots. Reduces EM capacity by 36 LTO or 30 DLT slots. Maximum seven.																																					x		x	Q-LSC2K-AIES-001A			2929	
	SCi2000 Five-slot SDLT Magazine	Quantum Scalar i2000 Five-slot SDLT Magazine, Includes dust cover.																																					x		x	Q-LSC2K-AMAG-D06A			49	
	SCi2000 Power Supply	Quantum Scalar i2000 Redundant (2N) Power Supply Module, Order one for Control Module (base system) plus one for each Expansion Module that is configured with tape drives.																																					x		x	Q-LSC2K-ARPS-001E			4618	
	SCi2000 Multi-media Picker UPG Kit,UPG	"Quantum Scalar i2000 Multi-media Picker Upgrade Kit, field upgrade (EMEA), Required when adding DLT media to an installed library initially ordered with LTO only. Not required when ordering a new library in a multi-media configuration nor when adding LTO media to an installed library initially ordered with DLT. The Scalar i2000 Partitioning Option must be purchased with multi-media libraries."																																					x		x	Q-LSC2K-UMMP-001E			3553	

Options matrix

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX4xx S2 3. 5 Expa	ETERNUS DX60	ETERNUS DX60 2. 5	ETERNUS DX60 S2 2. 5	ETERNUS DX60 S2 3. 5	ETERNUS DX60 S2 3. 5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2. 5	ETERNUS DX80 S2 3. 5	ETERNUS DX8090 S2 2. 5 Expa	ETERNUS DX8090 S2 3. 5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2. 5	ETERNUS DX90 S2 3. 5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT TOF	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Upgrades (Continued)																																															
	SCi2000 FC Networking Conversion Kit,UPG	Quantum Scalar i2000 Native Fibre Channel to Storage Networking Conversion Kit, field upgrade, includes network chassis fan and Control Management Blade (CMB). One kit is required when ordering a Fibre Channel I/O Blade to convert existing native Fibre Channel drives to Storage Networking if the Control Module (CM) or Expansion Module (EM) containing the drives being converted does not already contain Storage Networking drives. Maximum one kit per CM or EM being converted to Storage Networking for the first time.																																				x		x		Q:LSC2K-USNC-001A			6872	
	SCi500 Advanced Reporting Option Lic.Key	"Quantum Scalar i500 Advanced Reporting Option License Key, Field Upgrade. Includes Drive Resource Utilization and Media Integrity reporting."																																				x		x		Q:LSC5H-UADR-000A			2096	
	SCi500 Cable Management Kit, UPG	Quantum Scalar i500 Cable Management Kit, field upgrade, For Scalar i500 14U and larger systems only. Includes two "wire saddles" that can hold one to four Ethernet cables and two Velcro straps for routing Ethernet cables and power cords. This kit is included with every Scalar i500 Fibre Channel I/O Blade. However, this kit may be ordered for configurations without an I/O Blade to bundle together a large number of drive and power cords for easier cable management.																																				x		x		Q:LSC5H-UCMK-001A			36	
	SCi500 5U and 14U Desktop Kit, UPG	Quantum Scalar i500 5U and 14U Desktop Kit, field upgrade. , Valid only for field-installed Scalar i500 5U or 14U base system. Configures the base system for desktop use rather than rackmount installation.																																				x		x		Q:LSC5H-UDTK-000A			32	
	SCi500 Fibre Channel I/O Blade, UPG	Quantum Scalar i500 Fibre Channel I/O Blade, 4GB, field upgrade, For Scalar i500 14U and larger systems only. Includes two host/SAN Fibre Channel ports and four tape drive Fibre Channel ports, all with LC connectors.																																				x				Q:LSC5H-UFCC-001A			5684	
	SCi500 Power Supply	Quantum Scalar i500 Redundant (2N) Power Supply Module, field upgrade, Add one, two, three, four or five to 5U, 9U, 14U, 23U, 32U or 41U library, respectively."																																				x			x	Q:LSC5H-URPS-000A			2128	
	QTM Vision Server,1Lizenz, field add-on	Quantum Vision 4.0 Server, One Quantum System License, field add-on, Valid only after the initial purchase and installation of Quantum Vision 4 software. Includes licenses for One supported Quantum Disk or Tape System. Compatible with DX2500-D, DX3500, DX6500, DX6500, DX7500, Scalar i40/i80, Scalar i500 and Scalar i2000/i6000. Quantum Disk or Tape System must be covered under a current support contract."																																				x	x	x	x	Q:WSVLA-UQDA-040A			1954	
SF (Express)																																															
	ETERNUS SFEXP14 DX60 LocalCopyLic512	Update from 8 to 512 Snap/clone for ETERNUS DX60									x	x	x	x																														FTS:D01900E81H			1575	
	ETERNUS SFEXP14 DX80/90 LocalCopyLic	Update from 8 to 1024 Snap/clone for DX80/DX90, Update from 8 to 1024 Snap/clone for DX80 S2., Update from 8 to 2048 Snap/clone for DX90 S2															x	x					x	x																		FTS:D01900E82H			2157	
	ETERNUS SFEXP14 DX90 RemoteCopyLic	REC for DX90 (Remote Equivalent Copy) , Synchron / Asynchron mirroring between two DX90.																						x	x																		FTS:D01900E83H			3307	
SF (Standard)																																															
	Disk Space Monitor Mediapack (Solaris)	ETERNUS SF Disk Space Monitor Mediapack		x		x																																				FJS:B0112WDB0H			246	
	ACM Mediapack 14.x for Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Linux		x		x																																				FJS:B0212DEB0H			246	
	Disk Space Monitor Mediapack (Linux)	ETERNUS SF Disk Space Monitor Mediapack		x		x																																				FJS:B0212QDB0H			246	
	DiskSpace Monitor Mediapack (PRIMEQUEST)	ETERNUS SF Disk Space Monitor Mediapack		x		x																																				FJS:B0212SDB0H			246	
	ETERNUS SF SC V14 Media Linux 32bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 32bit		x		x																																				FJS:B0214UEB0H			246	
	Disk Space Monitor Mediapack (Windows)	ETERNUS SF Disk Space Monitor Mediapack		x		x																																				FJS:B02523DB0H			246	
	ETERNUS SF ACM V14 Media Linux 32bit	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Linux 32bit									x	x	x	x			x	x					x	x																		FTS:B0212DEB0H			246	
	ETERNUS SF SC V14 Media Linux 32bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 32bit									x	x	x	x			x	x					x	x																		FTS:B0214UEB0H			246	
	ETERNUS SF ACM V14 Media Linux 64bit	ETERNUS SF Advanced Copy Manager Standard Edition V14 Media Pack for Linux 64bit		x		x																																				FJS:B0214NEB0H			246	
	ETERNUS SF SC V14 Media Linux 64bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 64bit		x		x																																				FJS:B0214VEB0H			246	
	Disk Space Mon.Lic.for Manager (Solaris)	ETERNUS SF Disk Space Monitor License for Manager., (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in which the manager function can be operated is the active-standby mode only., , ETERNUS SF Disk Space Monitor is supported on Windows, Linux and Solaris. And also supported on the multi-platform environment, which there are windows, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.		x		x																																				FJS:D01156D81H			737	
	DiskSpace Mon.License f. Manager (Linux)	ETERNUS SF Disk Space Monitor License for Manager, (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in which the manager function can be operated is the active-standby mode only., , ETERNUS SF Disk Space Monitor is supported on Windows, Linux and Solaris. And also supported on the multi-platform environment, which there are windows, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.		x		x																																				FJS:D02162D81H			491	
	Di.Space Mon.. Lic. f. Man.(PRIMEQUEST)	ETERNUS SF Disk Space Monitor License for Manager., (Notes), When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in which the manager function can be operated is the active-standby mode only., , ETERNUS SF Disk Space Monitor is supported on Windows, Linux and Solaris. And also supported on the multi-platform environment, which there are windows, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.		x		x																																				FJS:D02165D81H			737	

Options Storage Tape Systems — **Data Sheets: http://ts.fujitsu.com/storage**

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S3 3.5 Expa	ETERNUS DX60	ETERNUS DX60 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8900 S2 2.5 Expa	ETERNUS DX8900 S2 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MBK SCALAR i6000 for 8S2	MTC Scalar i500 for 8S2	Product Code			End User Price (RRP)	Comments
Options matrix																																															
SF(Standard) (Continued)																																														
	DiskSpace Mon.License f. Manager (Wind.)	ETERNUS SF Disk Space Monitor License for Manager, (Notes). When installing the manager function to a cluster system, if the cluster mode is the active-standby mode, consider the combination of the active node and standby node as one system. (No license is required for the standby node.) Note that the cluster mode in which the manager function can be operated is the active-standby mode only., , ETERNUS SF Disk Space Monitor is supported on Windows, Linux and Solaris. And also supported on the multi-platform environment, which there are windows, Linux and Solaris. In this case, Media packs and licenses of required all platforms are necessary to be purchased.	x		x																																					FJS:D0254MD81H			491	
	ETERNUS SF ACM V14 Media Linux 64bit	ETERNUS SF Storage Advanced Copy Manager Standard Edition V14 Media Pack for Linux 64bit									x	x	x	x			x	x					x	x																			FTS:B0214NEB0H			246	
	ETERNUS SF SC V14 Media Linux 64bit	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Linux 64bit									x	x	x	x			x	x					x	x																			FTS:B0214VEB0H			246	
	ACM Mediapack 14.x for PRIMEQUEST Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for PRIMEQUEST Linux	x		x																																				FJS:B0212EEB0H			246	
	ETERNUS SF SC V14 Media PRIMEQUEST Linux	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for PRIMEQUEST Linux	x		x																																				FJS:B0214TEB0H			246	
	Annual Support fee for FJS:D01156D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D01156D81H., Support is for one Year.	x		x																																				FJS:D01156DS1H			140	
	Annual Support fee for FJS:D02162D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02162D81H., Support is for one Year.	x		x																																				FJS:D02162DS1H			96	
	Annual Support fee for FJS:D02165D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02165D81H., Support is for one Year.	x		x																																				FJS:D02165DS1H			140	
	Annual Support fee for FJS:D0254MD81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D0254MD81H., Support is for one Year.	x		x																																				FJS:D0254MDS1H			96	
	ETERNUS SF ACM V14Media Primequest Linux	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for PRIMEQUEST Linux									x	x	x	x			x	x					x	x																			FTS:B0212EEB0H			246	
	ETERNUS SF SC V14 Media PRIMEQUEST Linux	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for PRIMEQUEST Linux									x	x	x	x			x	x					x	x																			FTS:B0214TEB0H			246	
	ACM Edition Mediapack 14.x for Solaris	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Solaris	x		x																																				FJS:B0112CEB0H			246	
	ETERNUS SF SC V14 Media Solaris	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Solaris	x		x																																				FJS:B0113SEB0H			246	
	DiskSpace Mon. Lic. for Agent (Solaris)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to which the agent function is introduced.	x		x																																				FJS:D01157D81H			491	
	DiskSpace Mon.License for Agent (Linux)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to which the agent function is introduced.	x		x																																				FJS:D02163D81H			329	
	DiskSpace Mon. Lic. for Agent (PRIMEQU.)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to which the agent function is introduced.	x		x																																				FJS:D02166D81H			491	
	D.Space Monitor License f. Agent (Wind.)	ETERNUS SF Disk Space Monitor License for Agent., License for Transaction server and DB server to which the agent function is introduced.	x		x																																				FJS:D0254ND81H			329	
	ETERNUS SF ACM V14 Media Solaris	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Solaris									x	x	x	x			x	x					x	x																			FTS:B0112CEB0H			246	
	ETERNUS SF SC V14 Media Solaris	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Solaris									x	x	x	x			x	x					x	x																			FTS:B0113SEB0H			246	
	ACM Mediapack 14.x for Windows	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Windows	x		x																																				FJS:B0251SEB0H			246	
	ETERNUS SF SC V14 Media Windows	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Windows	x		x																																				FJS:B0253REB0H			246	
	Annual Support fee for FJS:D01157D81H	Annual Support for ETERNUS SF Disk Space Monitor License FJS:D01157D81H., Support for one Year.	x		x																																				FJS:D01157DS1H			96	
	Annual Support fee for FJS:D02163D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02163D81H., Support is for one Year.	x		x																																				FJS:D02163DS1H			61	
	Annual Support fee for FJS:D02166D81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D02166D81H., Support is for one Year.	x		x																																				FJS:D02166DS1H			96	
	Annual Support fee for FJS:D0254ND81H	Annual Support fee for ETERNUS SF Disk Space Monitor License FJS:D0254ND81H., Support is for one Year.	x		x																																				FJS:D0254NDS1H			61	
	ETERNUS SF ACM V14 Media Windows	ETERNUS SF AdvancedCopy Manager Standard Edition Mediapack 14.x for Windows									x	x	x	x			x	x					x	x																			FTS:B0251SEB0H			246	
	ETERNUS SF SC V14 Media Windows	ETERNUS SF Storage Cruiser Standard Edition V14 Media Pack for Windows									x	x	x	x			x	x					x	x																			FTS:B0253REB0H			246	
	ACM 14.x Local Copy License for Tier1	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Local Copy License for Tier1, Fujitsu ETERNUS SF AdvancedCopy Manager, together with Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based software offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (two or more) of an ETERNUS storage system(s).	x																																							FJS:D01910E81H			5219	
	ACM 14.x Local Copy License for Tier2	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Local Copy License for Tier2, Fujitsu ETERNUS SF AdvancedCopy Manager, together with Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based software offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (two or more) of an ETERNUS storage system(s).			x																																				FJS:D01910E82H			10263	
	ETERNUS SF Storage Cruiser 14.x	ETERNUS SF Storage Cruiser Standard Edition 14.x	x		x						x	x	x	x			x	x					x	x																			FJS:D01916E81H			11307	
	ETERNUS SFACM14 DX60 LocalCopyUpg512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones with ETERNUS DX60 Software Upgrade., enabling 9 to 512 snaps/clones									x	x	x	x																												FTS:D01901E80H			825	
	ETERNUS SFACM14 DX80 LocalCopyUpg1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX80 Software Upgrade., enabling 9 to 1,024 snaps/clones															x	x																								FTS:D01901E81H			825	
	ETERNUS SFACM14 DX90 LocalCopyUpg	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX90 Software Upgrade, enabling 9 to 1,024 snaps/clones, DX90 S2 Software Upgrade, enabling 9 to 2,048 snaps/clones																					x	x																		FTS:D01901E82H			825	
	ETERNUS SFACM14 DX60 LocalCopyLic512	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 512 snaps/clones with ETERNUS DX60., enabling 9 to 512 snaps/clones									x	x	x	x																												FTS:D01910E85H			1649	

Options Storage Tape Systems

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	ETERNUS DX410	ETERNUS DX410 S2	ETERNUS DX440	ETERNUS DX440 S2	ETERNUS DX4x0 Field upgrade	ETERNUS DX4xx S2 2.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX4xx S2 3.5 Expa	ETERNUS DX60	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60/DX80 Expansion	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8090 3.5 Expa	ETERNUS DX8400	ETERNUS DX8700	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS LT20 S2	ETERNUS LT40 S2	ETERNUS LT60 S2	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX4 ExpansionShelf	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX88 Expansion	FibreCAT SX88 Expansion	FibreCAT Tprevious	Library Scalar i2000 & i6000	Library Scalar i500	MSK SCALAR i6000 for BS2	MTC Scalar i500 for BS2	Product Code			End User Price (RRP)	Comments
Options matrix																																																
SF(Standard) (Continued)																																																
	ETERNUS SFACM14 DX80 LocalCopyLic1024	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX80,, enabling 9 to 1,024 snaps/clones															x	x																												FTS:D01910E86H			1649	
	ETERNUS SFACM14 DX90 LocalCopyLic	ETERNUS SF AdvancedCopy Manager V14 Local Copy License for 1024 snaps/clones with ETERNUS DX90, enabling 9 to 1,024 snaps/clones, DX90 S2, enabling 9 to 2,048 snaps/clones																					x	x																						FTS:D01910E87H			1649	
	Annual Support fee for FJS:D01916E81H	Annual Support fee for ETERNUS SF Storage Cruiser Standard Edition License FJS:D01916E81H., Support is for one Year.		x		x					x	x	x	x			x	x						x	x																						FJS:D01916ES1H			2105	
	Annual Maintenance Fee for ACM lic. DX60	Annual Maintenance Fee for ETERNUS SFACM14 DX60 LocalCopyLic512 FTS:D01910E85H or upgrade FTS:D01901E80H., Support for one year.									x	x	x	x																																FTS:D01910ES5H			272	
	Annual Maintenance Fee f. ACM lic. DX80	Annual Maintenance Fee for ETERNUS SFACM14 DX80 LocalCopyLic1024 FTS:D01910E86H or upgrade FTS:D01901E81H., Support for one year.															x	x																												FTS:D01910ES6H			272	
	Annual Maintenance Fee f. ACM lic. DX90	Annual Maintenance Fee for ETERNUS SFACM14 DX90 LocalCopyLic1024 FTS:D01910E87H or upgrade FTS:D01901E82H., Support for one year.																					x	x																						FTS:D01910ES7H			272	
	Annual Support fee for FJS:D01910E81H	Annual Support fee (ASF) for ETERNUS SF Local Copy License FJS:D01910E81H., Support is for one Year.		x																																									FJS:D01910ES1H			982	
	Annual Support fee for FJS:D01910E82H	Annual Support fee for ACM 14.x Local Copy for Tier2 License FJS:D01910E82H., Support is for one Year.				x																																							FJS:D01910ES2H			1921	
	ACM 14.x Remote Copy License for Tier1	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Remote Copy License for Tier1., Fujitsu ETERNUS SF AdvancedCopy Manager, together with Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based software offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (two or more) of an ETERNUS storage system(s).		x																																									FJS:D01913E81H			6193	
	ACM 14.x Remote Copy License for Tier2	ETERNUS SF AdvancedCopy Manager Standard Edition 14.x Remote Copy License for Tier2., Fujitsu ETERNUS SF AdvancedCopy Manager, together with Fujitsu's Disk storage system ETERNUS, achieves high-speed backup/restore and replication operations using the Advanced Copy function., This host based software offers a Graphical User Interface and Command Line Interface to start, stop, and monitor the copy functionality either local (same) and/or remote (two or more) of an ETERNUS storage system(s).				x																																							FJS:D01913E82H			15570	
	SF Storage Cruiser ETERNUSmgr aid 14.x	ETERNUS SF Storage Cruiser ETERNUSmgr aid 14.x		x		x																																								FJS:D01918E81H			4605	
	ETERNUS SF Storage Cruiser aid 14x TierS	ETERNUS SF Storage Cruiser AID Edition 14.x									x	x	x	x			x	x						x	x																						FJS:D01918E82H			1772	
	ETERNUS SFACM14 DX90 RemoteCopyLic	ETERNUS SF AdvancedCopy Manager V14 Remote Copy License for storage-based replication with ETERNUS DX90,, enabling storage-based replication																					x	x																						FTS:D01913E85H			3061	
	Annual Support fee for FJS:D01918E81H	Annual Support fee for SF Storage Cruiser ETERNUSmgr aid 14.x License FJS:D01918E81H., Support is for one Year.		x		x																																							FJS:D01918ES1H			860	
	Annual Support fee for FJS:D01918E82H	Annual Support fee for ETERNUS SF Storage Cruiser AID Edition License FJS:D01918E82H., Support is for one Year.									x	x	x	x			x	x						x	x																						FJS:D01918ES2H			333	
	Annual Maintenance Fee f. REC lic. DX90	Annual Maintenance Fee for ETERNUS SFACM14 DX90 RemoteCopyLic FTS:D01913E85H or upgrade FTS:D01902E80H., Support for one year.																					x	x																						FTS:D01913ES5H			570	
	Annual Support fee for FJS:D01913E81H	Annual Support fee for ACM 14.x Remote Copy for Tier1 License FJS:D01913E81H., Support is for one Year.		x																																									FJS:D01913ES1H			1158	
	Annual Support fee for FJS:D01913E82H	Annual Support fee for ACM 14.x Remote Copy for Tier2 License FJS:D01913E82H., Support is for one Year.				x																																							FJS:D01913ES2H			2904	
Svstem training																																																
	SCi500+SC2kCust Training,SAN #1-0600	Quantum SAN Fundamentals Customer Training, online [Course# 1-0600]																																									x	x	x	x	Q:EAABB-ASNF-L00A			461	
	SCi500+SC2kCust Training,SAN #2-0600	Quantum SAN Methodologies Customer Training, Intermediate, classroom [Course# 2-0600]																																									x	x	x	x	Q:EAABB-ASNM-C00A			779726	
	SCi500+SC2k Cust Training,Media #1-0806	Quantum Media Handling Customer Training, online [Course# 1-0806]																																									x	x	x	x	Q:ELBBB-APRT-L00A			78	
	SCi2000 Customer Training #1-0302	Quantum Scalar i2000 Customer Training, online [Course# 1-0302]																																									x		x		Q:ESC2K-APRT-L00A			232	
	SCi2000 Customer Training WS, #1-0300	Quantum Scalar i2000 Customer Training Workshop, classroom [Course# 1-0300]																																									x		x		Q:ESC2K-APRW-C00A			538	
	SCi500 Cust. Training, online #1-0212	Quantum Scalar i500 Customer Training, online [Course# 1-0212]																																										x		x	Q:ESC5H-APRT-L00A			269	
	SCi500 Cust. Training, W-Shop #1-0201	Quantum Scalar i500 Customer Training Workshop, classroom [Course# 1-0201]																																										x		x	Q:ESC5H-APRW-C00A			538	
	SCi500 Cust Training,VAR SAN #4-0206	Quantum Scalar i500 VAR SAN Certification Customer Training, classroom [Course# 4-0206]																																										x		x	Q:ESC5H-ASNC-C00A			995	
	SCi6000 EssentialTraining Course# 1-0371	Quantum Scalar i6000 Essential Training, online, [Course# 1-0371]																																									x		x		Q:ESC6K-APET-L001			232	
	SCi6000 Oper.Workshop Course# 1-0372	Quantum Scalar i6000 Operator Workshop, classroom [Course# 1-0372]																																									x		x		Q:ESC6K-APRW-C00A			1075	
	SCi500+SCI2K Cust Training,SKM #1-0530	Quantum Scalar Key Manager Customer Training, online self-paced (Course # 1-0530)																																									x	x	x	x	Q:ESCBB-APKM-L00A			232	
	SCi500+SC2kCust Training,ST care #2-0510	Quantum StorageCare Guardian Customer Training, online [Course# 1-0510], StorageCare Guardian is compatible with Scalar i500, Scalar i2000 and Scalar 10K.																																									x	x	x	x	Q:ESGSG-APRT-L00A			154	
	SCi500 Cust Training,VISION #2-0507	Quantum Vision Customer Training, online [Course# 1-0507], Quantum Vision is compatible with Scalar i500 and Scalar i2000.																																										x		x	Q:ESVSR-APRT-L00A			232	
	QTM Phone Sup-RFEP.No contract,2hr,all Z	Quantum Phone Support - Rapid/Fast Exchange Products. No contract, 2hr, all zones																																									x	x	x	x	Q:SAABB-ATSH-RE20			355	
	QTM Phone Sup-SW.No contract,2hr, all Z	Quantum Phone Support - Software Products. No contract, 2hr, all zones																																									x	x	x	x	Q:SAABB-ATSS-NL20			675	
HW-License																																																
	ET License Thin Provisioning DX80S2	"License for Thin Provisioning, - 1x license label"															x	x																												FTS:ETEL8T			2193	
	ET License Thin Provisioning DX90S2	"License for Thin Provisioning, - 1x license label"																					x	x																						FTS:ETEL9T			2193	
	ET HW LocRem Copy License ACL DX410S2	ETERNUS Advanced Copy License for DX410S2		x																																									FTS:ETNL1C			658	
	ET License Thin Provisioning DX410S2	Thin Provisioning Feature License for DX410S2		x																																									FTS:ETNL1T			4386	
	ET HW LocRem Copy License ACL DX440S2	ETERNUS Advanced Copy License for DX440S2				x																																							FTS:ETNL4C			549	
	ET License Thin Provisioning DX440S2	Thin Provisioning Feature License for DX440S2				x																																							FTS:ETNL4T			3573	
Channel Adapter																																																
	DX8090 S2 InterfCard FCoE 2Port 10G	- 1x 2-port FCoE CA (10GBps)															x	x					x	x																						FTS:ETEHC12			1238	
	DX8090 S2 InterfCard FC 2Port 8G	- 1x 2-port FC CA (8GBps, SFP+)															x	x					x	x																						FTS:ETEHF12			635	
	DX8090 S2 InterfCard iSCSI 2Port 1G	- 1x 2-port iSCSI CA (1GBps)															x	x					x	x																						FTS:ETEHL12			635	
	DX8090 S2 InterfCard SAS 2Port 6G	- 1x 2-port SAS CA (6GBps)															x	x					x	x																						FTS:ETEHS12			392	
	DX8090 S2 InterfCard iSCSI 2Port 10G	- 1x 2-port iSCSI CA (10GBps)															x	x					x	x																						FTS:ETEHX12			1238	
	DX4x0 S2 InterfCard FCoE 2Port 10G x2	2x FCoE CA (4x 10GBit/s SFP+)		x		x																																							FTS:ETNHC22			4121	
	DX4x0 S2 InterfCard FC 2Port 8G x2	- 2x 2-port FC-CA (8GBit/s SFP+)		x		x																																							FTS:ETNHF22			2061	
	DX4x0 S2 InterfCard FC 4Port 8G x2	- 2x 4-port FC-CA (8GBit/s SFP+)		x		x																																							FTS:ETNHF24			3297	
	DX4x0 S2 InterfCard iSCSI 2Port 1G x2	2x iSCSI 1G CA		x		x																																							FTS:ETNHL22			3297	
	DX4x0 S2 InterfCard iSCSI 2Port 10G x2	2x iSCSI 10G CA (, 4x 10GBitSFP`s +)		x		x																																							FTS:ETNHX22			4121	
	DX4x0 S2 ReInterfCard iSCSI 2Port 1G x2	Remote Advanced Copy interface for DX400 S2(iSCSI, 4port), 2x iSCSI RA		x		x																																							FTS:ETNRL22			8244	

Switches and routers
The fibre channel switch is the key component of a SAN. It delivers high performance and throughput for the network. The Routers are the connection from SCSI tape devices to a Storage Area Network.

Fibre channel switches

Fibre channel switches
The SilkWorm family stand for high performance SAN concepts and high availability. 4 Gbit/s fibre channel is the latest and currently fastest technology for connecting the servers and storage devices. The 8-, 16-, 32- and 128-port, auto-sensing fibre channel switches significantly increases performance and functionality for Storage Area Networks (SANs).

FibreChannel Switch Brocade 300

The Brocade 300 FibreChannel Switch with 8Gbit/s technology and 8, 16, or 24 ports.

FibreChannel Switch Brocade 5100

The Brocade 5100 FibreChannel Switch with 8Gbit/s technology and 24, 32, or 40 ports.

FibreChannel Switch Brocade 5300

The Brocade 5300 FibreChannel Switch with 8Gbit/s technology and 48, 64, or 80 ports.

Fibre channel routers

Fibre channel routers
The ideal product for connecting tape libraries to a fibre channel network. Supports a fast and secure backup via a Storage Area Network

FiberChannel Switch Brocade 300 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 300 is an 8 Gb/s Fibre Channel switch and provides the flexible building blocks customers need for high performance easily manageable storage area networks in large or fast growing server and virtual server environments. With a flexible architecture that supports 1, 2, 4 and 8Gbit/sec technology with 8, 16, or 24 ports, the Brocade 300 provides a highly available, lossless networking between application and data as well as between server and storage networks.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 300							
	FC Switch 16Port, 16x 4G SFP, Single,UTL	Fibre Channel switch with 24 ports, 16 active ports with 16 SFP 4GBit/s mounted, Web Tools, Zoning, Enhanced Group Management. , upgrade to 24 ports by activating with a addional port license to 24 port possible., 1 year on site warranty incl right to use software updates	D:FCSW-DX4G16			3054	
	FC Switch 8Port, 8x 4G SFP, Single,UTL	Fibre Channel switch with 24 ports, 8 active ports with 8 SFP 4GBit/s mounted, Web Tools, Zoning, Enhanced Group Management. , upgrade to 24 ports by activating with a addional port license to 24 port possible., 1 year on site warranty incl right to use software updates	D:FCSW-DX4G8			1425	
	FC Switch 16Port,16x8G SFP, Fabric,UTL	Fibre Channel switch with 24 ports, 16 active ports with 16 SFP 8GBit/s mounted, Web Tools, Zoning, Enhanced Group Management. , upgrade to 24 ports by activating with a addional port license to 24 port possible., 1 year on site warranty incl right to use software updates	D:FCSW-DX8G16			4382	
	FC Switch 8Port,8x8G SFP, Fabric,UTL	Fibre Channel switch with 24 ports, 8 active ports with 8 SFP 8GBit/s mounted, Web Tools, Zoning, Enhanced Group Management. , upgrade to 24 ports by activating with a addional port license to 24 port possible., 1 year on site warranty incl right to use software updates	D:FCSW-DX8G8			2314	
	FC-Switch 300 8/24 Port WT ZO (for DX)	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, Enhanced Group Management. , upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-DX			1301	
	FC-Switch Brocade 300 8/24 Port WT ZO	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, Enhanced Group Management. , upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-300L			1611	
	FC-Switch BRCD 300 8/24 Port WT ZO,EB	Fibre Channel switch with 24 active ports, Web Tools, Zoning, Enhanced Group Management, Full Fabric and Enterprise Bundle, 1 year on site warranty incl right to use software updates	D:FCSW-300E			5183	

FiberChannel Switch Brocade 5100

Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5100 FibreChannel Switch is ideal for organizations requiring a flexible solution that will meet rapidly evolving storage requirements, either as a building-block switch for a small SAN or as a high-performance edge switch in larger core-to-edge SAN configurations. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 24, 32, or 40 ports, the Brocade 5100 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5100							
	FC-Switch5100 24/40Port,FF,EGM,TR,EF,FW	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Extended Fabric, Trunking, Fabric Watch , upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100DX-24P			8508	
	FC-Switch 5100 32/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 32-port license., Web Tools, Zoning, Full Fabric, Enhanced Group Management, Expansion to 40 ports by enabling the port license, 1 year on-site warranty including legal software updates	D:FCSW-5100DX-32P			12522	
	FC-Switch 5100, 40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 40-port license., Web Tools, Zoning, Full Fabric, Enhanced Group Management, 1 year on-site warranty including legal software updates	D:FCSW-5100DX-40P			14887	
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100L			8760	
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM,EB	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Enterprise Bundle (EF,TR, AN, APM), upgrade to 32 or 40 ports by activating the port license,, 1 year on site warranty incl right to use software updates, Enterprise Bundle (factory installed)	D:FCSW-5100E			11967	

FiberChannel Switch Brocade 5300 — Data Sheets: http://ts.fujitsu.com/storage

The Brocade 5300 is an 8 Gb/sec FibreChannel Switch which provides the highest performance, highest availability, scalability and best investment protection to meet the needs of today s consolidated virtual data center. With a flexible architecture that supports 1, 2, 4 and 8 Gbit/sec technology with 48, 64, or 80 ports, the Brocade 5300 provides an affordable high-port-count, single-domain solution.

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC-Switch 5300							
	FC-Switch 5300 48/80Port WT,ZO,FF,EGM,EB	Fibre Channel switch with 80 ports, 48 active ports,, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Enterprise Bundle (EF,TR, AN, APM),, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates,Enterprise Bundle (factory installed)	D:FCSW-5300E			28396	
	FC-Switch 5300 48/80 Port,WT,ZO,FF,EGM	Fibre Channel switch with 80 ports, 48 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 64 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5300L			21770	

Storage SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
FC Switches							
	CS FC Switch 40Port, 24Port free	FC Switch 8GB/s, 40 Ports, 24 Ports enabled. Trunking and Extended Fabric installed. GBics need to be added.	CS-FSW-5124			21930	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC SWITCH	FC Switch 8000	FC Switch DCX4S (director)	FCSW 16P 2400	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch 6510	FC-Switch Blade (Director)	FC-Switch DCX (director)	FC-Switch Director	IB Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
Connection Blades																													
	Infiniband Cu Cable 40GB, 4x QSFP, 1m																				x				S26361-F3996-L101			81	
	Infiniband Cu Cable 40GB, 4x QSFP, 3m																				x				S26361-F3996-L103			104	
Rack-Infrastructure																													
	Cable managment,19" Rack,1HE,upgrade	Cable Management for 19 "rack, 1U, field upgrade, (H = 41.5 mm x W = 489mm x D = 113.25 mm),, Inclusive 1U bracket, mounting hardware and blank panel 1U., The cable management is used to enable an optimal cable management. Especially recommended for IP and Fibre Channel switches with many ports.	x		x	x					x				x	x	x	x	x	x			x	x	D:CABLE-GUIDE-1U-L			110	Orderable from: 01/10/2011
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle for PRIMECENTER and DataCenter rack, 1U up to 50kg		x																					S26361-F2735-L10			18	
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle for PRIMECENTER and DC rack, 2U up to 150kg		x																					S26361-F2735-L15			21	
UPS/Power supply																													
	Redundant PSU for IB Switch	for PSU redundancy in external IB Switch																			x				S26361-F4526-L10			733	
FC/IP-Infrastructure																													
	SFP SM 8GBit up to 10 km, Dual LC (LL)	8GBit, SM, bis 10km, LC		x																					CS-SFP-FS810L			1404	
	ICL License UPG (single chassis)	License ICL (single chassis)																		x					D:DCX4S-ICL-L			24215	
	LAN Switch Stacking cable 3m, UPG	LAN IP Switch daisy chian cable 3m																				x			D:FCKAB-STAK-3M-L			301	
	XFP 10G 300m MMF for LAN Switch, UPG	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)																				x			D:FCSFP-BLS10-03-L			516	
	SFP 1G 500m MMF for LAN Switch, UPG	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)																				x			D:FCSFP-BL-S1-05-L			204	
	XFP, MULTI MODE Fibre 10G,300 m	SFP Single Mode Fibre, 10 GB/s, 300 m																		x					D:FCSFP-B-M10-03-L			1782	
	SFP Multi Mode Fibre, 4 GB/s 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m	x							x	x	x	x	x	x	x				x					D:FCSFP-B-MM4G-L			92	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)									x				x	x				x					D:FCSFP-B-MM8G-L			75	
	XFP, SINGLE MODE FIBRE,10G,10KM	SFP Single Mode Fibre, 10 GB/s, 10 km																		x					D:FCSFP-B-S10-10-L			3540	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km								x	x	x	x	x	x	x				x					D:FCSFP-B-SM4-04-L			424	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km								x	x	x	x	x	x	x				x					D:FCSFP-B-SM4-10-L			761	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km								x	x	x	x	x	x	x				x					D:FCSFP-B-SM4-30-L			1410	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10 km (Brocade branded SFP)									x				x	x				x					D:FCSFP-B-SM8-10-L			647	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25 km (Brocade branded SFP)									x				x	x				x					D:FCSFP-B-SM8-25-L			2724	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP	x																					x	D:FCSFP-COP-1GBE-L			444	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)			x															x					D:FCSFPP-BM10-03-L			682	
	1xSFP+ MMF Fibre, 8 GB/s 50m/100m upg	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)									x				x	x	x			x					D:FCSFPP-B-MM8G-1L			104	
	8xSFP+ MMF Fibre, 8 GB/s 50m/100m upg	Pack 8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)									x				x	x	x			x					D:FCSFPP-B-MM8G-8L			605	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)			x															x					D:FCSFPP-BS10-10-L			1833	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!								x		x	x	x											D:FCSFP-SM4G-30-L			1546	Phased out
	1x RMK for FWS648G IP Switch UPG	rack mount kit for Fasttron 648G IP-Switch., Rail-Kit, mounting angle and mounting material, Rack mounting bracket is not included.																					x		D:FCSW-648G-RMK-L			357	
	LAN Switch connect & mounting kit, UPG	LAN IP Switch connect & mounting Kit. Needed for stand alone use.																				x			D:FCSW-648S-KIT-L			66	
	LAN Switch secound power supply, UPG	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W																				x			D:FCSW-648S-PSU-L			505	
	Power Supply Unit DCX upgrade	DCX, UPGRADE POWER SUPPLY for later mounting, 2000W 230VAC, 1000W 115VAC																		x					D:FCSW-DCX-PSU-L			7654	
	LAN Switch Module 10G, 2 Ports,0 XFP UPG	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP																				x			D:FCSW-MODUL10G2-L			823	
	8-PORT License f VDX6720 field upgrade	8-PORT Ports on Demand License for VDX6720-16 to make all 24 ports enabled. Field upgrade																						x	D:VDX6720-24POD-L			3418	
	1x RMK for VDX 6720 IP Switch UPG	Rack mounting kit for Fasttron VDX6720 switch., Rail kit and mounting hardware, Rack mounting bracket is not included.																						x	D:VDX6720-RMK-L			328	
	APM (7800) field activation	Brocade 7800 Software License for Advanced Performance Monitoring., This Produkt includes:, 1x (APM) Advanced Performance Monitoring License	x																						EBR780APM-L			3456	
	Fabric Watch (7800) field activation	Brocade 7800 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License	x																						EBR780FW-L			3149	
	IR (7800) field activation	Brocade 7800 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, 1st year Support Extended	x																						EBR780IR-L			7404	
	Advanced Ext.(7800) field activation	Brocade 7800 Software License for Advanced Extension. Expands Router with , FCIP Trunking, This Produkt includes:, 1x (AE) Advanced Extension License, 1st year Support Extended, Caution: OSTP (Open Systems tape Pipelining) is not supported for EBR780	x																						EBR780SAE-L			5737	
	Trunking (7800) field activation	Brocade 7800 Software License for ISL Trunking., This Produkt includes:, 1x (ISL) ISL Trunking License	x																						EBR780TR-L			4465	
	Fabric Watch (8000) field activation	Brocade 8000 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License			x																				EBR800FW-L			1175	
	8ports on demand (5100), ports25-32 Bulk	Brocade 5100 switch port license for upgrade from 25 to 32 ports													x										D:FCSW-5100-UPG32L			2801	
	8ports on demand (5100), ports33-40 Bulk	Brocade 5100 switch port license for upgrade from 33 to 40 ports													x										D:FCSW-5100-UPG40L			2801	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC SWITCH	FC Switch 8000	FC Switch DCX4S (director)	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch 6510	FC-Switch Blade (Director)	FC-Switch DCX (director)	FC-Switch Director	IB Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
FC/IP-Infrastructure (Continued)																													
	16ports on demand(5300),ports49-64Bulk	Brocade 300 switch port license for upgrade from 49 to 64 ports														x									D:FCSW-5300-UPG64L			9277	
	16ports on demand (5300), ports65-80bulk	Brocade 5300 switch port license for upgrade from 65 to 80 ports														x									D:FCSW-5300-UPG80L			9277	
	1x1000BASE-SX SFP MMF, LC field upgrade	1000Base-SX SFP optic, MMF, LC connector, Optical Monitoring Cable																					x		D:E1MG-SX-OM-8-L			2721	Orderable from: 01/09/2011
	EP Bundle (5100) field activation	Enterprise Bundle for Brocade 5100 switch., The Bundle includes the following licences:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking, The following licences are not included:, (IR) Integrated Routing													x										D:FCSW-SW5100-EB-L			5775	
	Adaptive Netw. (5100) field activation	Brocade 5100 Software License fürAdaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License													x										D:FCSW-SW5100-AN-L			2791	
	Extended Fabric(5100) field activation	Brocade 5100 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric													x										D:FCSW-SW5100-EF-L			1807	
	Fabric Watch (5100) field activation	Brocade 5100 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch Lizenz													x										D:FCSW-SW5100-FW-L			1896	
	IR (5100) field activation	Brocade 5100 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, Not included in the Enterprise Bundle													x										D:FCSW-SW5100-IR-L			6685	
	Trunking (5100) field activation	Brocade 5100 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking License													x										D:FCSW-SW5100-TR-L			2628	
	SAO (5100) field activation	Brocade 5100 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License													x										D:FCSW-SW5100SAO-L			1119	
	EP Bundle (5300) field activation	Enterprise Bundle for Brocade 5300 switch., The Bundle includes the following licences:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking, The following licences are not included:, (IR) Integrated Routing														x									D:FCSW-SW5300-EB-L			8568	
	Adaptive Netw. (5300) field activation	Brocade 5300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License														x									D:FCSW-SW5300-AN-L			3615	
	Extended Fabric(5300) field activation	Brocade 5300 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric License														x									D:FCSW-SW5300-EF-L			2848	
	IR (5300) field activation	Brocade 5100 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, Not included in the Enterprise Bundle														x									D:FCSW-SW5300-IR-L			11139	
	Fabric Watch (5300) field activation	Brocade 5300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License														x									D:FCSW-SW5300-FW-L			3561	
	Trunking (5300) field activation	Brocade 5300 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking License														x									D:FCSW-SW5300-TR-L			4272	
	SAO (5300) field activation	Brocade 5300 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License														x									D:FCSW-SW5300SAO-L			1608	
	EP Bundle (300) field activation	EP Bundle for Brocade 300 switch (field upgrade), The Bundle includes the following licenses:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking									x														D:FCSW-SW300-EB-L			3438	
	Adaptive Netw. (300) field activation	Brocade 300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License									x														D:FCSW-SW300-AN-L			1344	
	Extended Fabric (300) field activation	Brocade 300 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric license									x														D:FCSW-SW300-EF-L			1231	
	Full Fabric (300) field activation	Brocade 300 Software License for Full Fabric., This Produkt includes:, 1x (FF) Full Fabric License									x														D:FCSW-SW300-FF-L			616	
	Fabric Watch (300) field activation	Brocade 300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License, Not included in the Enterprise Bundle									x														D:FCSW-SW300-FW-L			953	
	SAO (300) field activation	Brocade 300 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License									x														D:FCSW-SW300-SAO-L			413	
	Trunking (300) field activation	Brocade 300 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking License									x														D:FCSW-SW300-TR-L			2136	
	8 ports on demand (300), ports 9-16 bulk	Brocade 300 switch port license for upgrade from 9 to 16 ports									x														D:FCSW-300-UPG16-L			1598	
	8ports on demand (300), ports 17-24 Bulk	Brocade 300 switch port license for upgrade from 17 to 24 ports									x														D:FCSW-300-UPG24-L			1598	

Accessories SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC SWITCH	FC Switch 8000	FC Switch DCX4S (director)	FCSW 12BP 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	FC-Switch 6510	FC-Switch Blade (Director)	FC-Switch DCX (director)	FC-Switch Director	IB Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Accessories & services matrix																													
FC/IP-Infrastructure (Continued)																													
Cables																													
	FC-Cable MMF, 5m, LC/SC, (1xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 5 m		x	x		x	x	x	x	x	x	x	x	x				x					D:FCKAB-MM-B05L-L			42	
	FC-Cable MMF, 10m, LC/SC, (1xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 10 m		x	x		x	x	x	x	x	x	x	x	x	x			x					D:FCKAB-MM-B10L-L			42	
	FC-Cable MMF, 20m, LC/SC, (2xSheat)	optical multimode- cable (50um) having LC-SC-connector combination), length 20 m		x	x		x	x	x	x	x	x	x	x	x	x			x					D:FCKAB-MM-B20L-L			55	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for multimode 8 GBit/s		x	x		x	x	x	x	x	x	x	x	x	x			x		x	x		D:FCKAB-OM3-C05L-L			36	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized fot mutimode 8 GBit/s		x	x		x	x	x	x	x	x	x	x	x	x			x		x	x		D:FCKAB-OM3-C10L-L			41	
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for multimode 8 GBit/s		x	x		x	x	x	x	x	x	x	x	x	x			x		x	x		D:FCKAB-OM3-C20L-L			48	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for multimode 8 GBit/s		x	x		x	x	x	x	x	x	x	x	x	x			x		x	x		D:FCKAB-OM3-C50L-L			81	
	FC-Cable SMF, 10m, LC/LC, (1xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m		x			x	x	x	x	x	x	x	x	x	x			x					D:FCKAB-SM-C10L-L			83	
	FC cable SMF, 20m, LC/LC, (2xSheat)	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m		x	x		x	x	x	x	x	x	x	x	x	x			x					D:FCKAB-SM-C20L-L			92	
	Power cord IEC320 device 2.5m (F/M)	IEC 320 Power Cord (Cold Devices) 10A, Length 2,5m									x				x	x	x								D:KB258-C250-L			10	
	Direct Attached cable SFP+ Cop, 1m UPG	Direct Attached cable SFP+, Copper, 1m			x															x				x	EBR800-TWX-1M-L			125	Orderable from: 01/09/2011
	Direct Attached cable SFP+ Cop, 3m UPG	Direct Attached cable SFP+, Copper, 3m			x															x				x	EBR800-TWX-3M-L			105	
	Direct Attached cable SFP+ Cop, 5m UPG	Direct Attached cable SFP+, Copper, 5m			x															x				x	EBR800-TWX-5M-L			132	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
Rack-Infrastructure																					
	Socket strip 1x3 16A + 1x2 10A IEC320	PDU = power distribution unit, Power distribution unit with 3 device connector IEC320 C19 (16A protected) and 2 device connector IEC320 C13 (10A protected) with a 4-m connection cable and a single-phase 32A CEE plug.								x							S26361-F2262-E132			372	
	Socket strip 3x3 16A + 3x2 10A IEC322	PDU = power distribution unit, Power distribution unit with 3x3 device connector IEC320 C19 (16A protected) and 3x2 device connector IEC320 C13 (10A protected) , with a 4-m connection cable and a 3-phase 32A CEE plug.								x							S26361-F2262-E332			758	
	PRIMERGY rack install. switch ex work	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMERGY Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x		x				x	x	x	D:FCSW-INPSR			101	
UPS/Power supply																					
	Redundant PSU for IB Switch	for PSU redundancy in external IB Switch									x						S26361-F4526-E10			733	
FC/IP-Infrastructure																					
	ACE 20 Hardware	ACE 20 Hardware, Load Balancer Modul für Catalyst 65xx, max 2 per chassis											x				CIO:ACE20-MOD-K9			2	
	Catalyst 3750-E / 3560-E 1150WAC	Redundand power supply for Power System RPS2300										x					CIO:C3K-PWR1150WAC			1295	
	Catalyst 3750-E / 3560-E 750WAC	Redundand power supply for Power System RPS2300										x					CIO:C3K-PWR750WAC			867	
	RPS2300 Cable for Catalyst 3750E/3560E	Connects the switches Catalyst 3560E, 3750E or 2960 PoE with the redundand Power System RPS2300										x					CIO:CAB-RPS2300-E			132	
	Cisco 3750 Stack Cable 1m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches										x					CIO:CAB-STACK1MNH			132	
	Cisco 3750 Stack Cable 3m non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches										x					CIO:CAB-STACK3MNH			218	
	Cisco 3750 Stack Cable 50cm non-halogen	Stacked switches create a highly resilient single unified system of up to nine switches										x					CIO:CAB-STACK50CMN			45	
	GE SFP, LC connector LX/LH transceiver	GE SFP, LC connector LX/LH transceiver, max. 10km										x					CIO:GLCLHSM			867	
	GE SFP, LC connector SX transceiver	GE SFP, LC connector SX transceiver, max. 500m										x					CIO:GLCSXMM			433	
	1000BASE-T SFP	GE SFP, RJ45 1000Base-T transceiver, max. 100 m										x					CIO:GLC-T			341	
	N2K 1GE FEX 200W AC Power Supply	Cisco Nexus 2000 PSU module, A/C, 200W (take 2 for red.)										x					CIO:N2K-PAC-200W			433	
	Nexus 5010 Storage Protocols	Nexus 5010 Storage Protocols Services License										x					CIO:N5010-SSK9			10433	
	Nexus 5020 Storage Protocols	Nexus 5020 Storage Protocols Services License										x					CIO:N5020-SSK9			20862	
	N5000 1000 Series Module 8xFC 4/2/1 G	Extesion module 8 port FC 4/2/1G Ports										x					CIO:N5K-M1008			2784	
	N5000 1000 Series Mod 4x10GE 4xFC 4/2/1G	Extesion module 6 port 4 10GBEthernet und 4 FC 4/2/1G Ports										x					CIO:N5K-M1404			4521	
	N5000 1000 Series Module 6port 10GE	Extesion module 6 port 10 GBE										x					CIO:N5K-M1600			4696	
	Nexus 5020 PSU module,	Cisco Nexus 5020 PSU module, A/C, 1200W (take 2 for red.)										x					CIO:N5K-PAC-1200W			1305	
	Nexus 5010 PSU module, A/C, 550W	Cisco Nexus 5010 PSU module, A/C, 550W (take 2 for red.)										x					CIO:N5K-PAC-550W			648	
	Cisco 4948 PSU300W	Cisco 4948 PSU300W, redundand power supply										x					CIO:PWR-C49300AC			433	
	4900M AC power supply, 1000 watts	Cisco Nexus 5020 PSU module, A/C, 1200W										x					CIO:PWR-C49M-AC			864	
	Redundant AC PS for 4900M	Cisco Nexus 5020 PSU module, A/C, 1200W										x					CIO:PWR-C49M-AC2			871	
	10GBASE-SR SFP Module	optical transceiver for 10GB Ethernet ports, 10GBASE-SR SFP+ transceiver module for MMF, 850-nm wavelength, LC duplex connector										x					CIO:SFP-10G-SR			1295	
	10GBASE-CU SFP+ Cable 1 Meter	Cable with 2 integrated 10 GBE transceiver modules										x					CIO:SFP-H10GB-CU1M			132	
	10GBASE-CU SFP+ Cable 3 Meter	Cable with 2 integrated 10 GBE transceiver modules										x					CIO:SFP-H10GB-CU3M			184	
	10GBASE-CU SFP+ Cable 5 Meter	Cable with 2 integrated 10 GBE transceiver modules										x					CIO:SFP-H10GB-CU5M			225	
	Cat 6500 Supervisor 720 with2ports10GBE	Catalyst 6500 Virtual Switching Supervisor Engine 720. 2 X2-SFP 10 GBE ports and 2 SFP 1GBE ports											x				CIO:VS-S720-10G-3C			33032	
	Cisco 6506-E Chassis Fan Tray	Cisco 6506-E Chassis Fan Tray											x				CIO:WS-C6506EFAN			427	
	Cisco 6509-E Chassis Fan Tray	Cisco 6509-E Chassis Fan Tray											x				CIO:WS-C6509EFAN			427	
	Cisco 6500 PSU 3000W (take 2 for red.)	Cisco 6509 PSU 3000W (take 2 for red.)											x				CIO:WS-CAC-3000W			2608	
	Cisco 6500 PSU 6000W (take 2 for red.)	Cisco 6509 PSU 6000W (take 2 for red.)											x				CIO:WS-CAC-6000W			4347	
	Catalyst 6500/Cisco 7600 Supervisor 720	Catalyst 6500/Cisco 7600 Supervisor 720. One of the two 1GB/s-ports is selectable SFP or 10/100/1000 RJ-45.											x				CIO:WS-SUP720-3B			24340	
	4 port wire speed 10GE card	Cisco 4900M LineCard 4xIP 10GE										x					CIO:WS-X4904-10GE			4347	
	8 port 2:1 10 GE card	Cisco 4900M LineCard 8xIP 10GE										x					CIO:WS-X4908-10GE			6521	
	20 port 10/100/1000 RJ45	Cisco 4900M LineCard 20xIP 1GE										x					CIO:WS-X4920GBRJ45			3045	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
FC/IP-Infrastructure (Continued)																					
	Cisco 65xx LineCard 8xIP 10GE	Cisco 65xx LineCard 8xIP 10GE											x				CIO:WS-X6708-10G3C			32598	
	Cisco 65xx LineCard 48xIP 1GE, Copper	Cisco 65xx LineCard 48xIP 1GE, Copper											x				CIO:WS-X6748-GE-TX			13040	
	Cisco 65xx LineCard 48xIP 1GE, for SFP	Cisco 65xx LineCard 48xIP 1GE, for SFP											x				CIO:WS-X6748-SFP			21732	
	10GBASE-CX4 X2 Module, max 15m,	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector										x					CIO:X2-10GB-CX4			518	
	10GBASE-LR X2 Module, max 10km	optical transceiver for 10 GB Ethernet, 10GBASE-LR X2 transceiver module for SMF, 1310-nm wavelength, SC duplex connector										x					CIO:X2-10GB-LR			3479	
	10GBASE-LRM X2 Module max 220m	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector										x					CIO:X2-10GB-LRM			1295	
	10GBASE-LX4 X2 Module for MMF, max 300m	optical transceiver for 10GB Ethernet ports, 10GBASE-LX4 X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector										x					CIO:X2-10GB-LX4			2606	
	10GBASE-SR X2 Module, max 70m	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector										x					CIO:X2-10GB-SR			1736	
	S/W license, 10 Gigabit Ethernet	S/W license, 10 Gigabit Ethernet, 1 year SUP included			x												D:DCX10GE-01-M			12356	
	S/W EP BUNDLE (EF,FW,APM,TRK,AN,SAO)	S/W ENTERPRISE BUNDLE, (EF, FW, APM, TRK, AN, SAO)			x												D:DCX4SEB-01-E			34816	
	Integrated Routing (Includes ¿M)	SW Integrated Routing DCX-4S			x												D:DCX4S-IR1M-E			16579	
	Server Application Opti. Lic DCX4S	SW Server Apps Optimization , chassis License, No SUP			x												D:DCX4S-SAO-1-E			4816	
	Blade FX8-24 Lic Adv Extension (IP-TR)	S/W license Advanced Extension, enables FCIP Trunking, , 1 year SUP included			x												D:DCXAEX-01-M			5461	
	S/W lic Advanced Accelerator for FICON	S/W license, Advanced Accelerator for FICON, 1 year SUP included			x												D:DCXAFI-01-M			16248	
	SW Encryption Upgrade FS8-18	SW Encryption Upgrade FS8-18, advanced crypto for disk, chassis license			x												D:ENCPRF48-1-E			63947	
	XFP 10G 300m MMF for LAN Switch	XFP Multi Mode Fibre, 10 GB/s, 300 m, (used for IP Switch, Brocade branded XFP)												x			D:FCSFP-BLS10-03			514	
	SFP 1G 500m MMF for LAN Switch	SFP Multi Mode Fibre, 1 GB/s, 500 m, (used for IP Switch, Brocade branded XFP)												x			D:FCSFP-BL-S1-05			204	
	SFP Multi Mode Fibre, 4 GB/s 150 m		x			x	x	x	x								D:FCSFP-B-MM4G			88	
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)	x	x		x	x	x	x								D:FCSFP-B-MM8G			71	
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4km				x	x	x	x								D:FCSFP-B-SM4-04			404	
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km				x	x	x	x								D:FCSFP-B-SM4-10			725	
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km				x	x	x	x								D:FCSFP-B-SM4-30			1342	
	SFP Single Mode Fibre, 8 GB/s 10 km	SFP Single Mode Fibre, 8 GB/s, 10km				x	x	x	x								D:FCSFP-B-SM8-10			636	
	SFP Single Mode Fibre, 8 GB/s 25 km	SFP Single Mode Fibre, 8 GB/s, 25km				x	x	x	x								D:FCSFP-B-SM8-25			2724	
	1 GBE Copper SFP (for IP)	1 GBE Copper SFP	x						x							x	D:FCSFP-COP-1GBE			422	
	SFP+, SR, MULTI MODE Fibre 10GBE, 300m	SFP+, SR, MULTI MODE Fibre , 10 GBE,, 300 m (OM3 cable needed)		x					x								D:FCSFPP-BM10-03			649	
	1xSFP+ MMF Fibre, 8 GB/s 50m/100m	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)	x	x		x	x	x	x								D:FCSFPP-B-MM8G-1			104	
	8xSFP+ MMF Fibre, 8 GB/s 50m/100m	Pack 8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)	x	x		x	x	x	x								D:FCSFPP-B-MM8G-8			605	
	SFP+,LR,SINGLE MODE Fibre,10GBE 10Km	SFP+, LR, SINGLE MODE Fibre , 10 GBE,, CEE: 2,5km / Ethernet : 10km , (OM3 cable needed)		x					x								D:FCSFPP-BS10-10			1746	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!							x								D:FCSFP-SM4G-30			1472	Phased out
	1x RMK for FWS648G IP Switch	rack mount kit for FastIron 648G IP-Switch., Rail-Kit, mounting angle and mounting material, Rack mounting bracket is not included.													x		D:FCSW-648G-RMK			278	
	LAN Switch connect & mounting kit	LAN IP Switch connect & mounting Kit. Needed for stand alone use.												x			D:FCSW-648S-KIT			49	
	LAN IP Switch power supply	LAN IP Switch power supply, 100 to 240 VAC, 50 to 60 Hz, max 122 W												x			D:FCSW-648S-PSU			511	
	DCX-4S Adaptive Networking	DCX4S Adaptive Networking, SW Encryption Upgrade FS8-18, (advanced crypto for disk, chassis license			x												D:FCSW-DCX4S-AN-01			19465	
	DCX-4S SW FICON CUP 12 month SUS	SW FICON CUP, 1 year SUP			x												D:FCSW-DCX4S-CUP1M			8833	
	DCX4S SW E-Bundle (EF,FW,APM,TR,AN,SAO)	SW Enterprise bundle , (Extended Fabric, Fabric Watch, Performance Monitoring, Trunking), ohne Adaptive Networking			x												D:FCSW-DCX4S-EB-1			40456	
	DCX-4S License ICL (single chassis)	License ICL (single chassis)			x												D:FCSW-DCX4S-ICL-1			19374	
	DCX-4S SW Integrated Routing	SW Integrated Routing DCX-4S			x												D:FCSW-DCX4S-IR1M			18175	
	SW FICON Accelerator CUP License	SW FICON CUP, Brocade FICON Accelerator, XRC emulation and read/write Tape pipelining, , includes 1-year software maintenance								x							D:FCSW-DCX-FICU-M			11763	
	Integrated Routing License	Integrated Routing, , includes 1-year software maintenance								x							D:FCSW-DCXIR-01-M			25746	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
FC/IP-Infrastructure (Continued)																					
	Server Application Optimization Lic f DC	Server Application Optimization License for DCX								x							D:FCSW-DCX-SAO			12702	
	LAN Switch Module 10G, 2 Ports, 0 XFP	LAN IP Switch 10G Modul with 2 Slots für 10 G XFP												x			D:FCSW-MODUL10G2			823	
	Addit. 5-user license for IP Netw. Mngmt	Additional 5-User License for IP Network Managment. For the monitoring of an IP network with five other administrators.												x			D:FCSW-SWIPNM-5ADM			3075	
	IP Network Management for Linux SW	IP Network Management for Linux operating system, For the monitoring of an IP network by a single administrator.												x			D:FCSW-SWIPNM-LIN			6386	
	IP Network Management for Solaris SW	IP Network Management for Solaris operating system, For the monitoring of an IP network by a single administrator.												x			D:FCSW-SWIPNM-SOL			6386	
	IP Network Management for Windows SW	IP Network Management for Windows operating system, For the monitoring of an IP network by a single administrator.												x			D:FCSW-SWIPNM-WIN			6386	
	GE SFP, LC connector LX/LH transceiver	SFP 1GB/s SMF for CISCO Switches, max 10km										x					D:FF-GLC-LH-SM			631	
	GE SFP, LC connector SX transceiver	SFP 1GB/s MMF for CISCO Switches, max 500m										x					D:FF-GLC-SX-MM			316	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches										x					D:FF-GLC-ZX-SM			2554	
	10GBASE-CX4 X2 Module, max 15m,	transceiver for 10GB Ethernet ports, 10GBASE-CX4 X2 transceiver module for CX4 cable, copper, Infiniband 4X connector										x					D:FF-X2-10GB-CX4			372	
	10GBASE-LRM X2 Module max 220m	optical transceiver for 10GB Ethernet ports, 10GBASE-LRM X2 transceiver module for MMF, 1310-nm wavelength, SC duplex connector										x					D:FF-X2-10GB-LRM			935	
	10GBASE-SR X2 Module, max 70m	optical transceiver for 10GB Ethernet ports, 10GBASE-SR X2 transceiver module for MMF, 850-nm wavelength, SC duplex connector										x					D:FF-X2-10GB-SR			1247	
	SUP 300 Switch 1 Jahr Extended	SUP 300 Switch 1 year extended				x											D:SUP-300-1-EXT			102	
	SUP 300 Switch 1 Jahr Renewal	SUP 300 Switch 1 year Renewal				x											D:SUP-300-1-UPG			119	
	SUP 5100 Switch 1 Jahr Extended	SUP 5100 Switch 1 year extended					x										D:SUP-5100-1-EXT			657	
	SUP 5100 Switch 1 Jahr Renewal	SUP 5100 Switch 1 year Renewal					x										D:SUP-5100-1-UPG			761	
	SUP 5300 Switch 1 Jahr Extended	SUP 5300 Switch 1 year extended						x									D:SUP-5300-1-EXT			1631	
	SUP 5300 Switch 1 Jahr Renewal	SUP 5300 Switch 1 year Renewal						x									D:SUP-5300-1-UPG			1892	
	SUP 648G Switch 1 year Extended	SUP FWS648G Switch 1 year extended													x		D:SUP-648G-1-EXT			779726	
	SUP 648G Switch 1 year Renewal	SUP FWS648G Switch 1 year Renewal													x		D:SUP-648G-1-UPG			779726	
	SUP VDX Switch 1 year Extended	SUP VDX 6720 Switch 1 year extended														x	D:SUP-VDX-1-EXT			779726	
	SUP VDX Switch 1 year Renewal	SUPVDX 6720 Switch 1 year Renewal														x	D:SUP-VDX-1-UPG			779726	
	8-PORT License f VDX6720 Factory mount	8-PORT Ports on Demand License for VDX6720-16 to make all 24 ports enabled. Factory installed														x	D:VDX6720-24POD-E			3418	
	1x RMK for VDX 6720 IP Switch	Rack mounting kit for FastIron VDX6720 switch., Rail kit and mounting hardware, Rack mounting bracket is not included.														x	D:VDX6720-RMK			256	
	APM (7800) factory activation	Brocade 7800 Software License for Advanced Performance Monitoring., This Produkt includes:, 1x (APM) Advanced Performance Monitoring License	x														EBR780APM-E			3456	
	SUP 7800F Router 1 year extended	SUP 7800 Router 1 year extended	x														EBR780F-SUP-1-EXT			1167	
	SUP 7800F Router 1 year renewal	SUP 7800 Router 1 year Renewal	x														EBR780F-SUP-1-UPG			1377	
	Fabric Watch (7800) factory activation	Brocade 7800 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License	x														EBR780FW-E			3149	
	IR (7800) factory activation	Brocade 7800 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, 1st year Support Extended	x														EBR780IR-E			7404	
	SUP SW I-Routing 1year extended	SUP SW I-Routing 1year extended	x														EBR780IR-SUP-1-EXT			746	
	SUP SW I-Routing 1year renewal	SUP SW I-Routing 1year extended	x														EBR780IR-SUP-1-UPG			886	
	SUP 7800 to 7800F UPG 1year extended	SUP 7800 to 7800F UPG 1year extended	x														EBR780MM-SUP-1-EXT			1009	
	SUP 7800 to 7800F UPG 1 year renewal	SUP 7800 to 7800F UPG 1 year renewal	x														EBR780MM-SUP-1-UPG			1193	
	Advanced Ext.(7800) factory activation	Brocade 7800 Software License for Advanced Extension. Expands Router with , FCIP Trunking, This Produkt includes:, 1x (AE) Advanced Extension License, 1st year Support Extended, Caution: OSTP (Open Systems tape Pipelining) is not supported for EBR780	x														EBR780SAE-E			5737	
	SUP SW Advanced Extension 1year extended	SUP SW Advanced Extension 1Jahr Extended	x														EBR780SAE-SUP1-EXT			579	
	SUP SW Advanced Extension 1year renewal	SUP SW Advanced Extension 1year Renewal	x														EBR780SAE-SUP1-UPG			675	
	SUP 7800 Router 1 year extended	SUP 7800 Router 1 year extended	x														EBR780-SUP-1-EXT			307	
	SUP 7800 Router 1 year renewal	SUP 7800 Router 1 year renewal	x														EBR780-SUP-1-UPG			368	
	ISL Trunking (7800) factory activation	Brocade 7800 Software License for ISL Trunking., This Produkt includes:, 1x (ISL) ISL Trunking License	x														EBR780TR-E			4465	
	Fabric Watch (8000) factory activation	Brocade 8000 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License		x													EBR800FW-E			1175	
	SUP 8000 Switch 1 year extended	SUP 8000 Router 1 year extended		x													EBR800-SUP-1-EXT			1026	
	SUP 8000 Switch 1 year renewal	SUP 8000 Router 1 year Renewal		x													EBR800-SUP-1-UPG			1175	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
FC/IP-Infrastructure (Continued)																					
	Trunking (8000) factory activation	Brocade 8000 Software License for Trunking., This Produkt includes:, 1x (TRK) Trunking License		x													EBR800TR-E			1640	
	1x1000BASE-SX SFP MMF, LC factory mount	1000Base-SX SFP optic, MMF, LC connector, Optical Monitoring Cable													x		D:E1MG-SX-OM-8-E			2721	Orderable from: 01/09/2011
	8ports on demand(5100),ports25-32embedd.	Brocade 5100 switch port license for upgrade from 25 to 32 ports					x										D:FCSW-5100-UPG32E			2801	
	8ports on demand(5100),ports33-40embedd.	Brocade 5100 switch port license for upgrade from 33 to 40 ports					x										D:FCSW-5100-UPG40E			2801	
	16ports on demand(5300),ports49-64embedd	Brocade 300 switch port license for upgrade from 49 to 64 ports						x									D:FCSW-5300-UPG64E			9277	
	16ports on demand(5300),ports65-80embedd	Brocade 5300 switch port license for upgrade from 65 to 80 ports						x									D:FCSW-5300-UPG80E			9277	
	DCFM ENTERPRISE Management SW,SUS1Year	DC Fabric Manager V10 Enterprice (1 x per SAN)			x	x	x	x		x							D:FCSW-FMV10-E			22722	
	EP Bundle (5100) factory activation	Enterprise Bundle for Brocade 5100 Switch., This Bundle included the following Licenses:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking, 7. (ADV) ADV Performance Monitoring, This Lizenz is not at the Enterprise Bundle included:, (IR) Integrated Routing					x										D:FCSW-SW5100-EB-E			5775	
	Adaptive Netw. (5100) factory activation	Brocade 5100 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License					x										D:FCSW-SW5100-AN-E			2791	
	SUS "EXTENDED"1Y"DCFM ENTERPRISE"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""DCFM ENTERPRISE""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-FMV10-1-EXT			3459	
	Extended Fabric(5100) factory activation	Brocade 5100 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric					x										D:FCSW-SW5100-EF-E			1807	
	SUS "RENEWAL" 1Y "DCFM ENTERPRISE"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""DCFM ENTERPRISE""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, DCFM = Data Centre Fabric Manager, SAN Management Software		x	x	x	x	x		x							D:SUP-FMV10-1-UPG			4095	
	Fabric Watch (5100) factory activation	Brocade 5100 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License					x										D:FCSW-SW5100-FW-E			1896	
	IR (5100) factory activation	Brocade 5100 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, Not included in the Enterprise Bundle					x										D:FCSW-SW5100-IR-E			6685	
	Trunking (5100) factory activation	Brocade 5100 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking license					x										D:FCSW-SW5100-TR-E			2628	
	SAO (5100) factory activation	Brocade 5100 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License					x										D:FCSW-SW5100SAO-E			1119	
	ADV (8000) factory activation	Brocade 5100 and 8000 Software License for , ADV PERFORMANCE MONITORING., This Produkt includes:, 1x (APM) ADV PERFORMANCE MONITORING License		x			x										EBR800ADV-E			1404	
	DCFM upgrade to EP Management SW,SUS1Y	DFCM Enterprise Management Software (Serialized), Version 10.x, upgrade from FM5x to DCFM (FMV10)			x	x	x	x		x							D:FCSW-MSV10-1			3631	
	EP Bundle (5300) factory activation	Enterprise Bundle for Brocade 5300 switch., The Bundle includes the following licences:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking, The following licences are not included:, (IR) Integrated Routing						x									D:FCSW-SW5300-EB-E			8568	
	Adaptive Netw. (5300) factory activation	Brocade 5300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License						x									D:FCSW-SW5300-AN-E			3615	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
FC/IP-Infrastructure (Continued)																					
	SUS"EXTENDED"1Y"Upg to DCFM ENTERPRISE"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""Upgrade to DCFM ENTERPRISE""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-MSV10-1-EXT			2454	
	Extended Fabric(5300) factory activation	Brocade 5300 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric License						x									D:FCSW-SW5300-EF-E			2848	
	SUS"RENEWAL"1Y"Upg to DCFM ENTERPRISE"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""Upgrade to DCFM ENTERPRISE""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-MSV10-1-UPG			2895	
	IR (5300) factory activation	Brocade 5300 Software License for Integrated Routing., This Produkt includes:, 1x (IR) Integrated Routing License, Not included in the Enterprise Bundle						x									D:FCSW-SW5300-IR-E			11139	
	Fabric Watch (5300) factory activation	Brocade 5300 Software License for Fabric Watchc., This Produkt includes:, 1x (FW) Fabric Watch License						x									D:FCSW-SW5300-FW-E			3561	
	Trunking (5300) factory activation	Brocade 5300 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking License						x									D:FCSW-SW5300-TR-E			4272	
	SAO (5300) factory activation	Brocade 5300 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License						x									D:FCSW-SW5300SAO-E			1608	
	DCFM ProfPlus Management Software,SUS 1Y	DCFM ProfPlus Management Software, 1Y SW maintenance			x	x	x	x		x							D:FCSW-PMV10-E			6064	
	SUS "EXTENDED" 1Y "DCFM PROF PLUS"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-PMV10-1-EXT			1044	
	SUS "RENEWAL" 1Y "DCFM PROF PLUS"	Software Maintenance / SUS ""RENEWAL"" 1 Year for , ""DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-PMV10-1-UPG			1231	
	DCFM upg to ProfPlus Management SW,SUS1Y	DCFM upgrade to ProfPlus Management Software, 1Y SW maintenance			x	x	x	x		x							D:FCSW-PSV10-1			3633	
	SUS "EXTENDED"1Y"Upg to DCFM PROF PLUS"	Software Maintenance / SUS ""EXTENDED"" 1 Year for , ""Upgrade to DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a newly purchased product, prolongs SUS period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-PSV10-1-EXT			736	
	SUS "RENEWAL" 1Y"Upg to DCFM PROF PLUS"	Software Maintenance / SUS ""RENEWAL"" 1 Year for ""Upgrade to DCFM PROFESSIONAL PLUS""; , adds SW maintenance / SUS to a field installed product, prolongs SW maintenance period for another 12 month period, , DCFM = Data Centre Fabric Manager, SAN Management Software			x	x	x	x		x							D:SUP-PSV10-1-UPG			868	
	EP Bundle (300) factory activation	Enterprise Bundle for Brocade 300 switch., The Bundle includes the following licenses:, 1. (AN) Adaptive Networking, 2. (APM) Advanced Performance, 3. (EF) Extended Fabric, 4. (FW) Fabric Watch, 5. (SAO) Server Application Optimization , 6. (TR) Trunking				x											D:FCSW-SW300-EB-E			3152	
	Adaptive Netw. (300) factory activation	Brocade 300 Software License for Adaptive Networking., This Produkt includes:, 1x (AN) Adaptive Networking License				x											D:FCSW-SW300-AN-E			1241	
	Extended Fabric (300) factory activation	Brocade 300 Software License for Extended Fabric., This Produkt includes:, 1x (EF) Extended Fabric license				x											D:FCSW-SW300-EF-E			1133	
	Full Fabric (300) factory activation	Brocade 300 Software License for Full Fabric., This Produkt includes:, 1x (FF) Full Fabric License, Not included in the Enterprise Bundle				x											D:FCSW-SW300-FF-E			563	

Options SAN Components

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	FC Router 7800	FC Switch 8000	FC Switch DCX4S (director)	FC-Switch 300	FC-Switch 5100	FC-Switch 5300	FC-Switch Blade (Director)	FC-Switch DCX (director)	IB Switch	IP CISCO fixed Switch	IP CISCO modular Switch	IP Switch 648S	IP-Switch 648G	VDX 6720	Product Code			End User Price (RRP)	Comments
Options matrix																					
FC/IP-Infrastructure (Continued)																					
	Fabric Watch (300) factory activation	Brocade 300 Software License for Fabric Watch., This Produkt includes:, 1x (FW) Fabric Watch License				x											D:FCSW-SW300-FW-E			876	
	SAO (300) factory activation	Brocade 300 Software License for Server Application Optimization., This Produkt includes:, 1x (SAO) Server Application Optimization License				x											D:FCSW-SW300-SAO-E			380	
	Trunking (300) factory activation	Brocade 300 Software License for Trunking., This Produkt includes:, 1x (TR) Trunking License				x											D:FCSW-SW300-TR-E			1971	
	8ports on demand(300),ports 9-16 embedd.	Brocade 300 switch port license for upgrade from 9 to 16 ports				x											D:FCSW-300-UPG16-E			1558	
	8ports on demand(300),ports17-24 embedd.	Brocade 300 switch port license for upgrade from 17 to 24 ports				x											D:FCSW-300-UPG24-E			1558	
Cables																					
	CSS11500 10-Meter Fiber Multimode SX	CSS11500 10-Meter Fiber MM SX LC-to-SC cabel for Cisco X2 transceiver										x					CIO:CSS5CABSX-LCSC			341	
	FC-Cable OM3, MMF, 5m, LC/LC 8GBit/s					x						x					D:FCKAB-MM-C05L-Z			36	
	10G Direct Attached cabl.SFP+ Copper, 1m	Direct Attached cable SFP+, Copper, 1m		x					x								EBR800-TWX-1M			125	Orderable from: 01/09/2011
	10G Direct Attached cabl.SFP+ Copper, 3m	Direct Attached cable SFP+, Copper, 3m		x					x								EBR800-TWX-3M			105	
	10G Direct Attached cab. SFP+ Copper, 5m	Direct Attached cable SFP+, Copper, 5m		x					x								EBR800-TWX-5M			132	
Services																					
	DCX-4S Maintenance POH 1Y Extended	DCX-4S Maintenance POH 1 year Extended			x												D:DCX4S-POH-1-EXT			10342	
	DCX-4S Maintenance POH 1Y Renewal	DCX-4S Maintenance POH 1 year Renewal			x												D:DCX4S-POH-1-UPG			10275	
	DCX Maintenance POH 1Y Extended	DCX Maintenance POH 1 year Extended								x							D:DCX-POH-1-EXT			10618	
	DCX Maintenance POH 1Y Renewal	DCX Maintenance POH 1 year Renewal								x							D:DCX-POH-1-UPG			12530	
	POH Maint BLADE CRYPTO 1Y Extended	POH Maint BLADE CRYPTO; 1Y Extended							x								D:POH-BLCRYP-1-EXT			15160	
	POH Maint BLADE CRYPTO 1Y Renewal	POH Maint BLADE CRYPTO; 1year Renewal							x								D:POH-BLCRYP-1-UPG			17947	
	FCIP Port Blade POH Support 1Y Extended	FCIP Port Blade POH Support 1 year Extended							x								D:POH-BLFCIP-1-EXT			2693	
	FCIP Port Blade POH Support 1Y Renewal	FCIP Port Blade POH Support 1 year Renewal							x								D:POH-BLFCIP-1-UPG			3196	
	FCOE24 Blade POH Support 1Y Extended	FCOE24 Blade POH Support 1 Year Extended							x								D:POH-BLFCOE-1-EXT			3164	
	FCOE24 Blade POH Support 1Y Renewal	FCOE24 Blade POH Support 1 year Renewal							x								D:POH-BLFCOE-1-UPG			3733	
	FX8-24 Blade POH Sup. 1J Extended	FX8-24 Blade POH Support 1 year Extended							x								D:POH-BLFEXT-1-EXT			3759	
	FX8-24 Blade POH Sup. 1J Renewal	FX8-24 Blade POH Support 1 year Renewal							x								D:POH-BLFEXT-1-UPG			4270	
	SUP10G lic FX8-24 Bl. 1J Extended	SUP 10G lic for FX8-24 Blade Support 1 year Extended							x								D:SUP-10GE-1-EXT			937	
	SUP ADV f. FX8-24 Bl. 1J Extended	SUP ADV EXT for FX8-24 Blade Support 1 year Extended							x								D:SUP-DCXAEX-1-EXT			722	
	SUP ADV f. FX8-24 Bl. 1J Renewal	SUP ADV EXT for FX8-24 Blade 1 year Renewal							x								D:SUP-DCXAEX-1-UPG			821	
	SUP FICONACC FX8-24Bl. 1J Extended	SUP FICON ACC for FX8-24 Blade Support 1 year Extended							x								D:SUP-DCXAFI-1-EXT			3472	
	SUP FICONACC FX8-24 Bl. 1J Renewal	SUP FICON ACC for FX8-24 Blade 1 year Renewal							x								D:SUP-DCXAFI-1-UPG			3944	
	SUP for SW FICON CUP for DCX 1Y Extended	SUP for SW FICON CUP for DCX 1 Year Extended								x							D:SUP-DCXFI-1-EXT			1176	
	SUP f.SW I-Routing for DCX 1Y Renewal	SUP for SW FICON CUP for DCX 1 year Renewal								x							D:SUP-DCXFI-1-UPG			1388	
	SUP f.SW I-Routing for DCX 1Y Extended	SUP for SW I-Routing for DCX 1 Year Extended								x							D:SUP-DCXIR-1-EXT			612	
	SUP f.SW I-Routing for DCX 1Y Renewal	SUP for SW I-Routing for DCX 1 year Renewal								x							D:SUP-DCXIR-1-UPG			722	
	SUP FCIP f. Blade FR18-4 1J Extended	SUP for SW FCIP-Rout f DCX 1Y Extended			x												D:SUP-FCIP-1-EXT			440	
	SUP FCIP f. Blade FR18-4 1J Renewal	SUP for SW FCIP-Rout f DCX 1Y Renewal			x												D:SUP-FCIP-1-UPG			500	
	SUP SW FICON f DCX4S 1Y Extended	SUP for SW FICON for DCX; 1Y Extended			x												D:SUP-FIDX-1-EXT			1246	
	SUP SW FICON f DCX4S 1Y Renewal	SUP for SW FICON for DCX; 1Y Renewal			x												D:SUP-FIDX-1-UPG			1474	
	SUP SW I-Routing DCX4S 1Y Extended	SUP for SW I-Routing f DCX; 1Y Extended			x												D:SUP-IRDX-1-EXT			868	
	SUP SW I-Routing DCX4S 1Y Renewal	SUP for SW I-Routing for DCX; 1Y Renewal			x												D:SUP-IRDX-1-UPG			1022	

Uninterrruptable Power Supply (UPS)
UPS systemes protect IT equipment against system drop outs triggered by power loss or bad power quality. They provide energy over a limited period of time (autonomy time) depending on the amount of battery capacity. Online technology provides highest quality power protection (VFI-SS-111) .

Masterguard ONLINE UPS
This UPS family provides Online functionality covering power requirements ranging from 0,5kW to several hundred kW. All devices use the same software which is available both for INTEL™ and SUN Sparc™ environments. Beside the standard software there is a high availability software which allows the safeguard of distributed solutions or large UPS farms.

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
APC Online UPS							
	APC Online UPS S2 3kVA / 2,1kW R/T (3U)	APC ONLINE UPS 3KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V301			1485	
	APC Online UPS S2 5kVA / 3,5kW R/T (3U)	APC ONLINE UPS 5KVA S2 with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card AP9619 with DSP technology; floorstand/rack version 3U, incl. standing feets	S26361-K915-V501			2156	
	APC Online UPS 8kVA / 6,4kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V80			3235	
	APC Online UPS 10kVA / 8kW R/T (6U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 10 external accu extensions S26361-K915-V1 with a high of 3U can be added; incl. Network Management Card; Floorstand version, easy to change in rackmount	S26361-K915-V100			3555	
	APC Online UPS 20kVA / 12kW R/S (12U)	APC ONLINE UPS with accu; for PRIMERGY and PW; up to 8 external accu extensions with a high of 6U can be added; incl. Network Management Card; rackmount version, easy to change in stackversion	S26361-K915-V200			9468	
	APC Online UPS Battery extension 3-10kVA	accu for APC ONLINE UPS; for PRIMERGY and PW; Floorstand version, easy to change in rackmount, incl. standing feets and UPS connection cable	S26361-K915-V1			607	
	APC Online UPS Battery extension 20kVA	accu for APC ONLINE UPS 20KVA; for PRIMERGY and PW; rackmount version, easy to change in stackversion, incl. UPS connection cable	S26361-K915-V2			2308	
MASTERGUARD Online UPS							
	MG Online UPS Battery extens.10kVA Tower	External UPS battery pack (BP) for 10 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 23 min (full load), 2 ext. battery: 43 min (full load)	D:UPS31-T10-PA1-MG			1228	
	MG Online UPS 10kVA / 7kW (Tower) 5min	Tower modell incl. battery, Active power 7000 W, Color: ergo gray; can be rolled, Runtime: 5 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection , No distributor supplied:, , 3-phase permanent connection, required by electrician	D:UPS31-T10-PV1-MG			4298	
	MG Online UPS Battery extens.20kVA Tower	External UPS battery pack (BP) for 20 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 41 min (full load), 2 ext. battery: 81 min (full load)	D:UPS31-T20-PA1-MG			5254	
	MG Online UPS 20kVA / 14kW (Tower) 10min	Tower modell incl. battery, Active power 14000 W, Color: ergo gray; can be rolled, Runtime: 10 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection, No distributor supplied:, , 3-phase permanent connection required by electrician	D:UPS31-T20-PV1-MG			9561	

Storage Uninterruptible Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Model	Description	Details	Product Code			End User Price (RRP)	Comments
Base unit configurations							
MASTERGUARD Online UPS (Continued)							
	MG Online UPS Battery extension 3kVA RT	UPS battery pack (BP) for, 3 kVA rack / tower UPS, Color: anthracite, incl. UPS connection cable,, Max 4 ext. batteries / UPSs, Runtime:, 1x ext. battery: 18 min (full load), 2x ext. battery: 31 min (full load), 3x ext. battery: 46 min (full load), 4x ext. battery: 60 min (full load), , Max 4x per UPS, Occupies 2U in the rack	D:UPS-RT3-PA1-MG			554	
	MG Online UPS 3kVA/2,7kW RT (2U) 5min	MGUA -Online USV 3KVA, Rack / Tower model with battery, Active power 2700 W, Color: anthracite, Runtime: 6 min (full load), Management: RS232/V.24 + USB, Connector: COM SubD-9 /USB, 1x slot for alternative adapter, 1x V24 and USB cable (data cable), CD with management software , and basic license for 3 servers, Output side, 1-phase, 1x IEC320 C19 (16A), 6x IEC320 C13 (10A), Switchable in two groups, 1x power outlet with 3x CEE 7/7, Mains cable with safety plug, (CEE 7/7) plug; 1.8m, 36-month warranty: 12 months , on-site, 24 months bring-in, service by Fujitsu PRS [2], Occupies 2U in the rack	D:UPS-RT3-PV1-MG			1475	
	MG Online UPS 6kVA/4,2kW (3U Rack) 0min	Rack model without battery, Active power 4200 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor / cable supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R6-PV1-MG			2719	
	MG Online UPS 10kVA / 7kW (3U Rack) 0min	Rack model without battery, Active power 7000 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R10-PV1-MG			4561	
	MG Online UPS Battery extens. 6-10kVA R	UPS battery pack (BP) for 6 / 10 kVA rack UPS, Color: anthracite incl. UPS connection cable,, , Max. 3 ext. batteries 6kVA UPSs, Runtime:, 1x ext. battery: 12 min (full load), 2x ext. battery: 29 min (full load), 3x ext. battery: 45 min (full load), , Max. 4 ext. batteries/10kVA UPSs, Runtime:, 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 25 min (full load), 4x ext. battery: 34 min (full load)	D:UPS-R6R10-PA1-MG			1140	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
Rack-Infrastructure										
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg	x			S26361-F2735-L31			25	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension			x	S26361-F2845-L30			140	
UPS/Power supply										
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.			x	D:UPS-BATTKAB-L-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.			x	D:UPS-LAN3-L-MG			184	
	MG UPS PDU1 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1-L-MG			1132	
	MG UPS PDU1T 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU1T-L-MG			1132	
	MG UPS PDU2 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A			x	D:UPS-PDU2-L-MG			1132	
	UPS Man Software MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASIS-MG			254	
	UPS Man Software V31 MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.			x	D:UPSSW-BASISV31MG			254	

Accessories Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	APC UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Accessories & services matrix										
UPS/Power supply (Continued)										
	UPS Man SW Option CLUSTER 2-3-5-50	This package can be ordered optionally and addresses a dual-node cluster application. The number of cluster nodes can be increased by adding further licenses in grids of 2 (a quad-node cluster requires 2 licenses). The license can manage up to 3 groups, each with up to 5 UPS systems. The package is aimed at distributed cluster applications in which a pool of parallel UPSs with up to 5 UPSs each is intended for servers, infrastructure (data transport) and consolidated storage hardware. The servers involved can address a total of 50 clients.			x	D:UPSSW-CLUSTER-MG			746	
	UPS Man SW Option ENTERPRISE 25-3-5-50	This package can be ordered optionally and is designed for power solutions with a powerful server that can be split into virtual machines (example: PRIMEPOWER). Configurations such as in the cluster version can be created for the distributed environment used by the virtual server.			x	D:UPSSW-ENTERPR-MG			1009	
	UPS Man SW Option SERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-MG			526	
	UPS ManSW V31OptionSERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.			x	D:UPSSW-GRID-V31MG			526	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosence AP9630 for APC-USV, use one smart slot	x	x		S26113-F80-L30			218	
	APC Online UPS RMK D/P/3rd P Racks	1 pair sliding rails, depth variable, for D/P/3rd P racks, for assembly of a floorstand APC online UPS into a rack, incl. adapter angle 150 kg	x			S26361-F2845-L1			94	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20			x	S26361-F3151-L300			25	

Options Unint. Power Supply

Data Sheets: http://ts.fujitsu.com/storage

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Product Code			End User Price (RRP)	Comments
Options matrix									
Rack-Infrastructure									
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x		S26361-F1647-E302			55	
	MG 3kVA RT UPS RMK D/P/3rd P Racks	Rack installation kit for MGUA UPSs up to 3kVA, for mounting a UPS in a P/D/3rd-party rack, For MGUA online UPSs and runtime extensions, Required 1x per UPS / extension		x	S26361-F2845-E30			140	
UPS/Power supply									
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.		x	D:UPS-BATTKAB-MG			70	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS-compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.		x	D:UPS-LAN3-MG			184	
Miscellaneous									
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x		S26361-F1647-E410			21	